

Apr 13st, 2021

PCN # Alternate Assembly Location for Thyristor SOT23_SOT89_SOT223 package

To our valued customers,

Littelfuse would like to notify you that we qualified alternate assembly location of Thyristor SOT23, SOT89, SOT223 package products with BCP consideration. Detail affected product list please refer to attached file.

All affected products have been fully qualified in accordance with established performance and reliability criteria. The attached pages summarize the qualification results. Full qualification data and/or samples will be available upon request.

Form, fit, function changes: Slight dimension difference but all in JEDEC spec

Part number changes: None Effective date: July 13th, 2021 Replacement products: N/A

Last time buy: N/A

This notification is for your information and acknowledgement. If you have any other questions or concerns, please contact your local sales team or Zhiwei Wang, Power Thyristor/Diode Discrete, Product Marketing Manager.

We value your business and look forward to assisting you whenever possible.

Thank you very much!

Best Regards,

Zhiwei Wang
Product Marketing Manager of Power Thyristor/Diode Discrete
Semiconductor Business Unit, Wuxi, China
+86 510 85277701 - 7927
zwang@littelfuse.com



800 E. Northwest Highway Des Plaines, IL 60016

Product/Process Change Notice (PCN)

PCN#: ESW490-37 Date: Apr	13th, 2021	Contact Information			
Product Identification:		Name: Zhiwei Wang			
	ckage products	Title: Product Marketing Manager			
of Thyristor.		Phone #: +86 510 85277701 - 7927			
Implementation Date for Change:		Fax#: N/A			
July 13th, 2021		E-mail: zwang@littelfuse.com			
Category of Change:	Descri	otion of Change:			
☐ Assembly Process	Littelfus	se would like to notify you that we qualified alternate assembly location o			
☐ Data Sheet		or SOT23, SOT89, SOT223 package products with BCP consideration.			
☐ Technology	Detail a	iffected product list please refer to attached file.			
☐ Discontinuance/Obsolescence					
☐ Equipment		cted products have been fully qualified in accordance with established			
		nance and reliability criteria. The attached pages summarize the attached pages summarize the attached			
Raw Material	request	· · · · · · · · · · · · · · · · · · ·			
☐ Testing					
☐ Fabrication Process					
☐ Other:					
Important Dates:					
□ Qualification Samples Available	e: Apr 13th, 20	21 Last Time Buy:			
Final Qualification Data Availal	ole: Apr 13th, 2	2021			
☐ Date of Final Product Shipmen	t:				
Method of Distinguishing Chang	ed Product				
☐ Product Mark,					
□ Date Code, Traceability data a	vailable upon r	equest			
☐ Other,					
Demonstrated or Anticipated Im	pact on Form,	Fit, Function or Reliability:			
Slight dimension difference but all	in JEDEC spec	;			
LF Qualification Plan/Results:					
Attached full detail available up	on request				
Customer Acknowledgement of	Receipt: Littelfu	use requests you acknowledge receipt of this PCN. In your acknowledgement, you can			
grant approval or request additional informa	ation. Littelfuse wil	I assume the change is acceptable if no acknowledgement is received within 30 days			
of this notice. I sale of any additional rooms		of DCN increases fruither constitutes accentance of the change			



PCN Report

Prepared By : Light Zhang, Thyristor Product Engineer

Date : Mar 23rd, 2021

Products: 2nd Source Subcon Qualification

Revision : A

1.0 Objective:

This report covers dual manufacturing site qualification activities of Thyristor products include SOT89 SOT223 SOT23. Site qualify includes backend assembly, final test and packaging operations.

2.0 Applicable Products:

Thyristor products in package of SOT23, SOT223, SOT89

Please see the attached Appendix I for a full list of affected part numbers.

3.0 Physical Differences/Changes of Product:


There are no physical changes for 2nd source subcon made.

4.0 Comparison of Package Outline Dimensions Specifications:

There are slight differences in package outline dimensions but all of new specifications are still within applicable JEDEC specifications.

4.1 SOT23 Outline


---Dimensions A1, D, L, HE are different



	Prese	nt Sepcific	cation	New Sepcification			
DIM	Millimeters			Millimeters			
	Min	Nom	Max	Min	Nom	Max	
Α	0.89	1.03	1.17	0.89	1.03	1.17	
A1	0.05	0.10	0.15	0.01	0.10	0.15	
b	0.30	0.40	0.50	0.30	0.40	0.50	
С	0.08	0.14	0.20	0.08	0.14	0.20	
D	2.80	2.90	3.00	2.80	2.90	3.04	
E	1.20	1.30	1.40	1.20	1.30	1.40	
е		1.90			1.90		
L	0.40	0.49	0.58	0.40	0.49	0.60	
L1	0.46	0.55	0.64	0.46	0.55	0.64	
HE	2.10	2.30	2.49	2.10	2.30	2.64	
θ	0°	-	10°	0°	-	10°	




4.2 SOT223 Outline ---Dimension H_E is different.



	Prese	nt Sepcific	cation	New Sepcification			
DIM	N	Millimeter	S	N	Millimeter	S	
	Min	Nom	Max	Min	Nom	Max	
Α	-	-	1.80	-	-	1.80	
A1	0.02	0.07	0.13	0.02	0.07	0.13	
b	0.66	0.75	0.84	0.66	0.75	0.84	
b1	2.90	3.00	3.10	2.90	3.00	3.10	
С	0.23	0.29	0.35	0.23	0.29	0.35	
D	6.60	6.60	6.71	6.30	6.60	6.71	
Е	3.30	3.50	3.70	3.30	3.50	3.70	
е		2.30			2.30		
e1	0.75	0.95	1.15	0.75	0.95	1.15	
L1	1.50	1.75	2.00	1.50	1.75	2.00	
HE	6.80	7.00	7.20	6.70	7.00	7.30	
θ	0°	-	10°	0°	-	10°	


4.3 SOT 89 Outline ---Dimensions E F G J are different.



	Presen	t Sepcit	fication	New Sepcification			
DIM	М	illimete	ers	Millimeters			
	Min	Nom	Max	Min	Nom	Max	
Α	4.40	-	4.60	4.40	-	4.60	
В	2.29	-	2.60	2.29	-	2.60	
С	1.40	-	1.60	1.40	-	1.60	
D	3.94	-	4.25	3.94	-	4.25	
Е	0.89	-	1.20	0.81	-	1.20	
F	1.42	-	1.57	1	1.50	_	
G	2.92	_	3.07	1	3.00	_	
Н	0.35	-	0.44	0.35	-	0.44	
J	1.62	_	1.83	-	1.65	_	

5.0 Physical Differences/Changes of Reel & Tape:


- 5.1 There are no physical differences on tape
- 5.2 There are physical differences about the reel used in 2nd subcon.






6.0 Comparison of Reel & Tape Outline Dimensions Specifications:

- 6.1 There is no change of the tape outline dimensions specification.
- 6.2 There are slight differences in Reel outline dimensions but all of new specifications are still within applicable EIA-481 standard.
 - 6.2.1 7" Reel outline dimensions specifications.
 - ---7" reel for SOT89 & SOT223 outline, Dimension A, B, D, N are different.



			Present		New		
ITEM	SYMBOL	VALUE	TOLERANCE	VALUE	TOLERANCE		
		(MM)	(MM)	(MM)	(MM)		
Reel Diameter	Α	180.0	±1.5	178.0	±1.0		
Drive Spoke Width	В	2.3	±0.2	2.1	±0.2		
Arbor Hole Diameter	С	13.0	+0.5/-0.2	13.0	+0.5/-0.2		
Drive Spoke Diameter	D	21.0	+0.3 / - 0	21.2	±0.3		
Hub Diameter	N	60.0	±1.0	60.0	±0.5		
Reel Inner ar Hub	W1	12.4	+2.0/-0.0	12.4	+2.0/-0.0		


---7" reel for SOT23 outline, Dimension A, B, D, N are different.



			Present		New		
ITEM	SYMBOL	VALUE	TOLERANCE	VALUE	TOLERANCE		
		(MM)	(MM)	(MM)	(MM)		
Reel Diameter	Α	180.0	±1.5	178.0	±1.0		
Drive Spoke Width	В	2.3	±0.2	2.1	±0.2		
Arbor Hole Diameter	С	13.0	+0.5/-0.2	13.0	+0.5/-0.2		
Drive Spoke Diameter	D	21.0	+0.3 / - 0	21.2	±0.3		
Hub Diameter	N	60.0	±1.0	60.0	±0.5		
Reel Inner ar Hub	W1	8.4	+1.5/-0.0	8.4	+1.5/-0.0		

6.2.2 13" Reel outline dimensions specifications.

---13" reel for SOT89 & SOT223 outline, Dimension A, B, D, N are different.



			Present	New		
ITEM	SYMBOL	VALUE	VALUE TOLERANCE		TOLERANCE	
		(MM)	(MM)	(MM)	(MM)	
Reel Diameter	Α	330.0	±1.5	330.0	±2.0	
Drive Spoke Width	В	2.2	±0.2	2.0	±0.5	
Arbor Hole Diameter	С	13.0	+0.5/-0.2	13.0	+0.5/-0.2	
Drive Spoke Diameter	D	21.0	+0.3 / - 0	22.0	±0.5	
Hub Diameter	N	100.0	±1.5	100.0	±1.0	
Reel Inner ar Hub	W1	12 4	+2 0/-0 0	12.4	+2 0/-0 0	



7.0 Qualification Test Result

All samples passed parametric and reliability test standard by Littelfuse.

7.1 Package SOT23 Reliability test result summary

Test Item	Sample P/N	Sample QTY	Littelfuse test Ref#	Contents/Conditions	Duration	Result Summary
ACBV	NYC0102BLT1G	77 x 2	143336	At T _J max, Reverse biased	1,008hrs	0 failure
(HTRB)	S6X8BBSRP	77 x 2	149946	at 100%V _{DRM}	1,0001115	Ulallule
Pre-	NYC0102BLT1G	77 x 8	143336	24hrs 125°C bake, 168hrs		
conditioning	S6X8BBSRP	77 x 8	149946	85°C/85% humidity storage, 3 x IR reflow		0 failure
LIOTOD	NYC0102BLT1G	77 x 2	143336	T _A =85°C, RH=85%, Reverse biased	4.000	0.631
H3TRB	S6X8BBSRP	77 x 2	149946	(NYC0102BLT1G at 100V; S6X8BBSRP at 160V)	1,008hrs	0 failure
TC	NYC0102BLT1G	77 x 2	143336	55℃&150℃ (air to air),	1,000	0 failure
10	S6X8BBSRP	77 x 2	149946	Dwell time 15mins	cycles	0 failule
UHAST	NYC0102BLT1G	77 x 2	143336	T _A =130°C, RH=85%	96hrs	0 failure
UHAST	S6X8BBSRP	77 x 2	149946	TA=130 C, KH=65 %	901115	0 failule
IOL	NYC0102BLT1G	77 x 2	143336	T _A =25°C, T _J (ΔTJ>=100°C)	15,000	0 failure
IOL	S6X8BBSRP	77 x 2	149946	TA=23 C, TJ(Δ19>=100 C)	cycles	0 failule
RSH	NYC0102BLT1G	30 x 2	143336	260°C	10 secs	0 failure
NOH	S6X8BBSRP	30 x 2	149946	7 200 C	10 Secs	0 failule
Coldorobility	NYC0102BLT1G	10 x 2	143336	24590	10 0000	0 failure
Solderability	S6X8BBSRP	10 x 2	149946	245°C	10 secs	o failule
ESD	MCR08MT1G	30 x 2	143336	HBM 20K)/ MM 9K)/		O foilure
ESD	NYC228STT1G	30 x 2	149946	HBM 30KV, MM 8KV		0 failure

7.2 Package SOT223 Reliability test result summary

Test Item	Sample P/N	Sample QTY	Littelfuse test Ref#	Contents/Conditions	Duration	Result Summary
ACBV (HTRB)	S6002TSRP	77 x 1	144606	At T _J max, Reverse biased at 100%V _{DRM}	1,008hrs	0 failure
Pre- conditioning	S6002TSRP	77 x 4	144606	24hrs 125°C bake, 168hrs 85°C/85% humidity storage, 3 x IR reflow		0 failure
H3TRB	S6002TSRP	77 x 1	144606	T _A =85°C, RH=85%, Reverse biased at 160V _{DC}	1,008hrs	0 failure
тс	S6002TSRP	77 x 1	144606	-55 °C &150 °C (air to air), Dwell time 15mins	1,000 cycles	0 failure
UHAST	S6002TSRP	77 x 1	144606	T _A =130°C, RH=85%	96hrs	0 failure
IOL	S6002TSRP	77 x 1	144606	T _A =25°C, T _J (ΔTJ>=100°C)	15,000 cycles	0 failure
RSH	S6002TSRP	30	144606	260°C	10 secs	0 failure
Solderability	S6002TSRP	10	144606	245°C	10 secs	0 failure
ESD	S6002TSRP	30	144606	HBM 30KV, MM 8KV		0 failure



7.3 Package SOT89 Reliability test result summary

Test Item	Sample P/N	Sample QTY	Littelfuse test Ref#	Contents/Conditions	Duration	Result Summary
ACBV	S602BSRP	77 x 2	144614	At TJ max, Reverse biased	1,008hrs	0 failure
(HTRB)	LX807MBRP	77 x 1	147397	at 100%V _{DRM}	1,0001115	0 failule
Pre-	S602BSRP	77 x 8	144614	24hrs 125°C bake, 168hrs		
conditioning	LX807MBRP	77 x 4	147397	85°C/85% humidity storage, 3 x IR reflow		0 failure
LIOTOD	S602BSRP	77 x 2	144614	T _A =85°C, RH=85%, Reverse biased	4.0001	O failure
H3TRB	LX807MBRP	77 x 1	147397	(S602BSRP at 160V; LX807MBRP at 320V)	1,008hrs	0 failure
TC	S602BSRP	77 x 2	144614	-55℃&150℃ (air to air),	1,000	O foilure
TC	LX807MBRP	77 x 1	147397	Dwell time 15mins	cycles	0 failure
UHAST	S602BSRP	77 x 2	144614	T _A =130°C, RH=85%	96hrs	0 failure
UHAST	LX807MBRP	77 x 1	147397	1A=130 C, KH=65 /6	901115	0 failule
IOL	S602BSRP	77 x 2	144614	$T_A=25$ °C, $T_J(\Delta TJ>=100$ °C)	15,000	0 failure
IOL	LX807MBRP	77 x 1	147397	Тд=23 С, ТЈ (ДТ9>=100 С)	cycles	0 failule
RSH	S602BSRP	30 x 2	144614	260°C	10 secs	0 failure
КЭП	LX807MBRP	30 x 1	147397	260 C	10 secs	0 failule
Soldorability	S602BSRP	10 x 2	144614	- 245°C	10 secs	0 failure
Solderability	LX807MBRP	10 x 1	147397	240 C	10 secs	U lallule
ESD	S602BSRP	30 x 2	144614	HBM 30KV, MM 8KV		0 failure
LOD	LX807MBRP	30 x 1	147397	TIDIVI SUKV, IVIIVI OKV		o ialiule

7.4 Parametric Test

There is no change in absolute ratings and parametric specifications

Test Item	Sample P/N	Sample Qty	Littelfuse test Ref#	Contents/Conditions	Result Summary
	NYC0102BLT1G	10 x 2	143357		
Electrical	S6X8BBSRP	10 x 2	149948		
Parameters	S6002TSRP	10 x 1	144612	IGT/VGT/IH/VT/IDRM/IRRM	
Faiameters	S602BSRP	10 x 2	144617		
	LX807MBRP	10 x 1	147398		
	NYC0102BLT1G	5 x 2	143357		
	S6X8BBSRP	5 x 2	149948		Meet datasheet
ITSM	S6002TSRP	5 x 1	144612	f = 50Hz; T _J (initial) = 25°C	
	S602BSRP	5 x 2	144617		spec
	LX807MBRP	5 x 1	147398		
	NYC0102BLT1G	5 x 2	143357		
Theresal	S6X8BBSRP	5 x 2	149948	lumation to Cons	
Thermal Resistance	S6002TSRP	5 x 1	144612	Junction-to-Case ReJc	
resistance	S602BSRP	5 x 2	144617	11000	
	LX807MBRP	5 x 1	147398		



8.0 Recommendations & Conclusions:

Base on the above qualification test results, Littelfuse judged that the 2nd source qulification have been successfully completed and results were verified by qualification tests.

Littelfuse released the 2nd source subcon manufacturing to production.

9.0 Approvals:

<u>Light Zhang</u> Outsourced Product Engineer Littelfuse, Inc. Peter Liu
Aisa OSAT Product Engineering Manager
Littelfuse, Inc.

10.0

Appendix I – Affected part number list

NYC0102BLT1G	S4X8BSRP	LX807MBRP	S6X8TSRP	S940S6X8TSRP
SYC0102BLT1G	S6X8BSRP	LX803DTRP	S8X8TSRP	S958S6X8TS2RP
NYC0102BLT1P	S4X8BS1RP	LX803MTRP	S966S8X8TSRP	S971S6X8TSRP
S6X8BBSRP	S6X8BS1RP	LX807DTRP	S4X8TS1RP	S988S6X8TSRP
MCR08BT1G	S4X8BS2RP	LX807MTRP	S6X8TS1RP	Q1421L0103NTRP
MCR08MT1G	S6X8BS2RP	L0103DTRP	S8X8TS1RP	Q1427L0103MTRP
NYC222STT1G	S402BSRP	L0103MTRP	S4X8TS2RP	Q1428L0107MTRP
NYC226STT1G	S602BSRP	L0103NTRP	S6X8TS2RP	Q1429L0103NTRP
NYC228STT1G	S402BS1RP	L0107DTRP	S8X8TS2RP	Q1430L0107NTRP
MAC08BT1G	S602BS1RP	L0107MTRP	S402TSRP	
MAC08MT1G	S602BS2RP	L0107NTRP	S602TSRP	
Z0103MNT1G	S4X8BSRP1	L0109DTRP	S802TSRP	
Z0107MNT1G	S6X8BSRP1	L0109MTRP	S402TS1RP	
Z0109MNT1G	S885S6X8BSRP	L0109NTRP	S602TS1RP	
MCR08MT1G-L	S1002S6X8BSRP	S4X8TSRP	S6002TSRP	