multicomp



Features


- · High power rating up to 3 Watts
- Low TCR down to ±50 PPM/°C
- Resistance values from $3m\Omega$ to $100m\Omega$
- Customized resistance available

RoHS Compliant

Applications

- NB (for Power Management)
- MB (for Power Management)
- SWPS (DC-DC Converter, Charger, Adaptor)
- Monitor (for Power Management)

Construction



1	Alloy Plate	4	Internal Electrode
2	Overcoat	5	Barrier Layer
3	Marking	6	Solder Plating

Dimensions

Туре	Size (Inch)	L (mm)	W (mm)	T (mm)	D (mm)
MCLRP06	1206	3.1 ±0.1	1.6 ±0.1	0.6 ±0.1	0.45 ±0.15
MCLRP12	2512	6.4 ±0.25	3.2 ±0.25	0.7 ±0.2	0.9 ±0.3

Electrical Specifications

Item	Power Rating at 70°C	Operating Temp.				
Туре		Range	±0.5%	±1%	±5%	(PPM/°C)
MCLRP06 (1206)	1W	-55°C ~ +170°C		8, 10, 12	, 15, 20	±100
MCI PD12 (2512)		-55°C ~ +170°C			5, 18, 20, 22, 25, 30, 33, 70, 75, 80, 82, 90, 91, 100	±75
MCLRP12 (2512)	1W, 2W, 3W	-55 C ~ +170 C		2, 25, 30, 33, 3 70, 75, 80, 82	35, 39, 40, 47, 50, 60, 68, , 90, 91, 100	±50

Operating Current = $\sqrt{(P/R)}$, Operationg Voltage = $\sqrt{(P \times R)}$

www.element14.com www.farnell.com www.newark.com






Environmental Characteristics

Item	Requirement	Test Method
Temperature Coefficient of Resistance (T.C.R.)	As Spec.	IEC60115-1 4.8 JIS-C-5201-1 4.8 +25°C ~ 125°C, 25°C is the reference temperature
Short Time Overload	±1%	IEC60115-1 4.13 JIS-C-5201-1 4.13 5*rated power for 5 seconds
Insulation Resistance	≥10G	IEC60115-1 4.6 JIS-C-5201-1 4.13 100V DC for 1 minute
Endurance	±1%	IEC60115-1 4.25 JIS-C-5201-1 4.25.1 70±2°C, rated power for 1000 hrs with 1.5 hrs "ON" and 0.5 hr "OFF"
Biased Humidity	±1%	MIL-STD-202 Method 103 1000 hrs 85°C/85%RH 10% of operating power
Dry Heat	±1%	IEC60115-1 4.23.2 JIS-C-5201-1 4.23.2 at +170°C for 1000 hrs
Bending Strength	±1%	JIS-C-5201-1 4.33 IEC-60115-1 4.33 Bending width 2mm once for 5 seconds
Solderability	95% min. coverage	JIS-C-5201-1 4.17 IEC-60115-1 4.17 245±5°C for 3 seconds
Resistance to Soldering Heat	±0.5%	JIS-C-5201-1 4.18 IEC-60115-1 4.18 260±5°C for 10 seconds
Rapid Change of Temperature	±1%	JIS-C-5201-1 4.19 IEC-60115-1 4.19 -55°C to +155°C, 5 cycles
Low Temperature Storage	±1%	IEC60115-1 4.23.4 JIS-C-5201-1 4.23.4 at -55°C for 2 hrs

RCWV(Rated Continuous Working Voltage)= $\sqrt{(P^*R)}$ or Max. Operating Voltage whichever is lower.

Storage Temperature: 15~28°CHumidity: < 80%RH</td>

Derating Curve




www.element14.com www.farnell.com www.newark.com



multicomp

Soldering Condition (Reflow Soldering Only)




øВ

(1) Time of IR reflow soldering at maximum temperature point 260°C : 10s


Packaging

Reel Specifications & Packaging Quantity



Туре	Resistance (mΩ)	Packagin Quantity	•	Tape Width	Reel Diameter	ΦA (mm)	ФВ (mm)	ΦC (mm)	W (mm)	T (mm)
MCLRP06	8 ~ 20	Paper	5K	8mm	7 inch	178.5 ±1.5	60+/-0	13 ±0.2	9 ±0.5	12.5 ±0.5
MCLRP12	4 ~ 100	Embossed	4K	12mm	7 inch	178.5 ±1.5	60 ±1	13 ±0.5	13 ±1	15.5 ±0.5
	3	Embossed	2K	12mm	7 inch	178.5+/-1.5	60 ±1	13 ±0.5	13 ±1	15.5 ±0.5

Embossed Plastic Tape Specifications




Туре	A (mm)	B (mm)	W (mm)	E (mm)	F (mm)	P₀ (mm)	P1 (mm)	P2 (mm)	D₀ (mm)	T (mm)
MCLRP12	3.5 ±0.1	6.7 ±0.1	12 ±0.3	1.75 ±0.1	5.5 ±0.05	4 ±0.1	4 ±0.1	2 ±0.05	1.5 +0.1, -0	1.2 +0

www.element14.com www.farnell.com www.newark.com




Paper Tape Specifications



Туре	A (mm)	B (mm)	W (mm)	E (mm)	F (mm)	P₀ (mm)	P₁ (mm)	P₂ (mm)	D₀ (mm)	T (mm)
MCLRP06	1.9 ±0.1	3.5 ±0.2	8 ±0.2	1.75 ±0.1	3.5 ±0.05	4 ±0.1	4 ±0.05	2 ±0.05	1.5 +0.1,-0	0.85 ±0.1


Recommend Land Pattern



Туре	A (mm)	B (mm)	C (mm)
MCLRP06	1.5	1.4	1.7
MCLRP12	4	2	3.5

FR4 copper board, 100µm of copper pad thickness

Part Number Explanation



Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage resulting from any reliance on the Information or use of it (including liability resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com



nulticomp