



12500 TI Boulevard, MS 8640, Dallas, Texas 75243

**Notification# 20200715000**  
**Datasheet for LMV321, LMV324, LMV358**  
**Information Only**

**Date:** July 21, 2020  
**To:** PREMIER FARNELL PCN

Dear Customer:

This is an information-only announcement of a change to the datasheet for a device that is currently offered by Texas Instruments.

The changes discussed within this notification are for your information only.

Any negotiated alternative change requirements will be provided via the customer's defined process. Customers with previously negotiated, special requirements will be handled separately. Any inquiries should be directed to your local Field Sales Representative.

For questions regarding this notice, contact your local Field Sales Representative or the PCN team ([PCN\\_ww\\_admin\\_team@list.ti.com](mailto:PCN_ww_admin_team@list.ti.com)).

Sincerely,

PCN Team  
SC Business Services

**Information Only  
Attachments**

**Products Affected:**

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

<b>DEVICE</b>	<b>CUSTOMER PART NUMBER</b>
LMV321IDBVR	null
LMV324IDR	null
LMV324IPWR	null
LMV358ID	null
LMV358IDGKR	null
LMV358IDR	null

Technical details of this Product Change follow on the next page(s).

<b>Notification Number:</b>	20200715000	<b>Notification Date:</b>	July 21, 2020
<b>Title:</b>	Datasheet for LMV321, LMV324, LMV358		
<b>Customer Contact:</b>	PCN Manager	<b>Dept:</b>	Quality Services
<b>Change Type:</b>			
<input type="checkbox"/>	Assembly Site	<input type="checkbox"/>	Design
<input type="checkbox"/>	Assembly Process	<input checked="" type="checkbox"/>	Data Sheet
<input type="checkbox"/>	Assembly Materials	<input type="checkbox"/>	Part number change
<input type="checkbox"/>	Mechanical Specification	<input type="checkbox"/>	Test Site
<input type="checkbox"/>	Packing/Shipping/Labeling	<input type="checkbox"/>	Test Process
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Bump Site
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Bump Material
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Bump Process
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Fab Site
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Fab Materials
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Fab Process

### Notification Details

#### Description of Change:

Texas Instruments Incorporated is announcing an information only notification. The product datasheet(s) is being updated as summarized below. The following change history provides further details.



**LMV321, LMV324, LMV358**

SLOS263X –AUGUST 1999–REVISED MAY 2020

#### Changes from Revision W (October 2014) to Revision X

Page

• Deleted LMV324S mentions on the front page of the data sheet .....	1
• Added end equipment links in <i>Application</i> section .....	1
• Added recommended device notice for LMV321A, LMV358A, and LMV324A .....	1
• Changed <i>Device Information</i> table to sort devices by channel count in ascending order.....	1
• Changed <i>Pin Configuration and Functions</i> section by dividing the Pin Functions table into separate tables per device .....	3
• Deleted LMV324S pinout information .....	4
• Changed HBM ESD voltage from 2500 V to 2000 V.....	5
• Changed CDM ESD voltage from 1500 V to 1000 V .....	5
• Deleted Shutdown voltage threshold for LMV324S.....	5
• Changed <i>Thermal Information</i> section by dividing the <i>Thermal Information</i> table into separate tables per device.....	5
• Changed Thermal Information for LMV321 .....	5
• Deleted LMV324S Thermal Information .....	5
• Changed Thermal Information for LMV324 .....	5
• Changed Thermal Information for LMV358 .....	6
• Deleted LMV324S test condition for supply current .....	7
• Changed output short-circuit current for sourcing from 60 mA to 40 mA .....	8
• Changed output short-circuit current for sinking from 160 mA to 40 mA .....	8
• Deleted LMV324S test condition for supply current .....	8
• Added assured by characterization table notes to output short-circuit current, output swing, and input bias current specifications .....	8
• Changed Source Current Vs Output Voltage $V_{CC}=2.7V$ plot with Output Voltage vs Output Current (Claw) plot in <i>Typical Characteristics</i> section .....	10
• Deleted plots Source Current Vs Output Voltage $V_{CC}=5V$ , Sinking Current vs Output Voltage $V_{CC}=2.7V$ , Sinking Current vs Output Voltage $V_{CC}=5V$ , Short-Circuit Current vs Temperature in <i>Typical Characteristics</i> section .....	10
• Changed Open-Loop Output Impedance Vs Frequency plot in <i>Typical Characteristics</i> section .....	12
• Added <i>Receiving Notification</i> and <i>Support Resources</i> sections to the <i>Device and Documentation Support</i> section.....	23

The datasheet number will be changing.

Device Family	Change From:	Change To:
LMV321, LMV324, LMV358	SLOS263W	SLOS263X

These changes may be reviewed at the datasheet links provided.

<http://www.ti.com/product/LMV321>

**Reason for Change:**

To accurately reflect device characteristics.

**Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative):**

No anticipated impact. This is a specification change announcement only. There are no changes to the actual device.

**Changes to product identification resulting from this notification:**

None.

**Product Affected:**

LMV321IDBVR	LMV321IDBVRE4	LMV321IDBVRG4	LMV321IDBVT
LMV321IDBVTE4	LMV321IDCKR	LMV321IDCKRG4	LMV321IDCKT
LMV324ID	LMV324IDR	LMV324IDRE4	LMV324IDRG4
LMV324IPWR	LMV324IPWRE4	LMV324IPWRG4	LMV324QD
LMV324QDG4	LMV324QDR	LMV324QDRG4	LMV324QPW
LMV324QPWR	LMV324QPWRE4	LMV358ID	LMV358IDDUR
LMV358IDDURG4	LMV358IDG4	LMV358IDGKR	LMV358IDGKRG4
LMV358IDR	LMV358IDRE4	LMV358IPWG4	LMV358IDRG4
LMV358IPW	LMV358IPWR	LMV358IPWRE4	LMV358IPWRG4
LMV358QD	LMV358QDDUR	LMV358QDDURG4	LMV358QDG4
LMV358QDGKR	LMV358QDGKRG4	LMV358QDR	LMV358QPWR

For questions regarding this notice, e-mails can be sent to the contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	<a href="mailto:PCNAmericasContact@list.ti.com">PCNAmericasContact@list.ti.com</a>
Europe	<a href="mailto:PCNEuropeContact@list.ti.com">PCNEuropeContact@list.ti.com</a>
Asia Pacific	<a href="mailto:PCNAsiaContact@list.ti.com">PCNAsiaContact@list.ti.com</a>
WW PCN Team	<a href="mailto:PCN_ww_admin_team@list.ti.com">PCN_ww_admin_team@list.ti.com</a>

**IMPORTANT NOTICE AND DISCLAIMER**

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you

will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale ([www.ti.com/legal/termsofsale.html](http://www.ti.com/legal/termsofsale.html)) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.