




Grace Inertia | GRACE INERTIA 2.5

TE Internal #: 1747063-1

GRACE INERTIA 2.5, Connector Contact, Socket, Wire-to-Wire, 28
 – 22AWG Wire Size, .079 – .38mm² Wire Size, Gold, Reel, Wire &
 Cable

[View on TE.com >](#)

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Contacts > Sig GRACE INERTIA Receptacle



Contact Type: **Socket**

Connector System: **Wire-to-Wire**

Wire Size: **.079 – .38 mm²**

Contact Mating Area Plating Material: **Gold**

[All Sig GRACE INERTIA Receptacle \(9\)](#)

Features

Product Type Features

Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Electrical Characteristics

Insulation Resistance	1000 MΩ
Operating Voltage	50 VAC

Contact Features

Contact Retention Within Housing	With
Mating Tab Width	.5 mm[.02 in]
Mating Tab Thickness	.46 mm[.018 in]
Contact Underplating Material Thickness	1.27 μm[50 μin]



Contact Mating Area Plating Material Thickness	.4 μm[15.75 μin]
Contact Underplating Material	Nickel
Contact Base Material	Phosphor Bronze
Contact Type	Socket
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	2.5 A

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Contact Retention Type Within Housing	Locking Lance
Connector Mounting Type	Cable Mount (Free-Hanging)

Dimensions

Accepts Wire Insulation Diameter Range	1.09 – 1.9 mm[.043 – .075 in]
Wire Size	.079 – .38 mm ²

Usage Conditions

Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
------------------	-------------------------------

Packaging Features

Packaging Quantity	6000
Packaging Method	Reel

Other

Comment	Use with Grace Inertia Connector 2.5 M Type.
---------	--

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2021 (211)

Candidate List Declared Against: JAN 2021 (211)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2305570-1
TERMINAL CUTTER, SIDE FEED



TE Part # 2-1747066-3
GRACE INERTIA CONN 2.5 PLUG HSG 3P BLUE



TE Part # 1747066-4
GRACE INERTIA CONN 2.5 PLUG HSG 4P NATUR



TE Part # 1747066-2
GRACE INERTIA CONN 2.5 PLUG HSG 2P NATUR



TE Part # 1747066-6
GRACE INERTIA CONN 2.5 PLUG HSG 6P NATUR



TE Part # 1747066-5
GRACE INERTIA CONN 2.5 PLUG HSG 5P NATUR



TE Part # 1-1747066-2
GRACE INERTIA CONN 2.5 PLUG HSG 2P RED



TE Part # 1747066-3
GRACE INERTIA CONN 2.5 PLUG HSG 3P NATUR




TE Part # 2-1747066-4
GRACE INERTIA CONN 2.5 PLUG HSG 4P BLUE



TE Part # 2134384-1
GIC 2.5 REC CONT TIN PLATE TYPE (2L TYPE)



TE Part # 2-1747066-6
GRACE INERTIA CONN 2.5 PLUG HSG 6P BLUE



TE Part # 1-1747066-6
GRACE INERTIA CONN 2.5 PLUG HSG 6P RED




TE Part # 1-1747066-5
GRACE INERTIA CONN 2.5 PLUG HSG 5P RED



TE Part # 1747066-8
GRACE INERTIA CONN 2.5 PLUG HSG 8P NATUR



TE Part # 1762236-1
SDE SAHT GIC 2.5 REC M 28-22 ASSY



TE Part # 2-2151127-1
OCEAN_2.0_APPLICATOR-S-046F070F



TE Part # 2-2151127-2
OCEAN_2.0_APPLICATOR-S-046F070FA



TE Part # 2151127-1
OCEAN_2.0_APPLICATOR-S-046F070F




TE Part # 2151127-2
OCEAN_2.0_APPLICATOR-S-046F070FA



TE Part # 7-2151127-1
OCEAN_2.0_APPLICATOR-S-046F070F


Also in the Series | GRACE INERTIA 2.5




Connector Contacts(2)



PCB Latches, Locks & Retainers(5)




Rectangular Connector Housings(49)




Rectangular Connector Locking(2)



Rectangular Power Connectors(36)



Wire-to-Board Connector Assemblies & Housings(69)




Wire-to-Board Connector Contacts(4)



Wire-to-Board Headers & Receptacles (138)

Customers Also Bought



Documents

Product Drawings

[GRACE INERTIA CONN 2.5 REC CON](#)

Japanese

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1747063-1_J.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1747063-1_J.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1747063-1_J.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



[Application Specification](#)

English

[Application Specification](#)

Japanese

[Product Environmental Compliance](#)

[MD_1747063-1_06012018016_dmtec](#)

English

[MD_1747063-1_06012018016_dmtec](#)

English