MATE-N-LOK | Mini-Universal MATE-N-LOK

TE Internal #: 172168-1

Rectangular Power Connectors, Housing, Plug, Wire-to-Wire, 6 Position, 4.2 mm [.165 in] Centerline, Wire & Cable, UL 94V-0, Mini-

Universal MATE-N-LOK

View on TE.com >




Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors











Rectangular Power Connector Type: Housing

Connector & Housing Type: Plug
Connector System: Wire-to-Wire

Number of Positions: 6

Centerline (Pitch): 4.2 mm [.165 in]

Features

Product Type Features

Product Type Features	
Rectangular Power Connector Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	6
Number of Rows	2
Electrical Characteristics	
Operating Voltage	600 VDC
Contact Features	
Multiple Contact Types	Without
Contact Retention Within Housing	Without

Socket

Contact Type



Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Panel Mount Feature	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	4.2 mm[.165 in]
Housing Color	Natural
Housing Material	Nylon 66
Dimensions	
Row-to-Row Spacing	4.2 mm[.165 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-4 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
CSA Rating	Certified, LR 7189
UL Rating	Recognized
Agency/Standard	CSA, UL
Approved Standards	UL E28476
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire
Packaging Features	
Packaging Quantity	500

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JUNE 2023 (235)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1-770988-1
MINI UMNL SOK 22-18AWG LP LF



TE Part # 1-770985-0 MINI UMNL PIN 26-22AWG AU LP



TE Part # 770969-2 06P MINI UMNL R/A HDR ASSY AU





TE Part # 794423-1
06P MINI UMNL STR RELIEF P&CAP



TE Part # 1-770987-0
MINI UMNL PIN 22-18 AWG AU LP



TE Part # 770988-3
MINI UMNL SOK 22-18AWG AU LP







TE Part # 1-770988-0

MINI UMNL SOK 22-18AWG AU



TE Part # 1-794059-0 MINI UMNL PIN L/P LF



TE Part # 770988-1 MINI UMNL SOK 22-18AWG SN LP



TE Part # 770986-1 MINI UMNL SOK 26-22AWG SN LP



TE Part # 794058-1 MINI UMNL SOK L/P



TE Part # 170365-3 MINI UNIVERSAL M-N-L SOCKET LP



TE Part # 1-770969-0 06P MINI UMNL R/A HDR ASSY SN



TE Part # 170364-3 MINI UNIVERSAL M-N-L PIN LP



TE Part # 1-770178-0 06P MINI-UMNL ASSY VO SNNI*



TE Part # 770985-1 MINI UMNL PIN 26-22AWG SN LP



TE Part # 1-794407-1 MINI UMNL SOK 20-16 AWG AU LF



TE Part # 171638-1 MINI U-M-N-L PIN CONT. L.P

Also in the Series | Mini-Universal MATE-N-LOK



Connector Contacts(8)



Connector Seals & Cavity Plugs(17)



Connector Strain Relief(4)



Insertion & Extraction Tools(1)



PCB Headers & Receptacles(1)



Power Contacts(84)



Rectangular Connector Keying Plugs(2)



Rectangular Connector Locking(2)





Customers Also Bought



TE Part #172170-1 12 CIR UNIV M-N-L PLUG



TE Part #172171-1 15 CIR UNIV M-N-L PLUG



TE Part #172157-1
2CIR MINI U-M-N-L CAP NATL



TE Part #172169-1
9 CIR UNIV M-N-L PLUG



TE Part #172166-1 3 CIR UNIV M-N-L PLUG



TE Part #172165-1
2 CIR UNIV M-N-L PLUG NATL



TE Part #2151034-2 OCEAN_2.0_APPLICATOR-S-176O



TE Part #2150008-1
OCEAN_2.0_Applicator-E-130F180F



TE Part #2151030-1 OCEAN_2.0_APPLICATOR-S-062F110F



OCEAN_2.0_APPLICATOR-S-205D

Documents

Product Drawings 6 CIR UNIV M-N-L PLUG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_172168-1_M.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_172168-1_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_172168-1_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

Product Specifications

Engineering Report

English

Product Environmental Compliance

Product Compliance Document

English

Product Compliance Document

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

Agency Approval Document

English