

#### DEUTSCH | DEUTSCH 38999 Series III Composite Connectors

TE Internal #: YACT20JG41BA000000

Standard Circular Connectors, Wire-to-Wire, 41 Position, .1 in [.06 mm] Centerline, Sealable, DEUTSCH 38999 Series III Composite

Connectors

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Wire-to-Wire

Number of Positions: 41

Centerline (Pitch): .06 mm [ .1 in ]

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

#### **Features**

#### **Product Type Features**

Product Type	Connector
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Receptacle
Shell Type	Square Flange Receptacle
Configuration Features	
Number of Positions	41
Number of Power Positions	0

### **Body Features**

Number of Signal Positions

Contacts Preloaded

Shell Plating Material	Cadmium O.D.
Shell Base Material	Composite
Circular Connector Insulation Material Type	Hard Dielectric/Silicone
Hermetically Sealed	No

41

No

#### **Contact Features**



Contact Current Rating (Max)	7.5 A
Reverse Gender	No
Contact Layout Arrangement	Circular
Circular Connector Contact Type	Pin/Socket
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Polarization Code	Normal
Mating Alignment Type	Polarization
Mating Retention	Without
Housing Features	
Centerline (Pitch)	.06 mm[.1 in]
Circular Connector Shell Size	G (21)
Alignment Keyed	Clocking
Dimensions	
Wire Size	.25 – 1.04 mm²
Usage Conditions	
Operating Temperature Range	-65 – 200 °C[-85 – 392 °F]

# Operation/Application

Circuit Application	Power & Signal
Shielded	Yes

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224)  Candidate List Declared Against: JUNE 2022 (224)  SVHC > Threshold:  Cd (4.1% in Plating)  Decamethylcyclopentasiloxane (D5) (5% in Insert Subassembly)  Article Safe Usage Statements:  Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose

Standard Circular Connectors, Wire-to-Wire, 41 Position, .1 in [.06 mm] Centerline, Sealable, DEUTSCH 38999 Series III Composite Connectors



of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts





# Also in the Series | DEUTSCH 38999 Series III Composite Connectors



# Customers Also Bought

Standard Circular Connectors, Wire-to-Wire, 41 Position, .1 in [.06 mm] Centerline, Sealable, DEUTSCH 38999 Series III Composite Connectors





TE Part #1617807-5 FC-335-SY8= RELAY, 3PST



TE Part #1616058-6 A703CD (FAA/PMA)=RELAY




TE Part #1617147-5 JMGAP-26P = M39016/17-030P

TE Part #358279-000 382C312-50-01-0











### **Documents**

**Product Drawings** 

SQUARE FLANGE RECETACLE

English

Datasheets & Catalog Pages

**DEUTSCH MIL-DTL-38999 CIRCULAR CONNECTORS** 

English