



05-Jul-2019

PCN #:E-19-006840

Subject: MICRO TIMER 3 CONTACT.

Description of Change: The design of the cantilever spring of terminal has been changed in order to switch to Two Track Die stamping technology, and to improve its retention strength to the body of the terminal. Fit and Function of the terminal is not affected by this change, note that this design is already used on other Micro Timer 3 variants PNs 1241858, 1241860, 1241730 and 1241732. The terminal with this new cantilever spring design meets same Product Spec. 108-18386, and fits same Standard Cavity 115-18136, is to say is 100 percent compatible with current cavity.

Reason: Product Improvement. To switch to Two Track Die stamping process and improvement of cantilever spring retention to the body of the terminal.

Key Dates:

Contact By Date:18-Jul-2020

Implementation Date:18-Jul-2020

Product Affected

965914-1

968052-1

969022-1

965914-2

The dates on the product change notification (PCN) are best estimate dates determined at the time of issuance. Actual implementation dates may vary from such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and obsolescence notices to be valid for 180 days after date of issue.

For confirmation or additional information on the change, please contact the TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.