



4G LTE/LoRa/Bluetooth Flat Blade Antenna



### **Key Features**

- IP67 rated
- Supports Key 4G LTE Frequencies
- Supports 2.4 GHz Wi-Fi / Bluetooth / Zigbee
- Supports LoRa / Sigfox / ISM 868 MHz
- Supports some 5G NR / 4G LTE / 3G UMTS Bands
- Supports key Cat M, NB-IoT Bands
- Compact size and covert / anti-vandal design

## **General Description**

The Alpha 8 has been tuned for 2.4 GHz use, with additional support for 868 MHz for LoRa applications in Europe. This antenna also covers the Key 4G LTE, NB-IoT and Cat M bands.

The dipole PCB of the Alpha 8 is encased and heat sealed to protect against moisture ingress and is versatile enough to fit in many environments.

Supplied with various cable lengths and connector options, it is a reliable design which is already field proven, making it ideal for today's telemetry applications which demand effective performance at a competitive price.

Alternative cable lengths and connector types can be specified for volume orders.

#### **Additional Considerations**

- Sealed housing protects against moisture ingress
- Low profile and ultra thin design allows installation into many applications








4G LTE/LoRa/Bluetooth Flat Blade Antenna

## **Electrical Specifications**

| Temperature range:           | -40 - +85°C  |
|------------------------------|--|
| Impedance:                   | 50 Ohm   |
| Peak Gain:                   | 2dBi   |
| VSWR:                        | <3.2:1 across all operating frequencies            |
| Operating frequencies:       | 824 - 960 MHz<br>1710 - 1990 MHz<br>2100 - 2600MHz |
| Polarization:                | Vertical   |
| Radiating element:           | End fed dipole                                     |
| Ground Plane<br>Independent: | No   |
| Max Input Power:             | 6W   |

## **Mechanical Specifications**

| Dimensions:    | 113 x 21 x 3mm (without cable) |
|----------------|--------------------------------|
| Weight:        | 5g                             |
| Cable:         | RG174                          |
| Connector:     | SMA Male / FME Female          |
| Main Material: | NP-140TL-B                     |









4G LTE/LoRa/Bluetooth Flat Blade Antenna

## **Radiation Plots**


868 MHz




#### 1700 MHz



## 1800 MHz



#### 1900 MHz









4G LTE/LoRa/Bluetooth Flat Blade Antenna

## **Radiation Plots**


2000 MHz




#### 2100 MHz



## 2400 MHz



#### 2600 MHz









4G LTE/LoRa/Bluetooth Flat Blade Antenna

## **Peak Gain From Highest Direction (dBi)**



### **VSWR**



## **Ordering Details**

| Part number           | Description  |
|-----------------------|--|
| ALPHA8/1M/FMEF/S/S/11 | 4G LTE/LORA/BLUETOOTH FLAT BLADE ANTENNA 1M CABLE FME FEMALE CONNECTOR |
| ALPHA8/1M/SMAM/S/S/11 | 4G LTE/LORA/BLUETOOTH FLAT BLADE ANTENNA 1M CABLE SMA MALE CONNECTOR   |
| ALPHA8/3M/FMEF/S/S/11 | 4G LTE/LORA/BLUETOOTH FLAT BLADE ANTENNA 3M CABLE FME FEMALE CONNECTOR |
| ALPHA8/3M/SMAM/S/S/11 | 4G LTE/LORA/BLUETOOTH FLAT BLADE ANTENNA 3M CABLE SMA MALE CONNECTOR   |