



According to Regulation (EC) No 1907/2006

Cif Professional Multi Surface

Revision: 2020-02-16 **Version:** 03.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Cif Professional Multi Surface

Cif is a registered trade mark and is used under licence of Unilever

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses:

AISE-P602 - Furniture care product. Spray and wipe manual process

AISE-P302 - General purpose cleaner. Spray and wipe manual process

AISE-C7 [3] - Surface cleaners (liquid, powder, gel neat, spray neat) for consumer use

AISE-C20 - Furniture floor & leather care (spray, liquid) for consumer use

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksediik 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Aerosol 3 (H229)

2.2 Label elements

Signal word: Warning.

Contains 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone), 2-methyl-2H-isothiazol-3-one (Methylisothiazolinone)

Hazard statements:

H229 - Pressurised container: May burst if heated.

EUH208 - May produce an allergic reaction.

Precautionary statements:

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 - Do not pierce or burn, even after use.

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}\text{C}.$

Further indications on the label:

Contains: preservative.

2 % by mass of the contents are flammable.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

	Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
	polydimethylsiloxane	[4]	63148-62-9	[4]	Not classified as		3-10
					hazardous		
ſ	white mineral oil (petroleum)	232-455-8	8042-47-5	01-2119487078-27	Asp. Tox. 1 (H304)		3-10

butane	203-448-7	106-97-8	01-2119486944-21	Flam. Gas 1 (H220) Press. Gas (Comp.) (H280)	1-3
Alcohols, C12-14, ethoxylated	500-213-3	68439-50-9	01-2119487984-16	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)	0.1-1
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	[6]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	0.01-0.1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15a of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:No known effects or symptoms in normal use.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

Cool endangered packaging with water spray jet.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Absorb liquid components with liquid-binding material.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from heat. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50° C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Handle and open container with care. Wash hands thoroughly after handling. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep out of reach of children. Keep away from heat and direct sunlight. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

	Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
I	butane	600 ppm	750 ppm
		1450 mg/m ³	1810 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	25
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	2080
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	1250
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	294
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	25	87
1,2-benzisothiazol-3(2H)-one	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	0.074	0.007	0.004	10000
1,2-benzisothiazol-3(2H)-one	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	66.67	6.66	1	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Hand protection:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

Body protection:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Aerosol Colour: Milky, White Odour: Slightly perfumed Odour threshold: Not applicable

pH ≈ 7 (neat) ISO 4316

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product Not applicable as product is an aerosol

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
polydimethylsiloxane	> 100	Method not given	
white mineral oil (petroleum)	> 315	Method not given	
butane	No data available		
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Method / remark

Weight of evidence

Flammability (liquid): Not applicable. Not flammable.

Flash point (°C): Not applicable as product is an aerosol > 61 °C Sustained combustion: The product does not sustain combustion

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not relevant for classification of this product.

Flammability (solid, gas): Not applicable to liquids Upper/lower flammability limit (%): Not determined Not relevant to classification of this product

See substance data

Substance data, flammability or explosive limits, if available:

Method / remark
See substance data

Vapour pressure: Not determined

Substance data vanour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
polydimethylsiloxane	No data available		
white mineral oil (petroleum)	< 1.3	Method not given	37.8
butane	No data available		
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Method / remark

Vapour density:Not determinedNot relevant to classification of this productRelative density:≈ 0.98 (20 °C)OECD 109 (EU A.3)

Relative density: ≈ 0.98 (20 °C) OECD 1
Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
polydimethylsiloxane	No data available		
white mineral oil (petroleum)	Insoluble	Method not given	
butane	No data available		
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

Viscosity: ≈ 510 mPa.s (20 °C) DM-006 Viscosity - Additional

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined OECD 115
Corrosion to metals: Not corrosive Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

No data is available on the mixture.

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity					
Ingredient(s)	Endpoint	Value	Species	Method	Exposure

		(mg/kg)			time (h)
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated	LD 50	> 2000	Rat	OECD 401 (EU B.1)	
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat		

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated	LD 50	> 3000		Method not given	
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat	OECD 402 (EU B.3)	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated	LC 50	> 1600 (vapour) No mortality observed		Method not given	
1,2-benzisothiazol-3(2H)-one		No data available			

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
polydimethylsiloxane	No data available			
white mineral oil (petroleum)	No data available			
butane	No data available			
Alcohols, C12-14, ethoxylated	Not irritant			
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
polydimethylsiloxane	No data available			
white mineral oil (petroleum)	No data available			
butane	No data available			
Alcohols, C12-14, ethoxylated	Severe damage		Weight of evidence	
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Respiratory tract irritation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
polydimethylsiloxane	No data available			
white mineral oil (petroleum)	No data available			
butane	No data available			
Alcohols, C12-14, ethoxylated	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
polydimethylsiloxane	No data available			
white mineral oil (petroleum)	No data available			
butane	No data available			
Alcohols, C12-14, ethoxylated	Not sensitising	Guinea pig	OECD 406 (EU B.6)	
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
polydimethylsiloxane	No data available			
white mineral oil (petroleum)	No data available			
butane	No data available			
Alcohols, C12-14, ethoxylated	No data available			

				Cii i	ioiessii	Jilai Iviu	Iti Surface	•				
	1,2-benziso	thiazol-3(2H))-one			No da	ata available	T				
MR effects (carcino	ogenicity,	mutagenic	ity and tox	icity f	or repr	oductio	n)			L		
lutagenicity Ingredi	Ingredient(s)			esult (i	n-vitro)		Metho (in-viti			Result (in-viv	/o)	Method (in-vivo)
polydimeth	ylsiloxane	ı	No data avail	able			(111-410)	No data available				(111-4140)
white mineral o	oil (petroleum) (r	No data avail	able				No data available				
buta			No data avail						No data av			
Alcohols, C12-1			No data avail				0500.45	4 /511	No data av			
1,2-benzisothia	1201-3(2H)-0r		No evidence test results	or mut	agenicity	, negative	B.12/1		No data av	allable		
arcinogenicity		redient(s)				Effec						
		nethylsiloxan					ata available ata available					
		ral oil (petrol butane	ieum)				ata available ata available					
		12-14, ethox	ylated			_	ata available					
	1,2-benziso	othiazol-3(2H	l)-one			No da	ata available					
oxicity for reproduction												
Ingredient(s)	Endpoint	Sp	pecific effect			g bw/d)	Species	M	lethod	Exposure time		and other effec eported
polydimethylsiloxane						data ilable						
white mineral oil					_	data						
(petroleum) butane		+				ilable data		+				
					ava	ilable		_				
Alcohols, C12-14, ethoxylated					_	data ilable						
,2-benzisothiazol-3(2H					No	data						
)-one					ava	ilable						
epeated dose toxic ub-acute or sub-chronic												
	redient(s)		End	point		lue	Species		Method	Exposure	Specific 6	effects and orga
n a ludis	nethylsiloxar				(mg/kg	bw/d) data				time (days)		affected
	-					lable						
white mine	eral oil (petro	leum)				data lable						
	butane					data						
Alashala C	12-14, ethox	ulotod				lable data						
Alconois, C	12-14, etilox	yıaleu				lable						
1,2-benziso	othiazol-3(2F	l)-one				data lable						
sub-chronic dermal toxic	ity		_									
Ing	redient(s)		End	point	Va (mg/kg	lue bw/d)	Species		Method	Exposure time (days)		effects and orga
polydir	nethylsiloxar	ne				data lable						
white mine	eral oil (petro	leum)			No o	data		+				
	butane					lable data		+		+	1	
					avai	lable						
Alcohols, C	12-14, ethox	ylated				data lable						
1,2-benziso	othiazol-3(2F	l)-one			No o	data lable						
Sub-chronic inhalation to	xicity					··· - 1				•	•	
	redient(s)		End	point		lue	Species		Method	Exposure		effects and orga
nolydir	nethylsiloxar	ne.			(mg/kg	bw/d) data				time (days)		affected
	•				avai	lable						
white mine	eral oil (petro	leum)				data lable				1		
	butane				No o	data		+		1		
Alcohols C	12-14, ethox	vlated				lable data		+		+	-	
					avai	lable						
1,2-benziso	othiazol-3(2F	l)-one				data lable						
Chronic toxicity			<u> </u>			- 1				•	•	
Ingredient(s)	Exposure	Endpoint	Value		ecies	Metho	d Expos			effects and		Remark
- ''	route		(mg/kg bw/	d)			time		organs	affected		
polydimethylsiloxane	route		No data available	d)			time		organs	s affected		

(petroleum)		available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

STOT-single exposure

Ingredient(s)	Affected organ(s)
polydimethylsiloxane	No data available
white mineral oil (petroleum)	No data available
butane	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
polydimethylsiloxane	No data available
white mineral oil (petroleum)	No data available
butane	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	LC 50	2.18	Oncorhynchus mykiss	OECD 203 (EU C.1)	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	EC 50	2.94	Daphnia	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	Er C 50	0.11		OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (days)

polydimethylsiloxane	No data
	available
white mineral oil (petroleum)	No data
	available
butane	No data
	available
Alcohols, C12-14, ethoxylated	No data
·	available
1,2-benzisothiazol-3(2H)-one	No data
• • •	available

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
polydimethylsiloxane		No data			
		available			
white mineral oil (petroleum)		No data			
		available			
butane		No data			
		available			
Alcohols, C12-14, ethoxylated		No data			
		available			
1,2-benzisothiazol-3(2H)-one	EC 20	3.3	Activated	OECD 209	3 hour(s)
			sludge		

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
polydimethylsiloxane					Not readily biodegradable.
white mineral oil (petroleum)				OECD 301F	Not readily biodegradable.
butane					Readily biodegradable
Alcohols, C12-14, ethoxylated	Activated sludge, aerobe	Oxygen depletion	95 % in 28 day(s)	OECD 301F	Readily biodegradable
1,2-benzisothiazol-3(2H)-one				Weight of evidence	Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
1,2-benzisothiazol-3(2H)-one	Sewage treatment plant simulation	Primary degradation	> 90%	OECD 303A	Biodegradable

12.3 Bioaccumulative potential

Ingredient(s)	Value	Method	Evaluation	Remark
polydimethylsiloxane	No data available		No bioaccumulation expected	
white mineral oil (petroleum)	No data available			
butane	No data available			
Alcohols, C12-14, ethoxylated	No data available			
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
polydimethylsiloxane	No data available			No bioaccumulation expected	
white mineral oil (petroleum)	No data available				
butane	No data available				
Alcohols, C12-14, ethoxylated	No data available				
1,2-benzisothiazol-3(2H)-one	6.95		OECD 305		

12.4 Mobility in soil

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
polydimethylsiloxane	No data available				
white mineral oil (petroleum)	No data available				
butane	No data available				
Alcohols, C12-14, ethoxylated	No data available				
1,2-benzisothiazol-3(2H)-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.5 Other adverse effects

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Water, if necessary with cleaning agent. Suitable cleaning agents:

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1950

14.2 UN proper shipping name:

Aerosols

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 2.2

14.4 Packing group:

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: 5A Tunnel restriction code: E

IMO/IMDG

EmS: F-D, S-U

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation
- Directive 75/324/EEC on aerosol dispensers

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: NWM3-C072-C00P-J9RM

Ingredients according to EC Detergents Regulation 648/2004

aliphatic hydrocarbons 5 - 15 % non-ionic surfactants < 5 % perfumes, Benzisothiazolinone, Methylisothiazolinone

perfuries, berizisotrilazoiiriorie, ivietriyiisotrilazoiiriorie

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1003771 **Version:** 03.0 **Revision:** 2020-02-16

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 8, 9, 11, 12, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H220 Extremely flammable gas.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated

- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
 H311 Toxic in contact with skin.
 H312 Harmful in contact with skin.

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
 H320 Causes eye irritation.
- H330 Fatal if inhaled.
 H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
 DNEL Derived No Effect Limit
 EUH CLP Specific hazard statement
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration

- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

- ATE Acute Toxicity Estimate
 LD50 Lethal Dose, 50% / Median Lethal dose
 LC50 Lethal Concentration, 50% / Median Lethal Concentration
 EC50 effective concentration, 50%
 NOEL No observed effect level

- NOAEL No observed adverse effect level
- OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet