

AUXILIARY SWITCH MOUNT. 1S+1OE, FOR MCB
5SL, 5SY, ON-OFF-SWITCH 5TL1, RCCB 5SV



Model		
product brand name		SENTRON
Product designation		Auxiliary current switch
Design of the product		Mountable
Design of the product / factory mounted		No
Control current		
Type of voltage / of control voltage		AC/DC
Product details		
Product expansion		Auxiliary current switch
<ul style="list-style-type: none"> • can be mounted 		RCBO and miniature circuit breaker
Number		
Number of fault signal contacts		0
Number of NC contacts		1
Number of NO contacts		1
Number of CO contacts		0
Mechanical Design		
Number of width units		0.5

General Product Approval	Declaration of Conformity
--------------------------	---------------------------



CCC



GOST



UL



VDE



EG-Konf.

Test Certificates	other
-------------------	-------

[other](#)

[other](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5ST3010>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5ST3010/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=5ST3010

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

11.03.2015