



# The Height of Confidence

Dependable Products :: Focused Support :: Quality Fall Protection







## The Height of Confidence

It is our mission at 3M to provide those responsible for the safety and security of workers at height with reliable fall arrest equipment. We offer the knowledge and support to help take the fear out of height.

### Our Story

In 2008, 3M acquired Aearo Technologies, a leading global manufacturer of workplace safety solutions. Included in this acquisition was the SafeWaze™ brand of fall protection equipment. For over 15 years, the SafeWaze brand has been associated with fall protection manufacturing, technical support and U.S. customer knowledge. Effective October 2010, we are pleased to announce the brand transition to 3M™ Fall Protection Equipment.

Incorporating 3M brand trust and innovation into the existing product depth and heritage creates a powerful new fall protection choice for workers at height. Our fall protection manufacturing operations are still based just north of Charlotte in Concord, North Carolina. Technical support, research & development, and product test lab are also located at our Concord facility.

Learn more by watching our plant tour video and downloading a complimentary 20 minute fall protection awareness training at [www.3M.com/FPAwareness](http://www.3M.com/FPAwareness).





## Table of Contents

Harness Guide	4
Harnesses	10
Accessories	15
Energy Absorbing Lanyards	16
Self Retracting Lanyards	19
Anchors	22
Fall Arrest Kits	25

Positioning Equipment	26
Lifeline Systems	27
Confined Space	33
Technical Information	35
OSHA, ANSI & CSA Standards	37
Appendix A	39
Appendix B	42





## 3M™ Fall Protection Harness Guide


In 2009, NIOSH used 3-D whole-body digital scanning technology to establish an improved fall arrest sizing system for the U.S. workforce. The study (NIOSH TIC No. 20035974) incorporated a cross-section of the current U.S. workforce, spanning multiple racial demographics to develop harness sizes that optimized fit and harness performance. We've applied the findings from the NIOSH study to develop a revised harness sizing system.

Non-belted harnesses will move from three distinct sizes to two, and belted or "construction" style harnesses will move from five sizes to three. Please refer to the following sizing chart to determine the appropriate harness.

Harness Style	Legacy Sizing	Updated Sizing
Non-Belted	(S-M), (L-XL), -XXL	Universal, -XXL
Belted	S, M, L, XL, XXL	(S-M), (L-XL), -XXL

*Current Customers: Please refer to Appendix A for a complete crossover list of sized harness product codes to new, corresponding universal sized product codes.*


### Harness Sizing Chart



Belt Size	Waist Size
S-M	30" – 42"
L-XL	40" – 52"
XXL	45" – 57"

All products comply with the requirements of OSHA 29 CFR 1910.66 and 1926.502 regulations.





## Harness Family Overview

The SafeLight, Feather, Ameba, and Elavation™ harness families have been expanded to include hundreds of new hardware configurations. These bolstered harness families will help reduce delivery lead times and costs for customers. Harness configurations for vertical lifeline systems, confined space entry and rescue/retrieval and work positioning have been established for each primary harness family.

### SafeLight

The SafeLight harness provides quality construction at an exceptional value. This basic harness is a lightweight and economical fall arrest harness for general fall arrest applications.

### Feather

The Feather harness is our original harness and remains a popular choice today thanks to its tangle free back D-ring assembly that is designed to lie flat on the user's back.


### Ameba

The Ameba harness features a special non-elastic helical yarn webbing that is designed to flex with wearers for non-binding comfort. Unlike harnesses that feature an elastic blend webbing, the Ameba web is designed to maintain its shape and integrity over time, and most importantly, during a fall. The soft mesh back pad helps wick moisture away from the body for cooler wear.

### Elavation™

The Elavation™ harness incorporates advanced design features that are designed to help make fitting, adjusting and wearing this fall arrest harness easier and more comfortable. Our premium padding is breathable and durable, and the tighter weave of the webbing is designed to help resist damage from abrasion. Integrated web keepers and lanyard storage keepers hold excess material out of the way to reduce potential entanglement hazards.

## Price Value Map






## Product Code Changes

The creation of expanded harness families necessitated a revised product code system. Here's how it works:

- The first digits denote the **harness family**
  - “75” – Elavation™
  - “14” – Ameba
  - “10” – Feather
  - “109” – SafeLight
- The next digit denotes the **adjustment hardware**
  - “1” – Pass Thru Legs, Pass Thru Chest
  - “5” – Grommet Legs, Pass Thru Chest
- The following digit denotes the **hardware configuration**
  - “0” Back D-ring only
  - “1” Back and Side D-rings
  - “1F” Back, Side, and Front D-rings
  - “2” Back and Side D-rings with Positioning Belt
  - “2F” Back, Side, and Front D-rings with Positioning Belt
  - “3F” Back, Front, and Shoulder D-rings
  - “4F” Back, Front, Side and Shoulder D-rings
- Users can personalize their harnesses by adding **quick-connect buckles** or an **extended D-ring** using an alpha designator. For example:
  - To Add a D-ring Extender to a harness, add an “E” to the end of the harness code.
  - To add Quick Connect (QC) buckles to a harness, add a “Q” to the end of the harness code.
    - If the third digit is a 5 (Grommet Legs), a Quick-Connect Buckle will only be added to the chest
    - If the third digit is a 1 (Pass Thru Legs), a Quick-Connect Buckles will be added to the chest and legs



Pass Thru



Grommet




Quick Connect (QC)

## Sizing

- Elavation
  - All harnesses styles: S-M; L-XL; XXL
- Ameba, Feather, SafeLight
  - Non-belted harnesses Universal: XXL
  - Belted harnesses: S-M (Fits waist 30"–42"); L-XL (Fits waist 40"–52"); XXL (Fits waist 45"–57")

## Product Code Grid

First Digits Family	Third Digit Buckle Option		Fourth Digit/Alpha Hardware Configuration								D-ring Extender	All QC Buckles
	1	5	0	0F	1	1F	2	2F	3F	4F		
<b>75</b> Elavation	QC	Grommet	Back	Back	Back	Back	Back	Back	Back	Back		
<b>14</b> Ameba	Pass Thru	Grommet		Front	Side	Front	Side	Front	Front	Front		
<b>10</b> Feather	Pass Thru	Grommet				Side	Position Belt	Side	Shoulder	Side		
<b>109</b> SafeLight	Pass Thru	Grommet						Position Belt		Shoulder	N/A*	N/A*



CSA Class:

A

A, L

A, P

A, L, P


A, P

A, L, P

A, L, E

A, L, P, E

\*D-ring Extender and All QC Buckles are not applicable to SafeLight Harnesses.



## Using the Product Code Grid to Create your Harness Example 1

Harness customization options are designated by a specific code number or letter. Specifying the harness family, buckle option, hardware configuration, D-ring Extender, and Quick Connect buckle option and harness size produces a code for ordering your harness.

First Digits Family	Third Digit Buckle Option		Fourth Digit/Alpha Hardware Configuration								D-ring Extender	All QC Buckles	
	1	5	0	0F	1	1F	2	2F	3F	4F			
<b>75</b> Elavation	QC	Grommet	Back	Back	Back	Back	Back	Back	Back	Back	Back		<b>Q</b>
<b>14</b> Ameba	Pass Thru	Grommet		Front	Side	Front	Side	Front	Front	Front			
<b>10</b> Feather	Pass Thru	Grommet				Side	Position Belt	Side	Shoulder	Side			
<b>109</b> SafeLight	Pass Thru	Grommet						Position Belt		Shoulder	N/A*	N/A*	

### Your Selections

- 75** First digits = harness family
- 5** Second to last digit = adjustment hardware
- 2F** Last digit = hardware configuration
- Q** Quick Connect Chest Buckle

### Your Code

**7552FQ (S-M)**  
 (S-M) add size designation to end of code

### Your Harness

- **Elavation Harness**
- **Grommet Leg Hardware**
- **Back, Front, and Side D-rings with Positioning Belt**
- **Quick Connect Chest Buckle**
- **S-M Size**







## Using the Product Code Grid to Create your Harness Example 2

First Digits Family	Third Digit Buckle Option		Fourth Digit/Alpha Hardware Configuration								D-ring Extender	All QC Buckles
	1	5	0	0F	1	1F	2	2F	3F	4F		
75 Elavation	QC	Grommet	Back	Back	Back	Back	Back	Back	Back	Back		
14 Ameba	Pass Thru	Grommet		Front	Side	Front	Side	Front	Front	Front		
10 Feather	Pass Thru	Grommet				Side	Position Belt	Side	Shoulder	Side		
109 SafeLight	Pass Thru	Grommet						Position Belt		Shoulder	N/A*	N/A*

### Your Selections

- 10 First digits = harness family
- 1 Second to last digit = adjustment hardware
- 0 Last digit = hardware configuration

### Your Code


**1010**

### Your Harness

- Feather Harness
- Pass-Thru Legs
- Back D-ring
- Universal Size







## Logo Program

3M offers the option to add a custom logo to select harness families. Follow these guidelines to ensure 3M can help customize your order.

### Eligible Harnesses

- SafeLight
- Feather
- Ameba
- Elavation™
- Saturn
- Wind Energy Harnesses

*Please refer to Appendix B for a complete list of eligible harnesses with corresponding 3M UPC's and Product Codes.*



### Harness Logo Specifications:

- Dimensions – 1-1/2" x 5" (Height x Width)
- Colors – Two maximum
- Location – Harness Back Strap
- Format – .eps or .ai
- All logos received must comply with the 3M Harness Logo Program requirements.

### Order Instructions:

To order a harness with logo, simply add "-Logo" to the end of any eligible harness product code.

Example:

Harness Family	Product Code	3M ID	3M UPC	Logo Order	3M ID	3M UPC
Ameba	1410	70071599776	70071601036	1410-LOGO	70071599834	10078371635982

### Minimum Order Requirements

Minimum 15 piece opening order required for harnesses with logo. Minimum 5 pieces required for reorders.

*Please refer to Appendix B for a complete list of logo harness product order information, including product code and UPC.*



## 3M™ Fall Arrest Harnesses



7512E

### Elavation™

*The premium 3M™ Fall Arrest Harness*

- Premium padding for enhanced comfort and durability
- Intuitive adjustment hardware
- Tight weave web designed for additional abrasion resistance
- Rubber protective shield for label pack
- Integrated lanyard storage and web keepers designed to help reduce entanglement hazards
- Back pad promotes tangle-free donning

#### 75xx Series

Elavation configuration options. See page 6 for product code creation.

Family Digits (Harness and Buckle Type)		Hardware Configuration								D-ring Extender	All QC Buckles
		0	0F	1	1F	2	2F	3F	4F	E	Q
751	Elavation with Quick Connect	Back	Back	Back	Back	Back	Back	Back	Back		
755	Elavation with Grommet		Front	Side	Front	Side	Front	Front	Front		
				Side	Position Belt	Side	Shoulder	Side			
						Position Belt		Shoulder			

Harnesses



1451Q

### Ameba

*Features comfort forming webbing*


- Value padding for added comfort includes moisture wicking properties
- Non-elastic helical yarn moves with wearers to assist comfort and mobility
- Integrated lanyard storage and web keepers designed to help reduce entanglement hazards
- Back pad promotes tangle-free donning
- Laminated sleeve helps protect label

#### 14xx Series

Ameba configuration options. See page 6 for product code creation.

Family Digits (Harness and Buckle Type)		Hardware Configuration								D-ring Extender	All QC Buckles
		0	0F	1	1F	2	2F	3F	4F	E	Q
141	Ameba with Pass Thru	Back	Back	Back	Back	Back	Back	Back	Back		
145	Ameba with Grommet		Front	Side	Front	Side	Front	Front	Front		
				Side	Position Belt	Side	Shoulder	Side			
						Position Belt		Shoulder			





## 3M™ Fall Arrest Harnesses



1010

### Feather

*The classic 3M™ Fall Arrest Harness*

- Back pad promotes tangle-free donning
- Laminated sleeve helps protect label

#### 10xx Series

Feather configuration options. See page 6 for product code creation.

Family Digits (Harness and Buckle Type)		Hardware Configuration								D-ring Extender	All QC Buckles
		0	0F	1	1F	2	2F	3F	4F		
101	Feather with Pass Thru	Back	Back	Back	Back	Back	Back	Back	Back		
105	Feather with Grommet		Front	Side	Front	Side	Front	Front	Front		
					Side	Position Belt	Side	Shoulder	Side		
							Position Belt		Shoulder		



10950

### SafeLight

*The economical choice in fall arrest harnesses*

- Quality construction at a value price
- Bright color web assists worker visibility on a jobsite

#### 109xx Series

SafeLight configuration options. See page 6 for product code creation.

Family Digits (Harness and Buckle Type)		Hardware Configuration								D-ring Extender	All QC Buckles
		0	0F	1	1F	2	2F	3F	4F		
1091	SafeLight with Pass Thru	Back	Back	Back	Back	Back	Back	Back	Back		
1095	SafeLight with Grommet		Front	Side	Front	Side	Front	Front	Front		
					Side	Position Belt	Side	Shoulder	Side	N/A	N/A
							Position Belt		Shoulder		



## Specialty Harnesses



1021

### Saturn

*The harness designed for welding applications*

- Poly-Nomex™ brand fiber web resists char damage up to 700°F
- Lightweight design to help improve worker comfort
- Back pad promotes tangle-free donning

Prod #	UPC #	Description
1020	10078371634510	Pass thru leg/Chest hardware; Back D-ring
1020-XXL	10078371634589	Pass thru leg/Chest hardware; Back D-ring
1021	10078371634527	Pass thru leg/Chest hardware; Back and side D-rings
1021-XXL	10078371634657	Pass thru leg/Chest hardware; Back and side D-rings
1030	10078371634534	Grommet leg/Pass thru chest hardware; Back D-ring
1030-XXL	10078371634725	Grommet leg/Pass thru chest hardware; Back D-ring
1031	10078371634541	Grommet leg/Pass thru chest hardware; Back and side D-rings
1031-XXL	10078371634794	Grommet leg/Pass thru chest hardware; Back and side D-rings
1321 (L-XL)	10078371634831	Welding harness; Adjustable back pad; Back and waist D-rings; Shoulder pads; Grommet leg straps
1321 (S-M)	10078371634879	Welding harness; Adjustable back pad; Back and waist D-rings; Shoulder pads; Grommet leg straps
1321-XXL	10078371635036	Welding harness; Adjustable back pad; Back and waist D-rings; Shoulder pads; Grommet leg straps



1711

### Apache

*The harness designed for workers exceeding 310 lbs.*

- Engineered and manufactured for workers who are 310–400 lbs.
- Only stocked –XXL and –XXXL harnesses in the line
- Back pad promotes tangle-free donning
- Laminated sleeve helps protect label

Prod #	UPC #	Description
1040-XXL	10078371001404	Grommet leg/Pass thru chest hardware; Back D-ring
1040-XXXL	10078371001411	Grommet leg/Pass thru chest hardware; Back D-ring
1041-XXL	10078371001428	Grommet leg/Pass thru chest hardware; Back and side D-rings
1041-XXXL	10078371001435	Grommet leg/Pass thru chest hardware; Back and side D-rings
1710-XXL	10078371001879	Grommet leg/Pass thru chest hardware; Back D-ring and belt
1710-XXXL	10078371001886	Grommet leg/Pass thru chest hardware; Back D-ring and belt
1711-XXL	10078371001930	Grommet leg/Pass thru chest hardware; Back and side D-rings and belt
1711-XXXL	10078371001947	Grommet leg/Pass thru chest hardware; Back and side D-rings and belt





## Specialty Harnesses



U1620

### Specialty

*The harness is manufactured with protective vinyl sleeves covering metal hardware*

- Plastic sliders cover exposed metal hardware
- Soft loop back D-ring
- Back pad promoted tangle-free donning

Prod #	UPC #	Description
U1620	10078371004320	Specialty harness with soft back D-ring



1808

### Vest Harness

*The fall arrest harness with vest*

- Vest style design promotes quicker and easier donning
- Quick-connect chest buckles, grommet legs
- Bright color including 3M™ Scotchlite™ Reflective Material
- Includes back and side D-rings

Prod #	UPC #	Description
1808 (S-M)	10078371001992	Vest with small-medium harness
1808 (L-XL)	10078371001985	Vest with large-extra large harness
1808 (XXL)	10078371002005	Vest with double extra large harness



## Specialty Harnesses



10955

### Coated Web Harness

*Polyurethane coated webbing helps protect web*

- Designed for dirty jobs such as tar roofing, oil field work, and painting

Prod #	UPC #	Description
10955	10078371015548	Grommet leg; Pass thru chest; Back D-ring
10955-XXL	10078371015555	Grommet leg; Pass thru chest; Back D-ring



1492

### Wind Energy Harness

*Hardware includes: back D-ring, chest D-ring, seat strap with positioning D-rings, quick-connect buckle at chest and legs*

- Designed for vertical ladder climbing
- Lighter weight configuration helps reduce worker fatigue
- Standard fixed front D-ring for approved connection point with vertical lifeline systems

Prod #	UPC #	Description
1490	10078371015326	Wind harness; Back D-ring; Front D-ring
1490-XXL	10078371015333	Wind harness; Back D-ring; Front D-ring
1492-S	10078371015340	Wind harness; Back D-ring; Side D-rings; Front D-ring
1492-M	10078371015357	Wind harness; Back D-ring; Side D-rings; Front D-ring
1492-L	10078371015364	Wind harness; Back D-ring; Side D-rings; Front D-ring
1492-XL	10078371015371	Wind harness; Back D-ring; Side D-rings; Front D-ring
1492-XXL	10078371015388	Wind harness; Back D-ring; Side D-rings; Front D-ring





## Harness Accessories



2110

### Belts

Prod #	UPC #	Description and Waist Size Range*
2110-WB-S	10078371010505	Replacement belt for belted harnesses; S; 35" to 47"
2110-WB-M	10078371010512	Replacement belt for belted harnesses; M; 40" to 52"
2110-WB-L	10078371010529	Replacement belt for belted harnesses; L; 45" to 57"
2110-WB-XL	10078371010536	Replacement belt for belted harnesses; XL; 50" to 62"
2110-WB-XXL	10078371010543	Replacement belt for belted harnesses; XXL; 55" to 67"
2110-WB-XXXL	10078371010553	Replacement belt for belted harness; XXXL; 60" to 72"

\*All waist size ranges will be reduced 2" to 3" when belt is attached to waist pad.



2500

### Pads

Prod #	UPC #	Description
2500	10078371010680	Leg pad set; Universal
2501	10078371010697	Leg pad set; XX Large



5550

### D-ring Extenders

Prod #	UPC #	Description
5550	10078371000742	18" length; Snap on one end, D-ring on the other
5551	10078371000759	18" length; 2-1/4" snap on one end, D-ring on the other
5552	10078371008137	D-ring extender; Soft loop with 2 D-rings for 100% tie off



R-100

### Suspension Trauma Strap

Prod #	UPC #	Description
R-100	10078371013148	Rescue step to help relieve suspension trauma; 70" overall length



## Energy Absorbing Lanyards

### SafeLight

Versatile offering of lengths and hardware options for general use.



209512



209712

Prod #	UPC #	Lifeline	Length	Single Leg	Dual Leg	Adjustable	Snap Hook	Rebar Hook
209510	10078371001015	Web	3 ft.	X			2	
209511	10078371001022	Web	4 ft.	X			2	
209512	10078371001039	Web	6 ft.	X			2	
209550	10078371001046	Web	6 ft.		X		3	
209512-0241	10078371002234	Web	6 ft.	X			1	1
209550-0241	10078371002258	Web	6 ft.		X		1	2
209509	10078371627970	Web	2 ft.	X			2	
209511-0241	10078371015616	Web	4 ft.	X			1	1
209550-4	10078371629943	Web	4 ft.		X		3	
209550-4-0241	10078371629950	Web	4 ft.		X		1	2
209750-4	10078371629974	Lo-Pro	4 ft.		X		3	
209712-0241	10078371002265	Lo-Pro	6 ft.	X			1	1
209750-0241	10078371002272	Lo-Pro	6 ft.		X		1	2
209711-0241	10078371015685	Lo-Pro	4 ft.	X			1	1
209711	10078371001053	Lo-Pro	4 ft.	X			2	
209712	10078371001060	Lo-Pro	6 ft.	X			2	
209750	10078371001077	Lo-Pro	6 ft.		X		3	
209750-4-0241	10078371010314	Lo-Pro	4 ft.		X		1	2
3450-5-0240	10078371005761	Rope	5 ft.		X		1	2

- 310 lbs. rated • Meets requirements of ANSI Z359.1-2007 standards and CSA Z259.11-05
- All hardware features 3,600 lb. rated gates

### SafeAbsorb

Versatile offering of lengths and hardware options for general use.



3251-D-0241




3612-D

Prod #	UPC #	Lifeline	Length	Single Leg	Dual Leg	Adjustable	Snap Hook	Rebar Hook
3251	10078371000230	Web	4-6 ft.	X		X	2	
3251-D	10078371002531	Web	4-6 ft.		X	X	3	
3251-D-0241	10078371002548	Web	4-6 ft.		X	X	1	2
3510	10078371000322	Web	3 ft.	X			2	
3511	10078371000339	Web	4 ft.	X			2	
3512	10078371000346	Web	6 ft.	X			2	
3550	10078371000384	Web	6 ft.		X		3	
3512-0241	10078371002555	Web	6 ft.	X			1	1
3550-0241	10078371002616	Web	6 ft.		X		1	2
3550-4-0241	10078371005846	Web	4 ft.	X			1	1
3612-D	10078371002630	Cable	6 ft.		X		3	
3612-0241	10078371005877	Cable	6 ft.	X			1	1
3612-D-0241	10078371009400	Cable	6 ft.		X		1	2
3612	10078371000445	Cable	6 ft.	X			2	

- 310 lbs. rated • Meets requirements of ANSI Z359.13-2009 standards
- All hardware features 3,600 lb. rated gates





## Energy Absorbing Lanyards

4750/  
0241



### SafeAbsorb XTRA

Stretches from 4–6 feet to help reduce trip hazards includes integrated shock absorber.

Prod #	UPC #	Lifeline	Length	Single Leg	Dual Leg	Notes	Snap Hook	Rebar Hook
4750	10078371000698	Web	4–6 ft.		X		3	
4712-6	10078371002814	Web	4–6 ft.	X			2	
4712-6/0241	10078371002838	Web	4–6 ft.	X			1	1
4750/0241	10078371002845	Web	4–6 ft.		X		1	2
4750/0241E	10078371014374	Web	4–6 ft.		X	D-ring Ext.	1	2

- 310 lbs. rated • Meets requirements of ANSI Z359.1-2007 standards and CSA Z259.11-05
- All hardware features 3,600 lb. rated gates

3570



### SafeStretch

Stretches from 4–6 feet to help reduce trip hazards includes shock pack.

Prod #	UPC #	Lifeline	Length	Single Leg	Dual Leg	Notes	Snap Hook	Rebar Hook
3570	10078371000414	Web	4–6 ft.	X			2	
3570-0241	10078371009394	Web	4–6 ft.	X			1	1
3571	10078371000421	Web	4–6 ft.		X		3	
3571-0241	10078371002623	Web	4–6 ft.		X		1	2

- 310 lbs. rated • Meets requirements of ANSI Z359.13-2009 standards
- All hardware features 3,600 lb. rated gates

3520



### Saturn

Designed for welding applications, Nomex™ brand fiber web, char resistant to 700° F.

Prod #	UPC #	Lifeline	Length	Single Leg	Dual Leg	Notes	Snap Hook	Rebar Hook
3520	10078371000353	Poly-Nomex™	6 ft.	X			2	
3520-D	10078371005792	Poly-Nomex™	6 ft.		X		3	
3531*	10078371000377	Poly-Nomex™	6 ft.	X			1	1
3531-D*	10078371005822	Poly-Nomex™	6 ft.		X		1	2

\*Rated to 400 lbs. with a 6-foot maximum allowable free fall; 310 lbs. with a 12-foot maximum allowable free fall

- 310 lbs. rated • Meets requirements of ANSI Z359.13-2009 standards
- All hardware features 3,600 lb. rated gates

3530



### Powerstop

Withstands the forces of a 12-foot freefall that are generated with working surface tie-off.

Prod #	UPC #	Lifeline	Length	Single Leg	Dual Leg	Notes	Snap Hook	Rebar Hook
3530	10078371000360	Web	6 ft.	X			2	
3530-D	10078371002562	Web	6 ft.		X		3	

- 310 lbs. rated • Meets requirements of ANSI Z359.13-2009 standards
- All hardware features 3,600 lb. rated gates

Energy Absorbing Lanyards



## Energy Absorbing Lanyards



3530-E-0241


### Apache

Designed with a maximum worker capacity of 400 lbs.



Prod #	UPC #	Lifeline	Length	Single Leg	Dual Leg	Snap Hook	Rebar Hook	Tybak Hook
3530-E	10078371002609	Web	6 ft.	X		2		
3530-DE	10078371002586	Web	6 ft.		X	3		
3530-DE-0241	10078371002593	Web	6 ft.		X	1	2	
3530-E-0241	10078371005815	Web	6 ft.	X		1	1	
3530-DE-XP	10078371014404	Web	4-6 ft.		X	3		
3530-DE-0241-XP	10078371014411	Web	4-6 ft.		X	1	2	
3530-DE-TYBAK	10078371627680	Web	6 ft.		X	1		2

- **400 lbs. rated** • Meets requirements of ANSI Z359.1-2007 standards and CSA Z259.11-05
- All hardware features 3,600 lb. rated gates



3812

### Tybak

Approved for tie-back applications with 5000 lb. rated hardware.



Prod #	UPC #	Lifeline	Length	Single Leg	Dual Leg	Notes	Snap Hook	Tybak Hook
3560	10078371000391	Orange Web	6 ft.	X		Adj. ring	2	
3561	10078371000407	Orange Web	6 ft.		X	Adj. ring (2)	3	
3812*	10078371000483	Gray Web	6 ft.	X			1	1
3813*	10078371000490	Gray Web	6 ft.		X		1	2

- **310 lbs. rated** • Meets requirements of ANSI Z359.1-2007 standards and CSA Z259.11-05
- All hardware features 3,600 lb. rated gates
- \*Meets ANSI Z359.13-2009



3010-AC

3011-C2

### Personal Energy Absorbers



Prod #	UPC #	Description	Notes	Snap Hook
3010-AC	10078371002449	Clear UV Resistant Sleeve, 18"	2 Soft Loops	
3011-C	10078371005587	Clear UV Resistant Sleeve, 14"	1 Connection Loop	1
3011-C2	10078371010635	Clear UV Resistant Sleeve, 14"		2
3012	10078371000148	Clear UV Resistant Sleeve, 18"	1 D-ring	1

- **310 lbs. rated** • Meets requirements of ANSI Z359.1-2007 standards and CSA Z259.11-05
- All hardware features 3,600 lb. rated gates



0210-07


0210-3-07

### Connector Hardware

Prod #	UPC #	Description
0210-07	10078371013070	Steel Autolock Carabiner, 7/8" Opening
0210-3-07	10078371013087	Tear Drop Large Steel Autolock Carabiner, 2-1/8" Opening
N3035-07	10078371013520	Swivel Indicating Hook
FS-92*	10078371003347	Peri Form Hook
241-07	10078371013094	Double Locking Rebar Hook with 2-3/8" Opening
4695-07	10078371627703	Rebar Hook, Swivel

- ANSI Z359.12 - 2009 Compliant Hardware • All hardware features 3,600 lb. rated gates
- \*Complies with OSHA 1910.66, 1926.502 Only





## Self Retracting Lanyards



SREC-50-SS

### Sealed ReLoad™

New technology helps protect the 3M™ Sealed ReLoad™ Retractable Lanyards against the damaging effects of corrosion, making it a suitable choice for harsh marine environments. The innovative, modular design provides consistent performance and allows on-site inspection and servicing to reduce downtime and maintenance costs.

Prod #	UPC #	Lg	Lifeline	Housing	Lbs.	Hardware	
						Housing	Lifeline
SREC-30	10078371012745	30 ft.	Galvanized	Aluminum	21	Carabiner	Swivel Snap
SREC-50	10078371012752	50 ft.	Galvanized	Aluminum	26.5	Carabiner	Swivel Snap
SREC-85	10078371012769	85 ft.	Galvanized	Aluminum/Stainless	44	Carabiner	Swivel Snap
SREC-130	10078371012776	130 ft.	Galvanized	Aluminum/Stainless	57	Carabiner	Swivel Snap
SREC-30-SS	10078371012783	30 ft.	Stainless	Aluminum	21	Carabiner	Swivel Snap
SREC-50-SS	10078371012790	50 ft.	Stainless	Aluminum	26.5	Carabiner	Swivel Snap
SREC-85-SS	10078371012806	85 ft.	Stainless	Aluminum/Stainless	44	Carabiner	Swivel Snap
SREC-130-SS	10078371012813	130 ft.	Stainless	Aluminum/Stainless	57	Carabiner	Swivel Snap

- 400 lbs. rated • Meets requirements of ANSI Z359.1 standards and CSA Z259.2.2-98



REC-23

### ReLoad™

The 3M™ ReLoad™ Retractable Lanyards advance current retractable technology with a modular design that helps improve product performance and allows for on-site inspection and servicing by qualified individuals to reduce product downtime and maintenance costs.

Prod #	UPC #	Lg	Lifeline	Housing	Lbs.	Dual Leg	Hardware	
							Housing	Lifeline
REW-7	10078371011458	7 ft.	Web	Aluminum	1.9		Carabiner	Snap Hook
REW-7-0241	10078371631403	7 ft.	Web	Aluminum	2.4		Carabiner	Rebar Hook
DLREW-7	10078371628236	7 ft.	Web	Aluminum	4	X	Carabiner	Snap Hook
REW-12	10078371011366	12 ft.	Web	Thermoplastic	7		Swivel-Top, Carabiner	Snap Hook
REW-12-0241	10078371631397	12 ft.	Web	Thermoplastic	7		Swivel-Top, Carabiner	Rebar Hook
REW-23	10078371011373	23 ft.	Web	Thermoplastic	11		Swivel-Top, Carabiner	Snap Hook
REC-23	10078371011328	23 ft.	Galvanized	Thermoplastic	12		Carabiner	Swivel Snap
REC-23-SS	10078371631359	23 ft.	Stainless	Thermoplastic	12		Carabiner	Swivel Snap
REC-30	10078371011335	30 ft.	Galvanized	Thermoplastic	13		Carabiner	Swivel Snap
REC-30-SS	10078371631366	30 ft.	Stainless	Thermoplastic	13		Carabiner	Swivel Snap
REC-40	10078371011342	40 ft.	Galvanized	Thermoplastic	15		Carabiner	Swivel Snap
REC-40-SS	10078371631373	40 ft.	Stainless	Thermoplastic	15		Carabiner	Swivel Snap
REC-50	10078371011359	50 ft.	Galvanized	Thermoplastic	17		Carabiner	Swivel Snap
REC-50-SS	10078371631380	50 ft.	Stainless	Thermoplastic	17		Carabiner	Swivel Snap

- 400 lbs. rated cable • 310 lbs. rated web • Meets requirements of ANSI Z359.1 standards and CSA Z259.2.2-98



## Self Retracting Lanyards

### Thor

The 3M™ Thor Retractable Lanyard classic design with swivel top housing and spring cushion. All hardware is 3,600 lb. gate rated meeting ANSI Z359.12 2009 standards.



M-30

Prod #	UPC #	Lg	Lifeline	Housing	Hardware	
					Housing	Lifeline
M-15	10078371003521	15 ft.	Galvanized	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-15-SS	10078371631236	15 ft.	Stainless	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-20	10078371003552	20 ft.	Galvanized	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-20-SS	10078371631267	20 ft.	Stainless	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-30	10078371003590	30 ft.	Galvanized	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-30-SS	10078371631281	30 ft.	Stainless	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-40	10078371003606	40 ft.	Galvanized	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-40-SS	10078371631304	40 ft.	Stainless	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-50	10078371003620	50 ft.	Galvanized	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-50-SS	10078371631328	50 ft.	Stainless	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-75	10078371003644	75 ft.	Galvanized	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-75-SS	10078371631342	75 ft.	Stainless	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-100	10078371003415	100 ft.	Galvanized	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-100-SS	10078371631212	100 ft.	Stainless	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-130	10078371003439	130 ft.	Galvanized	Aluminum	Swivel-Top, Carabiner	Swivel Snap
M-130-SS	10078371631229	130 ft.	Stainless	Aluminum	Swivel-Top, Carabiner	Swivel Snap
MS-30	10078371003699	30 ft.	Web	Polymer	Swivel-Top, Carabiner	Swivel Snap
MS-50	10078371003712	50 ft.	Web	Polymer	Swivel-Top, Carabiner	Swivel Snap
RLD-10	10078371008267	10 ft.	Galvanized	Polymer	Swivel-Top, Carabiner	Snap Hook
RLD-10S	10078371013568	10 ft.	Stainless	Polymer	Swivel-Top, Carabiner	Swivel Snap
RLD-10-0241	10078371008274	10 ft.	Galvanized	Polymer	Swivel-Top, Carabiner	Rebar Hook
RLD-10-0241-SS	10078371631410	10 ft.	Stainless	Polymer	Swivel-Top, Carabiner	Rebar Hook
RLD-10-SS	10078371631427	10 ft.	Stainless	Polymer	Swivel-Top, Carabiner	Snap Hook
RLD-10S-SS	10078371631434	10 ft.	Stainless	Polymer	Swivel-Top, Carabiner	Swivel Snap

• 310 lbs. rated • Meets the requirements of ANSI Z359.1 2007 and CSA Z259.2.2-98 standards

### Dual Leg Accessories


The DL-7 is a lightweight adaptor that connects directly to the back D-ring of a fall protection harness. The adaptor design allows two lightweight SRL's to be connected to a back D-ring simultaneously.



DL-7

Prod #	UPC #	Description
DL-7	10078371628205	Dual Leg Retractable Adaptor
DL-7B	10078371628243	Dual Leg Retractable Replacement Bolt Set





## Self Retracting Lanyards

### G-Series — Available in 2011

The proprietary 3M™ G-Series Self-Retracting Lifeline is assembled right here in the U.S.A. G-Series retractables are engineered to provide rugged durability in a lightweight and compact design. A host of lifeline and hardware options help make this versatile product a suitable choice for multiple industries.



GW-11



GC-40

Prod #	UPC #	Lg	Lifeline	Housing	Dual Leg	Hardware	
						Housing	Lifeline
GW-7	10078371641556	7 ft.	Web	Grivory™		Swivel Carabiner	Snap Hook
GW-7NS	10078371641563	7 ft.	Web	Grivory™		Carabiner	Snap Hook
GW-7NC	10078371641570	7 ft.	Web	Grivory™		None	Snap Hook
GW-7-0241A	10078371641594	7 ft.	Web	Grivory™		Swivel Carabiner	Alum. Rebar Hook
GW-7-0241H	10078371641600	7 ft.	Web	Grivory™		Swivel Rebar Hook	Snap Hook
DLGW-7	10078371641617	7 ft.	Web	Grivory™	X	Carabiner	Snap Hook
DLGW-7-0241A	10078371641631	7 ft.	Web	Grivory™	X	Carabiner	Alum. Rebar Hook
GW-11	10078371641648	11 ft.	Web	Grivory™		Swivel Carabiner	Snap Hook
GW-11NS	10078371641655	11 ft.	Web	Grivory™		Carabiner	Snap Hook
GW-11NC	10078371641662	11 ft.	Web	Grivory™		None	Snap Hook
GW-11-0241A	10078371641686	11 ft.	Web	Grivory™		Carabiner	Alum. Rebar Hook
GW-11-0241H	10078371641693	11 ft.	Web	Grivory™		Swivel Rebar Hook	Snap Hook
DLGW-11	10078371641709	11 ft.	Web	Grivory™	X	Carabiner	Snap Hook
DLGW-11-0241A	10078371641723	11 ft.	Web	Grivory™	X	Carabiner	Alum. Rebar Hook
GW-20	10078371641730	20 ft.	Web	Grivory™		Carabiner	Snap Hook
GW-20NS	10078371641747	20 ft.	Web	Grivory™		Carabiner	Snap Hook
GC-20	10078371641754	20 ft.	Galvanized	Grivory™		Carabiner	Swivel Snap
GC-20NIH	10078371641761	20 ft.	Galvanized	Grivory™		Carabiner	Non-Indicating Swivel Snap
GC-20-SS	10078371641778	20 ft.	Stainless	Grivory™		Carabiner	Swivel Snap
GC-30	10078371641785	30 ft.	Galvanized	Grivory™		Carabiner	Swivel Snap
GC-30NIH	10078371641792	30 ft.	Galvanized	Grivory™		Carabiner	Non-Indicating Swivel Snap
GC-30-SS	10078371641808	30 ft.	Stainless	Grivory™		Carabiner	Swivel Snap
GC-40	10078371641815	40 ft.	Galvanized	Grivory™		Carabiner	Swivel Snap
GC-40NIH	10078371641822	40 ft.	Galvanized	Grivory™		Carabiner	Non-Indicating Swivel Snap
GC-40-SS	10078371641839	40 ft.	Stainless	Grivory™		Carabiner	Swivel Snap
GC-50	10078371641846	50 ft.	Galvanized	Grivory™		Carabiner	Swivel Snap
GC-50NIH	10078371641853	50 ft.	Galvanized	Grivory™		Carabiner	Non-Indicating Swivel Snap
GC-50-SS	10078371641860	50 ft.	Stainless	Grivory™		Carabiner	Swivel Snap



## Concrete Anchors



### SafeClaw

The SafeClaw reusable anchorage device can easily be inserted into and removed from pre-drilled poured concrete.

Prod #	UPC #	Description
4075	10078371010710	Drill hole dimensions 3/4" x 3" deep; 5,000 lb. rated
4077	10078371011625	Drill hole dimensions 1" x 4.5" deep; 10,000 lb. rated; Approved for use with horizontal lifeline systems



### SafeLok

The SafeLok reusable anchorage device can be easily inserted into and removed from the hollow core of pre-cast concrete. This anchorage device is also designed for use in steel beams as a "girder grip".

Prod #	UPC #	Description
4011	10078371627154	Drill hole dimensions 3/4"; For steel beam, pre-cast or hollow-core concrete



### Concrete Anchor Strap

The concrete anchor strap is a temporary anchorage device for concrete forming work, which is designed to be cut and removed upon completion of a job. Sold in 10 count case quantities.

Prod #	UPC #	Description
4823	10078371009066	48" length; 2" width; Wear pad; D-ring; Soft loop
4824	10078371009073	48" length; 2" width; D-ring, Soft loop
4825	10078371009080	48" length; 2" width; 2 soft loops

Anchors

## Cross Arm Straps



### Cross Arm Strap

Designed to wrap around structures, forming a secure anchor point. Convenient and ideally suited for quick and easy installations.

Prod #	UPC #	Description
4550-U-3	10078371011632	3 ft. length; Heavy duty
4550-U	10078371002760	6 ft. length; Heavy duty
4550-E	10078371002739	6 ft. length; 1.75" Apache webbing cross arm strap
4550-3	10078371002708	3 ft. length; 1.75" webbing cross arm strap
4550	10078371000636	6 ft. length; 1.75" webbing
4550-A	10078371002722	4-6 ft. adjustable cross arm strap
4551	10078371000643	Cross arm strap designed for scaffolding 18" long; Forged D-ring
4550-SCS-6	10078371002753	6 ft. cable pass thru cross arm strap
4550-SCS-4	10078371002746	4 ft. cable pass thru cross arm strap





## Roof Anchors



4651X

### Economy Roof Anchors

Prod #	UPC #	Description
4651X	10078371002807	Single use economy roof anchor



4000

### Reusable Roof Anchor

Prod #	UPC #	Description
4000	10078371000506	Steel; Fits most pitch angles; Suitable for wood and metal decking and appropriate horizontal lifeline applications



4100

### Permanent Roof Anchors

Prod #	UPC #	Description
4100	10078371008212	2" x 4" permanent roof anchor; Includes flashing base and cover
4101	10078371008953	2" x 8" permanent roof anchor; Includes flashing base and cover
4008	10078371629530	Retro-fit stainless steel roof anchor; Two D-rings for tie-off to either side when attached over a roof ridge



4001

### Swivel Top Roof Anchor

Prod #	UPC #	Description
4001	10078371642393	For use on decking and approved horizontal lifeline applications




4009

### Standing Seam Roof Anchor

Prod #	UPC #	Description
4009	10078371000551	Adjusts 24"–36"; For use with self retracting lanyards up to 50 ft. in length



## Industrial Anchors



4002

### Permanent Anchors

Prod #	UPC #	Description
4002	10078371013285	Stainless steel permanent base plate; bolts to beam or column
4003	10078371000513	Permanent base plate with swivel eye-bolt promotes tangle free mobility



4005

### Permanent D-Bolt Anchors

Prod #	UPC #	Description
4004	10078371000520	Permanent D-bolt anchor with floating D-ring
4005	10078371000537	Permanent D-bolt anchor with nut, bolt and washer hardware



252

### Manoclave

Prod #	UPC #	Description
252	10078371000124	6" manoclave; stainless steel
251	10078371000117	4" manoclave; stainless steel



4650-3

### Beam Anchors

Prod #	UPC #	Description
4650-2V	10078371002784	Stationary beam anchor; fits beams up to 12" wide and 1" thick
4650-3	10078371627161	Sliding beam anchor; lightweight aluminum construction; Fits 3-1/2"-12" beams with a maximum thickness of 1-1/4"



4655

### Trolley Anchor

Prod #	UPC #	Description
4655	10078371000667	Mobile beam trolley; 2.3"-8.7" adjustment range





## Fall Arrest Kits

### Aerial Kits

3M offers complete personal fall arrest systems in a handy tool bag to help simplify regulatory compliance and inventory. The storage bag or bucket also helps workers better maintain their fall arrest equipment when not in use.

Prod #	UPC #	Includes Harness, Lanyard, Bag	Logo Kit Product Codes		
			Logo Harness	Logo Bag	Logo Harness + Bag
30000	10078371000872	10910/209512 Attached, 4515 Bag	30000-H	30000-B	30000-HB
30500	10078371000889	10910, 209512, 4514 Bag	30500-H	30500-B	30500-HB
30501	10078371000896	10810, 208512, 4514 Bag	30501-H	30501-B	30501-HB
30502	10078371000902	10810, 208512, 4512A Bag	30502-H	30502-B	30502-HB
30506	10078371000926	1452 (L-XL), 209712, 4520 Bag	30506-H	30506-B	30506-HB
30508	10078371000933	1050, 209750, 4514 Bag	30508-H	30508-B	30508-HB
30510	10078371000940	1450, 4712-6, 4514 Bag	30510-H	30510-B	30510-HB
30515	10078371000957	10911, 209512, 4514 Bag	30515-H	30515-B	30515-HB
30516	10078371000964	1410, 4712-6-OR, 4514 Bag	30516-H	30516-B	30516-HB
30520	10078371000971	1050, 209712, 4514 Bag	30520-H	30520-B	30520-HB
30550	10078371000988	1050, 3550, 4514 Bag	30550-H	30550-B	30550-HB
30513	10078371004573	10951, 209550, 4514 Bag	30513-H	30513-B	30513-HB
30514	10078371004580	10950, 209712, 4514 Bag	30514-H	30514-B	30514-HB
30523	10078371004627	10950, 209712, Plastic Bag	30523-H	30523-B	30523-HB
30540	10078371004665	1040 (XXL), 3530-E, 4514 Bag	30540-H	30540-B	30540-HB
30512	10078371009257	10910, 209712, 4514 Bag	30512-H	30512-B	30512-HB
30524	10078371009264	10950, 209550, 4514 Bag	30524-H	30524-B	30524-HB
30570	10078371010253	10910, 3561, 4514 Bag	30570-H	30570-B	30570-HB

#### Logo Minimum Order Requirements

The Aerial Kits have an option to have a custom logo applied. Minimum 15 piece opening order required for logoed kits. Minimum 5 piece required for reorders.

#### Bag Logo Specifications:

Dimensions – 5" x 5" (Height x Width)

Colors – Two maximum

Location – One side of bag only, other side contains a 3M Logo

Format – .eps or .ai

All logos received must comply with the 3M Harness Logo Program requirements.

## Roofing Kits

Portable and convenient, these safety kits are designed to meet most roofing applications.



Prod #	UPC #	Includes
20000	10078371000834	10910, 209512, 4651X (2 ea), 0221-50RG, 5000 Bucket
20058	10078371000865	10910, 209512, 4000, 0221-50RG, 5000 Bucket

#### Quarter Pallets Options

Provides lower price point, very visible graphics and ease of purchase. 16 count quarter pallets. 24 ft. x 24 ft. x 63.75 in.

Prod #	UPC #	Includes
20000-QP	10078371013827	10910, 209512, 4651X (2 ea), 0221-50RG, 5000 Bucket
20058-QP	10078371013834	10910, 209512, 4000, 0221-50RG, 5000 Bucket





## Positioning Equipment



2111

### Positioning Belts

Provide fall restraint and work positioning.

Prod #	UPC #	Description and Waist Size Range
2011-S	10078371002173	3" wide belt, 2 waist D-rings; 30" to 42"
2011-M	10078371002166	3" wide belt, 2 waist D-rings; 35" to 47"
2011-L	10078371002159	3" wide belt, 2 waist D-rings; 40" to 52"
2011-XL	10078371002180	3" wide belt, 2 waist D-rings; 45" to 57"
2011-XXL	10078371002197	3" wide belt, 2 waist D-rings; 50" to 62"
2111-S	10078371002364	1.75" wide belt, 2 waist D-rings; 30" to 42"
2111-M	10078371002357	1.75" wide belt, 2 waist D-rings; 35" to 47"
2111-L	10078371002340	1.75" wide belt, 2 waist D-rings; 40" to 52"
2111-XL	10078371005488	1.75" wide belt, 2 waist D-rings; 45" to 57"
2410-S	10078371627628	Polyester Belt with Polyfoam Pad; 32" to 44"
2410-M	10078371627611	Polyester Belt with Polyfoam Pad; 37" to 49"
2410-L	10078371627864	Polyester Belt with Polyfoam Pad; 42" to 54"
2410-XL	10078371013643	Polyester Belt with Polyfoam Pad; 47" to 59"
2410-XXL	10078371013650	Polyester Belt with Polyfoam Pad; 52" to 64"



3210

### Positioning Lanyards

Provides fall restraint and work positioning, available in rope, web or cable.

Prod #	UPC #	Description
3110	10078371000155	3 ft. nylon rope; 1/2" diameter with locking snaps
3111	10078371000162	4 ft. nylon rope; 1/2" diameter with locking snaps
3112	10078371000179	6 ft. nylon rope; 1/2" diameter with locking snaps
3210	10078371000186	3 ft. of 1" webbing with two snap hooks
3211	10078371000193	4 ft. of 1" webbing with two snap hooks
3212	10078371000209	6 ft. of 1" webbing with two snap hooks
3250	10078371000223	6 ft. adjustable web with two snap hooks
3312	10078371000278	6 ft. cable positioning lanyard; 1/4" coated steel; Two snap hooks



SP-3610-S



SP-3710-S


### Rebar Positioning Assemblies

Allow hands-free positioning to a structure to help improve productivity.

Prod #	UPC #	Description
3710-S	10078371002654	13 link swivel rebar hook assembly; 2-3/8" locking snap hooks
PF3710-S	10078371003729	13 link swivel assembly; FS-92 Peri Form Hook; 2-3/8" snap hooks
SP3610-S	10078371003804	Web; swivel rebar hook assembly; 2-3/8" snap hooks
SP3706-S	10078371003811	6 link swivel rebar hook assembly; 2-3/8" snap hooks
SP3710-S	10078371003828	13 link swivel assembly; 2-3/8" snap hooks

Positioning Equipment is used for worker restraint. It is important to note that positioning equipment does not include energy absorption capabilities, and must be supplemented with a personal fall arrest system.





## Horizontal Lifeline Systems

### Aerospace Lifeline System — I-Beam and Concrete Applications

#### Step 1: Determine beam dimensions

- Small; Beams 4" to 13-3/4" wide and 1-1/4" thick
- Medium; Beams up to 18-3/4" wide and 2-1/8" thick
- Large; Beams up to 31-3/4" wide and 3-3/8" thick

#### Step 2: Choose two man or four man system

##### Two Man Systems

Prod #	UPC #	Description
8100S	10078371010840	Small; Beams 4" to 13-3/4" wide and 1-1/4" thick
8100M	10078371010857	Medium; Beams up to 18-3/4" wide and 2-1/8" thick
8100L	10078371010864	Large; Beams up to 31-3/4" wide and 3-3/8" thick
8100C	10078371011182	Concrete System; 8165 or 8166 embeds sold separately

##### Each System Includes:

2 - 8130 or 8150 Post	2 - 8134 Guy Cable with 2 Eyes
2 - 8122 Shackle	2 - 0210-07 Carabiner
4 - SWSW-11 Fist Grip	1 - SWSW-04 Jaw & Jaw 5/8" x 9" Turnbuckle
4 - 8131 or 8141 or 8151 Standard Quick Rod	4 - 8133 Wing Nut (8 Included for Concrete Systems)
4 - 8132 or 8142 or 8152 Threaded Flange Hook	1 - SWHC-12 Thimble

##### Four Man Systems

Prod #	Description
8100S-4	Small; Beams 4" to 13-3/4" wide and 1-1/4" thick
8100M-4	Medium; Beams up to 18-3/4" wide and 2-1/8" thick
8100L-4	Large; Beams up to 31-3/4" wide and 3-3/8" thick
8100C-4	Concrete System; 8165 or 8166 embedment accessories sold separately

##### Each System Includes:

2 - 8130 or 8150 Post	2 - 8134 Guy Cable with 2 Eyes
2 - 8122 Shackle	2 - 0210-07 Carabiner
4 - SWSW-11 Fist Grip	1 - SWSW-04 Jaw & Jaw 5/8" x 9" Turnbuckle
4 - 8131 or 8141 or 8151 Standard Quick Rod	4 - 8133 Wing Nut (8 Included for Concrete Systems)
4 - 8132 or 8142 or 8152 Threaded Flange Hook	1 - SWSW-18 PowerBrake
	1 - SWHC-12 Thimble

#### Step 3: Choose cable

- SWHC-00 5/16" Galvanized Cable
- SWSW 00 5/16" Stainless Cable



8100S



## Horizontal Lifeline System

### Mobile Skywalk — Four Man Temporary Lifeline For Concrete Applications

The 3M™ Mobile Skywalk system provides workers increased range of freedom without sacrificing safety in leading edge applications. The Powerbrake Energy Absorber allows for four man tie-off while keeping clearance height requirements low. A versatile array of anchorage devices have been designed for a wide range work surfaces, including pour-in-place and pre-poured concrete. Mobile Skywalk system also offers various cable tensioning devices and termination points to help facilitate easy installation.

Part #	Description
<b>Cables</b>	
<i>Available in galvanized or stainless steel cable</i>	
SWSW-00	Cable
SWSW-11	Fist Grips
SWSW-12	Swedge Clamps
SWHC-12	Thimble
<b>Power Brakes</b>	
<i>Engineered to maximize shock absorbtion and reduce cable payout, thus reducing fall distance</i>	
SWSW-18	Powerbrake
<b>Power Tensioners</b>	
<i>Proper cable tension is vital to ensure optimum performance</i>	
SWSW-04	Turn Buckle
SWSW-02	Come Along
SWPC-17	Pre-Tensioner
<b>Cable Termination Points</b>	
SWSW-10	1/2" Shoulder Eye Only
SWSW-01	Eye Bolts


Part #	Description
<b>Anchorage Connectors</b>	
<i>The horizontal lifeline of the Mobile Skywalk system may be secured to the existing structure in a variety of ways</i>	
SWSW-06	Stud Bracket
SWSW-06X	Wall Anchor
SWSW-13	PVC Sleeve
SWSW-24	Skyhook Bracket
SWSW-29	Flat base For SWSW-08A
SWSW-30A	Sky Bracket
SWSW-32	Corner Bracket
SWSW-08A	Aluminum Pipe Stanchions
4077	10,000 Lbs. SafeClaw
4550-U	Anchor Strap
<b>Components</b>	
0210-07	Carabiner
SWSW-05	Adjustable Safety Link
SWSW-22	Swivel Cap

### Four Man Temporary Lifeline Less Than 200 Feet Total System Length



### Four Man Temporary Lifeline 200 Feet or Greater Total System Length





## Example System Parts

### Cables and Accessories



SWSW 00



SWSW-11




SWSW-12

### Power Tensioners



SWSW-04



SWSW-02



SWPC-17

### Cable Termination Points



SWSW-10




SWSW-01

### Power Brake



SWSW-18

### Anchors



SWSW-06



SWSW-24



SWSW-08A



4077

### Components




0210-07



SWSW-05



SWSW-13



SWSW-29





## Horizontal Lifeline Systems

### Two Man Horizontal Lifeline System

3M™ Two Man Horizontal Lifeline Systems are a complete temporary lifeline in a bag. Optional lifelines include cable and rope systems. All systems are portable and include a tensioning device to help with proper lifeline tension.



### Sidewalk Rope HLL Systems

Prod #	UPC #	Description
SWHR-30	10078371003903	30 ft. horizontal rope lifeline system
SWHR-60	10078371003910	60 ft. horizontal rope lifeline system
SWHR-100	10078371009097	100 ft. horizontal rope lifeline system


Rope systems include: 2 cross arm straps; 2 O-rings; 2 carabiners; tensioner; rope; bag



### SafeReach Cable Systems

Prod #	UPC #	Description
SWHC-20	10078371007437	20 ft. horizontal cable lifeline system
SWHC-30	10078371007444	30 ft. horizontal cable lifeline system
SWHC-40	10078371007451	40 ft. horizontal cable lifeline system
SWHC-50	10078371003897	50 ft. horizontal cable lifeline system
SWHC-60	10078371007468	60 ft. horizontal cable lifeline system
SWHC-70	10078371007475	70 ft. horizontal cable lifeline system
SWHC-80	10078371007482	80 ft. horizontal cable lifeline system
SWHC-90	10078371007499	90 ft. horizontal cable lifeline system
SWHC-100	10078371003880	100 ft. horizontal cable lifeline system


Cable systems include: 5/16" cable; 2 fist grips; energy absorber; turnbuckle; 2 carabiners; 2 O-rings; bag



## Vertical Lifeline Systems

### Ladder Climb System

The 3M™ M400 Series Ladder Climb System is a vertical fall arrest system designed to meet most vertical applications. The extended top ladder bracket allows users to safely ascend to the next working surface prior to disconnecting from the system. The Ladder Climb System is available in multiple ready-to-order systems. In the event of a fall, replacement cable and energy absorber assemblies are available. When ordering, you must specify rung configurations — round or square.



### Complete Systems

Prod #	UPC #	Description
M400-30	10078371012868	Ladder climb system; 30 ft.
M400-40	10078371012875	Ladder climb system; 40 ft.
M400-50	10078371012882	Ladder climb system; 50 ft.
M400-75	10078371012899	Ladder climb system; 75 ft.
M400-100	10078371012905	Ladder climb system; 100 ft.
M400-150	10078371012912	Ladder climb system; 150 ft.
M400-200	10078371012929	Ladder climb system; 200 ft.
M400-300	10078371012936	Ladder climb system; 300 ft.

Complete systems include: 128 cable grab

### Replacement Cable Assemblies

Prod #	UPC #	Description
RC M400-30	10078371013889	Replacement cable assembly; 30 ft.
RC M400-40	10078371013896	Replacement cable assembly; 40 ft.
RC M400-50	10078371013902	Replacement cable assembly; 50 ft.
RC M400-75	10078371013919	Replacement cable assembly; 75 ft.
RC M400-100	10078371013926	Replacement cable assembly; 100 ft.
RC M400-150	10078371013933	Replacement cable assembly; 150 ft.
RC M400-200	10078371013940	Replacement cable assembly; 200 ft.
RC M400-300	10078371013957	Replacement cable assembly; 300 ft.

Replacement cable assemblies include: 3/8" galvanized steel cable; energy absorber; safety backup cable



## Rope Lifelines & Grabs



### Rope Lifelines

3M™ Rope Lifeline Assemblies are constructed of 5/8" Polydac Rope.

Prod #	UPC #	Description
0221-25	10078371001176	25 ft.; Double locking snap hook
0221-25-2	10078371001183	25 ft.; 2 Double locking snap hooks
0221-50	10078371001206	50 ft.; Double locking snap hook
0221-50-2	10078371001213	50 ft.; 2 Double locking snap hooks
0221-75	10078371001220	75 ft.; Double locking snap hook
0221-100	10078371001152	100 ft.; Double locking snap hook
0221-100-2	10078371004863	100 ft.; 2 Double locking snap hooks
0221-150	10078371009288	150 ft.; Double locking snap hook
0221-200	10078371001169	200 ft.; Double locking snap hook



### Assemblies with 0116-1 Manual Rope Adjuster

Prod #	UPC #	Description
0221-25RG	10078371013353	25 ft.; Double locking snap hook, Rope adjuster
0221-50RG	10078371019295	50 ft.; Double locking snap hook, Rope adjuster
0221-100RG	10078371008595	100 ft.; Double locking snap hook, Rope adjuster



123

### Fall Arresters

Prod #	UPC #	Description
123	10078371008892	Self-trailing 5/8" rope grab; Large eye
124	10078371008908	Self-trailing 5/8" rope grab; Small eye
129	10078371627857	Stainless steel self-trailing 5/8" rope grab; Includes panic hardware
124/209509	10078371010444	Self-trailing rope grab with attached 2 ft. energy absorbing lanyard
3011-RGA	10078371002463	124 rope grab attached to 18" personal energy absorber



0116-1

### Rope Adjuster

Prod #	UPC #	Description
0116-1	10078371004849	5/8" manual rope adjuster



128

### Cable Grab

Prod #	UPC #	Description
128	10078371012233	3/8" self-trailing cable grab





## Confined Space

### Kinetic™ Davit System

The 3M™ Kinetic™ Davit System provides an option for many confined space rescue/retrieval needs. When the davit arm is used with the optional barricade base gate, the system also provides an OSHA required barrier to an exposed confined space entry point. When the davit arm is used with the system mast, a broad range of anchorage connectors are available to meet the majority of confined space applications.



To build the system at left you will need to order:

Prod #	Description
CON-2002	Kinetic Davit Arm
CON-2108	Kinetic 42" Blockade Base



To build the system at left you will need to order:

Prod #	Description
CON-2002	Kinetic Davit Arm
CON-2003	Kinetic Davit Mast
CON-2005	Kinetic Floor Adapter Base

For a complete list of mast adaptors, refer to the Kinetic Ordering Guide or contact your 3M Representative.



## Confined Space

### Tripod System

The 3M™ Tripod System is an economical, easy to install solution for permit required confined space rescue and retrieval. The lightweight, aluminum design is highly transportable and the adjusting telescoping legs improve system versatility.



#### Complete Systems

Prod #	UPC #	Description
M2050	10078371003569	50 ft. 3-way recovery system
M2075	10078371003576	75 ft. three way recovery system

Confined Space

#### Tripod

Prod #	UPC #	Description
99-M10	10078371002944	7 ft. tripod with bracket



#### Tripod Accessories

Prod #	UPC #	Description
99-0217	10078371002913	3/16" pulley (Tripod)
M10-142G	10078371007192	99-M10 tripod; 142G winch combination
M10B-1	10078371627727	Tripod bracket for 205G-50, 205G-75, 205G-100
0210-07	10078371013070	Carabiner, Required for additional connecting device
4500-TripodA	10078371009172	Tripod carrying bag




#### Retrieval Devices

Prod #	UPC #	Description
205G-50	10078371002210	50 ft. 3-way device
205G-75	10078371002227	75 ft. 3-way device
205G-100	10078371002203	100 ft. 3-way device
142G	10078371001732	65 ft. winch



#### Accessories

Prod #	UPC #	Description
4670	10078371000674	Bosun chair
M30-SBA	10078371010642	Spreader bar assembly



## Training Services



### Training Capabilities

The most recent figures from the Bureau of Labor Statistics show that falls from heights continue to be a leading cause of workplace fatalities and injuries in the U.S. The ANSI/ASSE Z359.2-2007 standard includes many significant changes for both employers and employees working at heights. Employers are responsible to ensure that all employees are properly trained in accordance with the requirements of OSHA in the safe use of the fall protection system and its components.

3M™ Fall Protection is proud to offer a wide range of training classes and tools designed to help promote safety at height.

### Competent Person Training

Our Competent Person Training Courses are designed for those responsible for managing a fall protection program. Our 8-hour course includes an introduction to fall protection, hands-on equipment training, horizontal and vertical lifeline training, and proper equipment maintenance. Following the course, participants are given a post-test to help ensure comprehension of coursework.

The 3M Competent Person Trainer has extensive, application-based experience in the fall arrest industry. Our Trainer is a member of The National Safety Council, The American Society of Safety Engineers, and the International Society for Fall Protection. He has been the contract Trainer for the OSHA Training Institute of Chicago, IL, for the past 5 years. He is also an active voting member of the ANSI Z359 committee for the last 5 years both during the rewrite of Z359.1-2007 and the creation of 8 new Fall Protection Standards (as of November 2009).

Courses are scheduled at various locations nationally throughout the calendar year. Contact your local 3M field support specialist to find a date and location near you.

### On-Site Trailer Demonstrations

3M offers in-depth fall protection awareness and product demonstrations at facilities across the country. Using our fall protection demonstration drop trailers, we emphasize the importance of using compliant fall arrest equipment with eye-opening results. When large numbers of employees need to enhance their fall protection awareness, we make it easy by coming to you and providing the services you need.

Distributors – 3M™ Trailer Demonstrations are a great way to add education to your event.

Contact your local 3M sales specialist to schedule a visit from one of our demonstration trailers today.

### Training Tools

3M continuously strives to provide the tools to help create a safer working environment for employees nationwide. That's why we've developed a 20 minute, bilingual "Fall Protection Awareness" video that covers the basics of fall protection.

Videos can be downloaded at [www.3M.com/FPAwareness](http://www.3M.com/FPAwareness) or you can contact your local 3M sales specialist for a complimentary DVD.





## Fall Protection Basics

### How To Put On A Full Body Harness

Five easy steps that could help save your life.



Hold the dorsal (back) D-ring of the harness and shake to allow all straps to fall into place. Make certain straps are not buckled or twisted.



Slip shoulder strap over one shoulder, then pull the other shoulder strap around the back and over the second shoulder, much like putting on a jacket. The dorsal D-ring will be located on your back, while the chest strap is located in the front. Straps must not be tangled as the harness hangs freely from shoulders.



Pull one leg strap between your legs and connect it to the opposite end on the same side. Repeat with second leg strap. Ensure that the leg straps are not twisted or crossed. Leg straps must be comfortably snug to achieve proper adjustment.

**Note:** Failure to have the leg straps of a Full Body Harness properly adjusted in the event of a fall arrest may result in serious personal injury or death.




Web Keeper

Fasten the chest strap just above the nipple line. Chest strap should be snug, with excess strap secured through the web keepers.



Adjust shoulder straps with the two adjusters located at the lower end of the shoulder strap. Adjust the left and right sides to the same length. The chest strap, and front D-ring, if applicable, must be centered just above your nipple line. Adjustment of the shoulder straps may cause the dorsal D-ring to move, and may need to be repositioned up or down to achieve correct positioning. After all straps have been tightened and harness fits snugly, secure all excess straps through the web keepers.





## Regulations

### OSHA Regulations Under Title 29 of the Code of Federal Regulations OSHA Occupational Safety and Health Standards for General Industry

#### Subpart D, Walking/Working Surfaces

Fixed Ladder, Ladder Safety Devices .....	1910.27 (d) (5)
Safety Requirements for Scaffolding, Boatswains Chair .....	1910.28 (j) (4)

Subpart I, Personal Fall Arrest Systems .....	1915.159
---	----------

Subpart F, Powered Platforms and Building Maintenance .....	1910.66
---	---------

Subpart J, Permit - Required Confined Space .....	1910.146
---	----------

Subpart R, Special Industries Telecommunications .....	1910.268
Electric Power Generation, Transmission and Distribution .....	1910.269

### OSHA Safety and Health Regulations for Construction

#### Subpart E, Personal Protective Equipment

Safety Belts, Lifelines and Lanyards .....	1926.104
Safety Nets .....	1926.105

#### Subpart L, Scaffolding

Fall Protection .....	1926.451 (g)
-----------------------	--------------

#### Subpart M, Fall Protection

Scope, Application and Definitions .....	1926.500
Duty to Have Fall Protection .....	1926.501
Fall Protection Systems Criteria and Practices .....	1926.502
Training Requirements .....	1926.503

#### Subpart R, Steel Erection

Fall Protection .....	1926.750-761
-----------------------	--------------



## Standards

### ANSI Standards

#### Construction and Demolition Operations

Requirements for Safety Belts, Harnesses, Lanyards, Lifelines-Construction and Demolition .....	A10.32-2004
Ladders - Fixed - Safety Requirements .....	A14.3-1992
Safety Requirements for Confined Spaces.....	Z117.1-1989
UpDefinitions and Nomenclature Used for Fall Protection and Fall Arrest .....	Z359.0-2007
Safety Requirements for Personal Fall Arrest Systems, Subsystems and Components .....	Z359.1-2007
Minimum Requirements for a Comprehensive Managed Fall Protection Program.....	Z359.2-2007
Safety Requirements for Positioning and Travel Restraint Systems .....	Z359.3-2007
Safety Requirements for Assisted-Rescue and Self-Rescue Systems, Subsystems and Components .....	Z359.4-2007
Safety Requirements for Personal Fall Arrest Systems.....	Z359.5-200X*
Specifications and Design Requirements for Active Fall Protection Systems .....	Z359.6-2009
Requirements for Third-Party and Self-Certification for Personal Fall Arrest Systems.....	Z359.7-200X*
Requirements for Rope Access.....	Z359.8-200X*
Personal Equipment for Protection Against Falls - Descending Devices .....	Z359.9-200X*
Safety Requirements for Full Body Harness for Personal Fall Arrest Systems.....	Z359.11-200X*
Connecting Components for Personal Fall Arrest Systems .....	Z359.12-2009
Personal Energy Absorbers and Energy Absorbing Lanyards.....	Z359.13-2009
Safety Requirements for Self-Retracting Devices for Personal Fall Arrest Systems .....	Z359.14-200X*
Safety Requirements for Vertical Lifelines for Personal Fall Arrest Systems.....	Z359.15-200X*
Safety Requirements for Fall Arresters for Personal Fall Arrest Systems .....	Z359.16-200X*
Safety Requirements for Horizontal Lifelines for Personal Fall Arrest Systems .....	Z359.17-200X*
Safety Requirements for Anchorage Connectors for Personal Fall Arrest Systems.....	Z359.18-200X*

### CSA Standards


Body Belts & Saddles.....	Z259.1-05
Fall Arresters, Vertical Lifelines & Rails .....	Z259.2.1-98
Self- Retracting Devices .....	Z259.2.2-98
Descent Control Devices .....	Z259.2.3-99
Full Body Harnesses .....	Z259.10-06
Energy Absorbers & Lanyards .....	Z259.11-05
Connecting Components .....	Z259.12-01
Flexible Horizontal Lifelines.....	Z259.13-04
Fall Restrict Equipment for Wood Pole .....	Z259.14-04
Anchorage Connectors.....	Z259.15 (Draft)
Design an Active System.....	Z259.16-04

For more information on OSHA (Occupational Safety & Health Administration), ANSI (American National Standards Institute) or CSA (Canadian Standards Association) please visit their web sites:

- [www.osha.gov](http://www.osha.gov)
- [www.ansi.org](http://www.ansi.org)
- [www.csa.ca](http://www.csa.ca)

\* 200X denotes proposed standards





## Appendix A:

### Discontinued Sized Harnesses with New Universal Product Codes + 3M Ordering Information

Product #	Comparable Crossover Product #	3M UPC	3M ID	3M Product Name
10952	10952 (L-XL)	10078371635746	70071599594	3M SafeLight Harness 10952LXL
1010 (L-XL)	1010	10078371631519	70071566387	3M Feather Harness 1010
1010 (S-M)	1010	10078371631519	70071566387	3M Feather Harness 1010
1011 (L-XL)	1011	10078371631526	70071566395	3M Feather Harness 1011
1011 (S-M)	1011	10078371631526	70071566395	3M Feather Harness 1011
1020 (L-XL)	1020	10078371634510	70071598364	3M Saturn Harness 1020
1020 (S-M)	1020	10078371634510	70071598364	3M Saturn Harness 1020
1021 (L-XL)	1021	10078371634527	70071598372	3M Saturn Harness 1021
1021 (S-M)	1021	10078371634527	70071598372	3M Saturn Harness 1021
1030 (L-XL)	1030	10078371634534	70071598380	3M Saturn Harness 1030
1030 (S-M)	1030	10078371634534	70071598380	3M Saturn Harness 1030
1031 (L-XL)	1031	10078371634541	70071598398	3M Saturn Harness 1031
1031 (S-M)	1031	10078371634541	70071598398	3M Saturn Harness 1031
1050 (L-XL)	1050	10078371631557	70071566429	3M Feather Harness 1050
1050 (S-M)	1050	10078371631557	70071566429	3M Feather Harness 1050
1051 (L-XL)	1051	10078371631564	70071566437	3M Feather Harness 1051
1051 (S-M)	1051	10078371631564	70071566437	3M Feather Harness 1051
1053 (L-XL)	1054F	10078371631588	70071566452	3M Feather Harness 1054F
1053 (S-M)	1054F	10078371631588	70071566452	3M Feather Harness 1054F
1311-L	1052 (L-XL)	10078371632011	70071535606	3M Feather Harness 1052LXL
1311-M	1052 (S-M)	10078371632059	70071535614	3M Feather Harness 1052SM
1311-S	1052 (S-M)	10078371632059	70071535614	3M Feather Harness 1052SM
1311-XL	1052 (L-XL)	10078371632011	70071535606	3M Feather Harness 1052LXL
1311-XXL	1052-XXL	10078371632271	70071596129	3M Feather Harness 1052XXL
1321-L	1321 (L-XL)	10078371634831	70071598687	3M Saturn Harness 1321LXL
1321-M	1321 (S-M)	10078371634879	70071598729	3M Saturn Harness 1321SM
1321-S	1321 (S-M)	10078371634879	70071598729	3M Saturn Harness 1321SM
1321-XL	1321 (L-XL)	10078371634831	70071598687	3M Saturn Harness 1321LXL
1710-L	10952 (L-XL)	10078371635746	70071599594	3M SafeLight Harness 10952LXL
1710-M	10952 (S-M)	10078371635760	70071599610	3M SafeLight Harness 10952SM
1710-S	10952 (S-M)	10078371635760	70071599610	3M SafeLight Harness 10952SM
1710-XL	10952 (L-XL)	10078371635746	70071599594	3M SafeLight Harness 10952LXL
1711-L	10952 (L-XL)	10078371635746	70071599594	3M SafeLight Harness 10952LXL
1711-M	10952 (S-M)	10078371635760	70071599610	3M SafeLight Harness 10952SM
1711-S	10952 (S-M)	10078371635760	70071599610	3M SafeLight Harness 10952SM
1711-XL	10952 (L-XL)	10078371635746	70071599594	3M SafeLight Harness 10952LXL
7311E-L	1452E (L-XL)	10078371637146	70071600996	3M Ameba Harness 1452ELXL
7311E-M	1452E (S-M)	10078371637184	70071601036	3M Ameba Harness 1452ESM



## Appendix A:

### Discontinued Sized Harnesses with New Universal Product Codes + 3M Ordering Information (continued)

Product #	Comparable Crossover Product #	3M UPC	3M ID	3M Product Name
7311E-S	1452E (S-M)	10078371637184	70071601036	3M Ameba Harness 1452ESM
7311E-XL	1452E (L-XL)	10078371637146	70071600996	3M Ameba Harness 1452ELXL
7311E-XXL	1452E-XXL	10078371637344	70071601192	3M Ameba Harness 1452EXXL
7350E (L-XL)	1450E	10078371636989	70071600830	3M Ameba Harness 1450E
7350E (S-M)	1450E	10078371636989	70071600830	3M Ameba Harness 1450E
7350E (XXL)	1450E-XXL	10078371637603	70071601457	3M Ameba Harness 1450EXXL
7351E (L-XL)	1451E	10078371636996	70071600848	3M Ameba Harness 1451E
7351E (S-M)	1450E	10078371636989	70071600830	3M Ameba Harness 1450E
7351E (XXL)	1450E-XXL	10078371637603	70071601457	3M Ameba Harness 1450EXXL
7353-L	7555 (L-XL)	10078371011786	70071572120	3M Elavation™ Derrick Harness (L-XL)
7353-XL	7555 (L-XL)	10078371011786	70071572120	3M Elavation™ Derrick Harness (L-XL) 7555LXL
7353-XXL	7555 (XXL)	10078371011793	70071572138	3M Elavation™ Derrick Harness (XXL) 7555XXL
7355 (L-XL)	7555 (L-XL)	10078371011786	70071572120	3M Elavation™ Derrick Harness (L-XL) 7555LXL
7355 (S-M)	7555 (S-M)	10078371011779	70071572112	3M Elavation™ Derrick Harness (S-M) 7555SM
7355 (XXL)	7555 (XXL)	10078371011793	70071572138	3M Elavation™ Derrick Harness (XXL) 7555XXL
7355 (XXXL)	7555 (XXXL)	10078371011809	70071572146	3M Elavation™ Derrick Harness (XXXL) 7555XXX
7510 (L-XL)	7510Q (L-XL)	10078371638921	70071603586	3M Elavation™ Harness 7510QLXL
7510 (S-M)	7510Q (S-M)	10078371638945	70071603602	3M Elavation™ Harness 7510QSM
7510-XXL	7510Q-XXL	10078371638969	70071603628	3M Elavation™ Harness 7510QXXL
7511 (L-XL)	7511Q (L-XL)	10078371638983	70071603644	3M Elavation™ Harness 7511QLXL
7511 (S-M)	7511Q (S-M)	10078371639003	70071603669	3M Elavation™ Harness 7511QSM
7511-XXL	7511Q-XXL	10078371639027	70071603685	3M Elavation™ Harness 7511QXXL
7512-L	7512Q (L-XL)	10078371639041	70071603701	3M Elavation™ Harness 7512QLXL
7512-M	7512Q (S-M)	10078371639065	70071603727	3M Elavation™ Harness 7512QSM
7512-S	7512Q (S-M)	10078371639065	70071603727	3M Elavation™ Harness 7512QSM
7512-XL	7512Q (L-XL)	10078371639041	70071603701	3M Elavation™ Harness 7512QLXL
7512-XXL	7512Q-XXL	10078371639140	70071603800	3M Elavation™ Harness 7512QXXL
7550 (L-XL)	7550Q (L-XL)	10078371639287	70071603941	3M Elavation™ Harness 7550QLXL
7550 (S-M)	7550Q (S-M)	10078371639300	70071603966	3M Elavation™ Harness 7550QSM
7550-XXL	7550Q-XXL	10078371639324	70071603982	3M Elavation™ Harness 7550QXXL
7551 (L-XL)	7551Q (L-XL)	10078371639348	70071604006	3M Elavation™ Harness 7551QLXL
7551 (S-M)	7551Q (S-M)	10078371639362	70071604022	3M Elavation™ Harness 7551QSM
7551-XXL	7551Q-XXL	10078371639386	70071604048	3M Elavation™ Harness 7551QXXL
7552E-L	7552EQ-L	10078371639447	70071604105	3M Elavation™ Harness 7552EQL
7552E-M	7552EQ-M	10078371639461	70071604121	3M Elavation™ Harness 7552EQM
7552E-S	7552EQ-S	10078371639485	70071604147	3M Elavation™ Harness 7552EQS



## Appendix A:

### Discontinued Sized Harnesses with New Universal Product Codes + 3M Ordering Information (continued)

Product #	Comparable Crossover Product #	3M UPC	3M ID	3M Product Name
7552E-XL	7552EQ-XL	10078371639508	70071604162	3M Elavation™ Harness 7552EQXL
7552E-XXL	7552EQ-XXL	10078371639522	70071604188	3M Elavation™ Harness 7552EQXXL
7552-L	7552Q (L-XL)	10078371639409	70071604063	3M Elavation™ Harness 7552QLXL
7552-M	7552Q (S-M)	10078371639423	70071604089	3M Elavation™ Harness 7552QSM
7552-S	7552Q (S-M)	10078371639423	70071604089	3M Elavation™ Harness 7552QSM
7552-XL	7552Q (L-XL)	10078371639409	70071604063	3M Elavation™ Harness 7552QLXL
7552-XXL	7552Q-XXL	10078371639591	70071604253	3M Elavation™ Harness 7552QXXL
AMEBA 1311-L	1452 (L-XL)	10078371636101	70071599958	3M Ameba Harness 1452LXL
AMEBA 1311-M	1452 (S-M)	10078371636149	70071599990	3M Ameba Harness 1452SM
AMEBA 1311-S	1452 (S-M)	10078371636149	70071599990	3M Ameba Harness 1452SM
AMEBA 1311-XL	1452 (L-XL)	10078371636101	70071599958	3M Ameba Harness 1452LXL
AMEBA 1311-XXL	1452-XXL	10078371636309	70071600152	3M Ameba Harness 1452XXL
AMEBA 1410 2XL	1410-XXL	10078371636484	70071600335	3M Ameba Harness 14102XL
AMEBA 1410 L/XL	1410	10078371635920	70071599776	3M Ameba Harness 1410
AMEBA 1410 S/M	1410	10078371635920	70071599776	3M Ameba Harness 1410
AMEBA 1411 2XL	1411-XXL	10078371636521	70071600376	3M Ameba Harness 14112XL
AMEBA 1411 L/XL	1411	10078371635937	70071599784	3M Ameba Harness 1411
AMEBA 1411 S/M	1411	10078371635937	70071599784	3M Ameba Harness 1411
AMEBA 1450 2XL	1450-XXL	10078371636569	70071600418	3M Ameba Harness 14502XL
AMEBA 1450 L/XL	1450	10078371635944	70071599792	3M Ameba Harness 1450
AMEBA 1450 S/M	1450	10078371635944	70071599792	3M Ameba Harness 1450
AMEBA 1451 2XL	1451-XXL	10078371636606	70071600459	3M Ameba Harness 14512XL
AMEBA 1451 L/XL	1451	10078371635951	70071599800	3M Ameba Harness 1451
AMEBA 1451 S/M	1451	10078371635951	70071599800	3M Ameba Harness 1451






## Appendix B: Logoed Harness Product Codes + 3M Ordering Information

Harness Family	Product Code	3M ID	UPC Case
Ameba	1410-LOGO	70071599834	10078371635982
Ameba	1410Q-LOGO	70071599859	10078371636002
Ameba	1411-LOGO	70071599867	10078371636019
Ameba	1411Q-LOGO	70071599883	10078371636033
Ameba	1450-LOGO	70071599891	10078371636040
Ameba	1450Q-LOGO	70071599917	10078371636064
Ameba	1451-LOGO	70071599925	10078371636071
Ameba	1451Q-LOGO	70071599941	10078371636095
Ameba	1452 (L-XL)-LOGO	70071599966	10078371636118
Ameba	1452Q (L-XL)-LOGO	70071599982	10078371636132
Ameba	1452 (S-M)-LOGO	70071600004	10078371636156
Ameba	1452Q (S-M)-LOGO	70071600020	10078371636170
Ameba	1452F (L-XL)-LOGO	70071600046	10078371636194
Ameba	1452FQ (L-XL)-LOGO	70071600061	10078371636217
Ameba	1452F (S-M)-LOGO	70071600087	10078371636231
Ameba	1452FQ (S-M)-LOGO	70071600103	10078371636255
Ameba	1452F-XXL-LOGO	70071600129	10078371636279
Ameba	1452FQ-XXL-LOGO	70071600145	10078371636293
Ameba	1452-XXL-LOGO	70071600160	10078371636316
Ameba	1452Q-XXL-LOGO	70071600186	10078371636330
Ameba	1453F-LOGO	70071600194	10078371636347
Ameba	1453FQ-LOGO	70071600210	10078371636361
Ameba	1453F-XXL-LOGO	70071600236	10078371636385
Ameba	1453FQ-XXL-LOGO	70071600251	10078371636408
Ameba	1454F-LOGO	70071600269	10078371636415
Ameba	1454FQ-LOGO	70071600285	10078371636439
Ameba	1454F-XXL-LOGO	70071600301	10078371636453
Ameba	1454FQ-XXL-LOGO	70071600327	10078371636477
Ameba	1410-XXL-LOGO	70071600343	10078371636491
Ameba	1410Q-XXL-LOGO	70071600368	10078371636514
Ameba	1411-XXL-LOGO	70071600384	10078371636538
Ameba	1411Q-XXL-LOGO	70071600400	10078371636552
Ameba	1450-XXL-LOGO	70071600426	10078371636576
Ameba	1450Q-XXL-LOGO	70071600442	10078371636590
Ameba	1451-XXL-LOGO	70071600467	10078371636613
Ameba	1451Q-XXL-LOGO	70071600483	10078371636637
Ameba	1410F-LOGO	70071600533	10078371636682
Ameba	1410FQ-LOGO	70071600558	10078371636705
Ameba	1411F-LOGO	70071600566	10078371636712
Ameba	1411FQ-LOGO	70071600582	10078371636736
Ameba	1450F-LOGO	70071600590	10078371636743
Ameba	1450FQ-LOGO	70071600616	10078371636767
Ameba	1451F-LOGO	70071600624	10078371636774

Harness Family	Product Code	3M ID	UPC Case
Ameba	1451FQ-LOGO	70071600640	10078371636798
Ameba	1410FQ-XXL-LOGO	70071600699	10078371636842
Ameba	1411F-XXL-LOGO	70071600715	10078371636866
Ameba	1411FQ-XXL-LOGO	70071600731	10078371636880
Ameba	1450F-XXL-LOGO	70071600756	10078371636903
Ameba	1450FQ-XXL-LOGO	70071600772	10078371636927
Ameba	1451F-XXL-LOGO	70071600798	10078371636941
Ameba	1451FQ-XXL-LOGO	70071600814	10078371636965
Ameba	1410E-LOGO	70071600871	10078371637023
Ameba	1410EQ-LOGO	70071600897	10078371637047
Ameba	1411E-LOGO	70071600905	10078371637054
Ameba	1411EQ-LOGO	70071600921	10078371637078
Ameba	1450E-LOGO	70071600939	10078371637085
Ameba	1450EQ-LOGO	70071600954	10078371637108
Ameba	1451E-LOGO	70071600962	10078371637115
Ameba	1451EQ-LOGO	70071600988	10078371637139
Ameba	1452E (L-XL)-LOGO	70071601002	10078371637153
Ameba	1452EQ (L-XL)-LOGO	70071601028	10078371637177
Ameba	1452E (S-M)-LOGO	70071601044	10078371637191
Ameba	1452EQ (S-M)-LOGO	70071601069	10078371637214
Ameba	1452FE (L-XL)-LOGO	70071601085	10078371637238
Ameba	1452FEQ (L-XL)-LOGO	70071601101	10078371637252
Ameba	1452FE (S-M)-LOGO	70071601127	10078371637276
Ameba	1452FEQ (S-M)-LOGO	70071601143	10078371637290
Ameba	1452FE-XXL-LOGO	70071601168	10078371637313
Ameba	1452FQ-XXL-LOGO	70071600145	10078371636293
Ameba	1452E-XXL-LOGO	70071601200	10078371637351
Ameba	1452EQ-XXL-LOGO	70071601226	10078371637375
Ameba	1453FE-LOGO	70071601234	10078371637382
Ameba	1453FEQ-LOGO	70071601259	10078371637405
Ameba	1453FE-XXL-LOGO	70071601275	10078371637429
Ameba	1453FEQ-XXL-LOGO	70071601291	10078371637443
Ameba	1454FE-LOGO	70071601309	10078371637450
Ameba	1454FEQ-LOGO	70071601325	10078371637474
Ameba	1454FE-XXL-LOGO	70071601341	10078371637498
Ameba	1454FEQ-XXL-LOGO	70071601366	10078371637511
Ameba	1410E-XXL-LOGO	70071601382	10078371637535
Ameba	1410EQ-XXL-LOGO	70071601408	10078371637559
Ameba	1411EQ-XXL-LOGO	70071601432	10078371637597
Ameba	1450E-XXL-LOGO	70071601465	10078371637610
Ameba	1450EQ-XXL-LOGO	70071601481	10078371637634
Ameba	1451E-XXL-LOGO	70071601507	10078371637658
Ameba	1451EQ-XXL-LOGO	70071601523	10078371637672



## Appendix B: Logoed Harness Product Codes + 3M Ordering Information (continued)

Harness Family	Product Code	3M ID	UPC Case	Harness Family	Product Code	3M ID	UPC Case
Ameba	1410FE-LOGO	70071601572	10078371637726	Elavation	7510Q-XXL-LOGO	70071603636	10078371638976
Ameba	1410FEQ-LOGO	70071601598	10078371637740	Elavation	7511Q (L-XL)-LOGO	70071603651	10078371638990
Ameba	1411FE-LOGO	70071601606	10078371637757	Elavation	7511Q (S-M)-LOGO	70071603677	10078371639010
Ameba	1411FEQ-LOGO	70071601622	10078371637771	Elavation	7511Q-XXL-LOGO	70071603693	10078371639034
Ameba	1450FE-LOGO	70071601630	10078371637788	Elavation	7512Q (L-XL)-LOGO	70071603719	10078371639058
Ameba	1450FEQ-LOGO	70071601655	10078371637801	Elavation	7512Q (S-M)-LOGO	70071603735	10078371639072
Ameba	1451FE-LOGO	70071601663	10078371637818	Elavation	7512FQ (L-XL)-LOGO	70071603750	10078371639096
Ameba	1451FEQ-LOGO	70071601689	10078371637832	Elavation	7512FQ (S-M)-LOGO	70071603776	10078371639119
Ameba	1410FEQ-XXL-LOGO	70071601721	10078371637870	Elavation	7512FQ-XXL-LOGO	70071603792	10078371639133
Ameba	1411FE-XXL-LOGO	70071601747	10078371637894	Elavation	7512Q-XXL-LOGO	70071603818	10078371639157
Ameba	1411FEQ-XXL-LOGO	70071601762	10078371637917	Elavation	7513FQ (L-XL)-LOGO	70071603834	10078371639171
Ameba	1450FE-XXL-LOGO	70071601788	10078371637931	Elavation	7513FQ (S-M)-LOGO	70071603859	10078371639195
Ameba	1450FEQ-XXL-LOGO	70071601804	10078371637955	Elavation	7513FQ-XXL-LOGO	70071603875	10078371639218
Ameba	1451FE-XXL-LOGO	70071601820	10078371637979	Elavation	7514FQ (L-XL)-LOGO	70071603891	10078371639232
Ameba	1451FEQ-XXL-LOGO	70071601846	10078371637993	Elavation	7514FQ (S-M)-LOGO	70071603917	10078371639256
Ameba	1413F-LOGO	70071601895	10078371638044	Elavation	7514FQ-XXL-LOGO	70071603933	10078371639270
Ameba	1413FE-LOGO	70071601903	10078371638051	Elavation	7550Q (L-XL)-LOGO	70071603958	10078371639294
Ameba	1413FEQ-LOGO	70071601911	10078371638068	Elavation	7550Q (S-M)-LOGO	70071603974	10078371639317
Ameba	1413FQ-LOGO	70071601929	10078371638075	Elavation	7550Q-XXL-LOGO	70071603990	10078371639331
Ameba	1413F-XXL-LOGO	70071601978	10078371638129	Elavation	7551Q (L-XL)-LOGO	70071604014	10078371639355
Ameba	1413FE-XXL-LOGO	70071601986	10078371638136	Elavation	7551Q (S-M)-LOGO	70071604030	10078371639379
Ameba	1413FEQ-XXL-LOGO	70071601994	10078371638143	Elavation	7551Q-XXL-LOGO	70071604055	10078371639393
Ameba	1413FQ-XXL-LOGO	70071602000	10078371638150	Elavation	7552Q (L-XL)-LOGO	70071604071	10078371639416
Ameba	1414F-LOGO	70071602059	10078371638204	Elavation	7552Q (S-M)-LOGO	70071604097	10078371639430
Ameba	1414FE-LOGO	70071602067	10078371638211	Elavation	7552EQ-L-LOGO	70071604113	10078371639454
Ameba	1414FEQ-LOGO	70071602075	10078371638228	Elavation	7552EQ-M-LOGO	70071604139	10078371639478
Ameba	1414FQ-LOGO	70071602083	10078371638235	Elavation	7552EQ-S-LOGO	70071604154	10078371639492
Ameba	1414F-XXL-LOGO	70071602133	10078371638280	Elavation	7552EQ-XL-LOGO	70071604170	10078371639515
Ameba	1414FE-XXL-LOGO	70071602141	10078371638297	Elavation	7552EQ-XXL-LOGO	70071604196	10078371639539
Ameba	1414FEQ-XXL-LOGO	70071602158	10078371638303	Elavation	7552FQ (L-XL)-LOGO	70071604212	10078371639553
Ameba	1414FQ-XXL-LOGO	70071602166	10078371638310	Elavation	7552FQ (S-M)-LOGO	70071604238	10078371639577
Apache	1040-XXL-LOGO	70071599248	10078371635395	Elavation	7552Q-XXL-LOGO	70071604261	10078371639669
Apache	1040-XXX-LOGO	70071599255	10078371635401	Elavation	7553FQ (L-XL)-LOGO	70071604287	10078371639621
Apache	1041-XXL-LOGO	70071599263	10078371635418	Elavation	7553FQ (S-M)-LOGO	70071604303	10078371639645
Apache	1041-XXX-LOGO	70071599271	10078371635425	Elavation	7553FQ-XXL-LOGO	70071604329	10078371639669
Apache	1710-XXL-LOGO	70071602737	10078371638884	Elavation	7554FQ (L-XL)-LOGO	70071604345	10078371639683
Apache	1710-XXX-LOGO	70071602745	10078371638891	Elavation	7554FQ (S-M)-LOGO	70071604360	10078371639706
Apache	1711-XXL-LOGO	70071602752	10078371638907	Elavation	7554FQ-XXL-LOGO	70071604386	10078371639720
Apache	1711-XXX-LOGO	70071602760	10078371638914	Elavation	7510FQ (L-XL)-LOGO	70071604402	10078371639744
Coated Web	10955-LOGO	70071599388	10078371635531	Elavation	7510FQ (S-M)-LOGO	70071604428	10078371639768
Coated Web	10955-XXL-LOGO	70071599396	10078371635548	Elavation	7510FQ-XXL-LOGO	70071604444	10078371639782
Elavation	7510Q (L-XL)-LOGO	70071603594	10078371638938	Elavation	7511FQ (L-XL)-LOGO	70071604469	10078371639805
Elavation	7510Q (S-M)-LOGO	70071603610	10078371638952	Elavation	7511FQ (S-M)-LOGO	70071604485	10078371639829






## Appendix B: Logoed Harness Product Codes + 3M Ordering Information (continued)

Harness Family	Product Code	3M ID	UPC Case	Harness Family	Product Code	3M ID	UPC Case
Elavation	7511FQ-XXL-LOGO	70071604501	10078371639843	Elavation	7511FEQ (L-XL)-LOGO	70071605375	10078371640726
Elavation	7550FQ (L-XL)-LOGO	70071604527	10078371639867	Elavation	7511FEQ (S-M)-LOGO	70071605391	10078371640740
Elavation	7550FQ (S-M)-LOGO	70071604543	10078371639881	Elavation	7511FEQ-XXL-LOGO	70071605417	10078371640764
Elavation	7550FQ-XXL-LOGO	70071604568	10078371639904	Elavation	7550FEQ (L-XL)-LOGO	70071605433	10078371640788
Elavation	7551FQ (L-XL)-LOGO	70071604584	10078371639928	Elavation	7550FEQ (S-M)-LOGO	70071605458	10078371640801
Elavation	7551FQ (S-M)-LOGO	70071604600	10078371639942	Elavation	7550FEQ-XXL-LOGO	70071605474	10078371640825
Elavation	7551FQ-XXL-LOGO	70071604626	10078371639966	Elavation	7551FEQ (L-XL)-LOGO	70071605490	10078371640849
Elavation	7510EQ (L-XL)-LOGO	70071604642	10078371639997	Elavation	7551FEQ (S-M)-LOGO	70071605516	10078371640863
Elavation	7510EQ (S-M)-LOGO	70071604667	10078371640016	Elavation	7551FEQ-XXL-LOGO	70071605532	10078371640887
Elavation	7510EQ-XXL-LOGO	70071604683	10078371640030	Feather	1010-LOGO	70071566460	10078371631595
Elavation	7511EQ (L-XL)-LOGO	70071604709	10078371640054	Feather	1010Q-LOGO	70071566486	10078371631618
Elavation	7511EQ (S-M)-LOGO	70071604725	10078371640078	Feather	1010-XXL-LOGO	70071566502	10078371631632
Elavation	7511EQ-XXL-LOGO	70071604741	10078371640092	Feather	1010Q-XXL-LOGO	70071566528	10078371631656
Elavation	7512EQ (L-XL)-LOGO	70071604766	10078371640115	Feather	1011-LOGO	70071566536	10078371631663
Elavation	7512EQ (S-M)-LOGO	70071604782	10078371640139	Feather	1011Q-LOGO	70071566551	10078371631687
Elavation	7512FEQ (L-XL)-LOGO	70071604808	10078371640153	Feather	1011-XXL-LOGO	70071566577	10078371631700
Elavation	7512FEQ (S-M)-LOGO	70071604824	10078371640177	Feather	1011Q-XXL-LOGO	70071566593	10078371631724
Elavation	7512FEQ-XXL-LOGO	70071604840	10078371640191	Feather	1013F-LOGO	70071566601	10078371631731
Elavation	7512EQ-XXL-LOGO	70071604865	10078371640214	Feather	1013FQ-LOGO	70071566627	10078371631755
Elavation	7513FEQ (L-XL)-LOGO	70071604881	10078371640238	Feather	1013F-XXL-LOGO	70071566643	10078371631779
Elavation	7513FEQ (S-M)-LOGO	70071604907	10078371640252	Feather	1013FQ-XXL-LOGO	70071566668	10078371631793
Elavation	7513FEQ-XXL-LOGO	70071604923	10078371640276	Feather	1014F-LOGO	70071566676	10078371631809
Elavation	7514FEQ (L-XL)-LOGO	70071604949	10078371640290	Feather	1014FQ-LOGO	70071566692	10078371631823
Elavation	7514FEQ (S-M)-LOGO	70071604964	10078371640313	Feather	1014F-XXL-LOGO	70071566718	10078371631847
Elavation	7514FEQ-XXL-LOGO	70071604980	10078371640337	Feather	1014FQ-XXL-LOGO	70071566734	10078371631861
Elavation	7550EQ (L-XL)-LOGO	70071605003	10078371640351	Feather	1050-LOGO	70071566742	10078371631878
Elavation	7550EQ (S-M)-LOGO	70071605029	10078371640375	Feather	1050Q-LOGO	70071566767	10078371631892
Elavation	7550EQ-XXL-LOGO	70071605045	10078371640399	Feather	1050-XXL-LOGO	70071566775	10078371631915
Elavation	7551EQ (L-XL)-LOGO	70071605060	10078371640412	Feather	1050Q-XXL-LOGO	70071566791	10078371631939
Elavation	7551EQ (S-M)-LOGO	70071605086	10078371640436	Feather	1051-LOGO	70071566809	10078371631946
Elavation	7551EQ-XXL-LOGO	70071605102	10078371640450	Feather	1051Q-LOGO	70071566825	10078371631960
Elavation	7552FEQ (L-XL)-LOGO	70071605128	10078371640474	Feather	1051-XXL-LOGO	70071566833	10078371631984
Elavation	7552FEQ (S-M)-LOGO	70071605144	10078371640498	Feather	1051Q-XXL-LOGO	70071566858	10078371632004
Elavation	7552EQ-XXL-LOGO	70071604196	10078371639539	Feather	1052 (L-XL)-LOGO	70071566874	10078371632028
Elavation	7553FEQ (L-XL)-LOGO	70071605193	10078371640542	Feather	1052Q (L-XL)-LOGO	70071566890	10078371632042
Elavation	7553FEQ (S-M)-LOGO	70071605219	10078371640566	Feather	1052 (S-M)-LOGO	70071566916	10078371632066
Elavation	7553FEQ-XXL-LOGO	70071605235	10078371640580	Feather	1052Q (S-M)-LOGO	70071566932	10078371632080
Elavation	7554FEQ (L-XL)-LOGO	70071605250	10078371640603	Feather	1052F (L-XL)-LOGO	70071566957	10078371632103
Elavation	7554FEQ (S-M)-LOGO	70071605276	10078371640627	Feather	1052FQ (L-XL)-LOGO	70071566981	10078371632134
Elavation	7554FEQ-XXL-LOGO	70071605292	10078371640641	Feather	1052F (S-M)-LOGO	70071596012	10078371632165
Elavation	7510FEQ (L-XL)-LOGO	70071605318	10078371640665	Feather	1052FQ (S-M)-LOGO	70071596046	10078371632196
Elavation	7510FEQ (S-M)-LOGO	70071605334	10078371640689	Feather	1052F-XXL-LOGO	70071596079	10078371632226
Elavation	7510FEQ-XXL-LOGO	70071605359	10078371640702	Feather	1052FQ-XXL-LOGO	70071596103	10078371632257





## Appendix B: Logoed Harness Product Codes + 3M Ordering Information (continued)

Harness Family	Product Code	3M ID	UPC Case
Feather	1052-XXL-LOGO	70071596137	10078371632288
Feather	1052Q-XXL-LOGO	70071596152	10078371632301
Feather	1053F-LOGO	70071596160	10078371632318
Feather	1053FQ-LOGO	70071596186	10078371632332
Feather	1053F-XXL-LOGO	70071596202	10078371632356
Feather	1053FQ-XXL-LOGO	70071596228	10078371632370
Feather	1054F-LOGO	70071596236	10078371632387
Feather	1054FQ-LOGO	70071596251	10078371632400
Feather	1054F-XXL-LOGO	70071596277	10078371632424
Feather	1054FQ-XXL-LOGO	70071596293	10078371632448
Feather	1010F-LOGO	70071596343	10078371632493
Feather	1010FQ-LOGO	70071596368	10078371632516
Feather	1010F-XXL-LOGO	70071596384	10078371632530
Feather	1010FQ-XXL-LOGO	70071596400	10078371632554
Feather	1011F-LOGO	70071596418	10078371632561
Feather	1011FQ-LOGO	70071596434	10078371632585
Feather	1011F-XXL-LOGO	70071596459	10078371632608
Feather	1011FQ-XXL-LOGO	70071596475	10078371632622
Feather	1050F-LOGO	70071596483	10078371632639
Feather	1050FQ-LOGO	70071596509	10078371632653
Feather	1050F-XXL-LOGO	70071596525	10078371632677
Feather	1050FQ-XXL-LOGO	70071596541	10078371632691
Feather	1051F-LOGO	70071596558	10078371632707
Feather	1051FQ-LOGO	70071596574	10078371632721
Feather	1051F-XXL-LOGO	70071596590	10078371632745
Feather	1051FQ-XXL-LOGO	70071596616	10078371632769
Feather	1010E-LOGO	70071596707	10078371632851
Feather	1010EQ-LOGO	70071596723	10078371632875
Feather	1010E-XXL-LOGO	70071596749	10078371632899
Feather	1010EQ-XXL-LOGO	70071596764	10078371632912
Feather	1011E-LOGO	70071596772	10078371632929
Feather	1011EQ-LOGO	70071596798	10078371632943
Feather	1011E-XXL-LOGO	70071596814	10078371632967
Feather	1011EQ-XXL-LOGO	70071596830	10078371632981
Feather	1013FE-LOGO	70071596848	10078371632998
Feather	1013FEQ-LOGO	70071596863	10078371633018
Feather	1013FE-XXL-LOGO	70071596889	10078371633032
Feather	1013FEQ-XXL-LOGO	70071596905	10078371633056
Feather	1014FE-LOGO	70071596913	10078371633063
Feather	1014FEQ-LOGO	70071596939	10078371633087
Feather	1014FE-XXL-LOGO	70071596954	10078371633100
Feather	1014FEQ-XXL-LOGO	70071596970	10078371633124
Feather	1050E-LOGO	70071596988	10078371633131

Harness Family	Product Code	3M ID	UPC Case
Feather	1050EQ-LOGO	70071597002	10078371633155
Feather	1050E-XXL-LOGO	70071597028	10078371633179
Feather	1050EQ-XXL-LOGO	70071597044	10078371633193
Feather	1051E-LOGO	70071597051	10078371633209
Feather	1051EQ-LOGO	70071597077	10078371633223
Feather	1051E-XXL-LOGO	70071597093	10078371633247
Feather	1051EQ-XXL-LOGO	70071597119	10078371633261
Feather	1052E (L-XL)-LOGO	70071597135	10078371633285
Feather	1052EQ (L-XL)-LOGO	70071597150	10078371633308
Feather	1052E (S-M)-LOGO	70071597176	10078371633322
Feather	1052EQ (S-M)-LOGO	70071597192	10078371633346
Feather	1052FE (L-XL)-LOGO	70071597218	10078371633360
Feather	1052FEQ (L-XL)-LOGO	70071597242	10078371633391
Feather	1052FE (S-M)-LOGO	70071597275	10078371633421
Feather	1052FEQ (S-M)-LOGO	70071597309	10078371633452
Feather	1052FE-XXL-LOGO	70071597333	10078371633483
Feather	1052FEQ-XXL-LOGO	70071597366	10078371633513
Feather	1052E-XXL-LOGO	70071597390	10078371633544
Feather	1052EQ-XXL-LOGO	70071597416	10078371633568
Feather	1053FE-LOGO	70071597424	10078371633575
Feather	1053FEQ-LOGO	70071597440	10078371633599
Feather	1053FE-XXL-LOGO	70071597465	10078371633612
Feather	1053FEQ-XXL-LOGO	70071597481	10078371633636
Feather	1054FE-LOGO	70071597499	10078371633643
Feather	1054FEQ-LOGO	70071597515	10078371633667
Feather	1054FE-XXL-LOGO	70071597531	10078371633681
Feather	1054FEQ-XXL-LOGO	70071597556	10078371633704
Feather	1010FE-LOGO	70071597606	10078371633759
Feather	1010FEQ-LOGO	70071597622	10078371633773
Feather	1010FE-XXL-LOGO	70071597648	10078371633797
Feather	1010FEQ-XXL-LOGO	70071597663	10078371633810
Feather	1011FE-LOGO	70071597671	10078371633827
Feather	1011FEQ-LOGO	70071597697	10078371633841
Feather	1011FE-XXL-LOGO	70071597713	10078371633865
Feather	1011FEQ-XXL-LOGO	70071597739	10078371633889
Feather	1050FE-LOGO	70071597747	10078371633896
Feather	1050FEQ-LOGO	70071597762	10078371633919
Feather	1050FE-XXL-LOGO	70071597788	10078371633933
Feather	1050FEQ-XXL-LOGO	70071597804	10078371633957
Feather	1051FE-LOGO	70071597812	10078371633964
Feather	1051FEQ-LOGO	70071597838	10078371633988
Feather	1051FE-XXL-LOGO	70071597853	10078371634008
Feather	1051FEQ-XXL-LOGO	70071597879	10078371634022



## Appendix B: Logoed Harness Product Codes + 3M Ordering Information (continued)

Harness Family	Product Code	3M ID	UPC Case	Harness Family	Product Code	3M ID	UPC Case
Oil and Gas	1055-L-LOGO	70071599289	10078371635432	Saturn	1030Q-LOGO	70071598562	10078371634718
Oil and Gas	1055-M-LOGO	70071599297	10078371635449	Saturn	1030-XXL-LOGO	70071598588	10078371634732
Oil and Gas	1055-S-LOGO	70071599305	10078371635456	Saturn	1030Q-XXL-LOGO	70071598604	10078371634756
Oil and Gas	1055-XL-LOGO	70071599313	10078371635463	Saturn	1031-LOGO	70071598612	10078371634763
Oil and Gas	1055-XXL-LOGO	70071599321	10078371635470	Saturn	1031Q-LOGO	70071598638	10078371634787
Oil and Gas	1055-XXXL-LOGO	70071599339	10078371635487	Saturn	1031-XXL-LOGO	70071598653	10078371634800
Oil and Gas	10855 (L-XL)-LOGO	70071599347	10078371635494	Saturn	1031Q-XXL-LOGO	70071598679	10078371634824
Oil and Gas	10855 (S-M)-LOGO	70071599354	10078371635500	Saturn	1321 (L-XL)-LOGO	70071598695	10078371634848
Oil and Gas	10855 (XXL)-LOGO	70071599362	10078371635517	Saturn	1321Q (L-XL)-LOGO	70071598711	10078371634862
Oil and Gas	10855 (XXXL)-LOGO	70071599370	10078371635524	Saturn	1321 (S-M)-LOGO	70071598737	10078371634886
SafeLight	10650-LOGO	70071599420	10078371635579	Saturn	1321Q (S-M)-LOGO	70071598752	10078371634909
SafeLight	10651-LOGO	70071599438	10078371635586	Saturn	1321F (L-XL)-LOGO	70071598778	10078371634923
SafeLight	10810/208512-LOGO	70071599446	10078371635593	Saturn	1321FQ (L-XL)-LOGO	70071598794	10078371634947
SafeLight	10810-LOGO	70071599453	10078371635609	Saturn	1321F (S-M)-LOGO	70071598810	10078371634961
SafeLight	10910/209512-LOGO	70071599461	10078371635616	Saturn	1321FQ (S-M)-LOGO	70071598836	10078371634985
SafeLight	10910-FI-LOGO	70071599479	10078371635623	Saturn	1321F-XXL-LOGO	70071598851	10078371635005
SafeLight	10910-LOGO	70071599487	10078371635630	Saturn	1321FQ-XXL-LOGO	70071598877	10078371635029
SafeLight	10911-FI-LOGO	70071599495	10078371635647	Saturn	1321-XXL-LOGO	70071598893	10078371635043
SafeLight	10911-LOGO	70071599503	10078371635654	Saturn	1321Q-XXL-LOGO	70071598919	10078371635067
SafeLight	10950-FI-LOGO	70071599511	10078371635661	Saturn	1020F-LOGO	70071598968	10078371635111
SafeLight	10950-LOGO	70071599529	10078371635678	Saturn	1020FQ-LOGO	70071598984	10078371635135
SafeLight	10950-XS-LOGO	70071599545	10078371635692	Saturn	1020F-XXL-LOGO	70071599008	10078371635159
SafeLight	10951-FI-LOGO	70071599552	10078371635708	Saturn	1020FQ-XXL-LOGO	70071599024	10078371635173
SafeLight	10951-LOGO	70071599560	10078371635715	Saturn	1021F-LOGO	70071599032	10078371635180
SafeLight	10951-XS-LOGO	70071599586	10078371635739	Saturn	1021FQ-LOGO	70071599057	10078371635203
SafeLight	10952 (L-XL)-LOGO	70071599602	10078371635753	Saturn	1021F-XXL-LOGO	70071599073	10078371635227
SafeLight	10952 (S-M)-LOGO	70071599628	10078371635777	Saturn	1021FQ-XXL-LOGO	70071599099	10078371635241
SafeLight	10952F (L-XL)-LOGO	70071599644	10078371635791	Saturn	1030F-LOGO	70071599107	10078371635258
SafeLight	10952F (S-M)-LOGO	70071599669	10078371635814	Saturn	1030FQ-LOGO	70071599123	10078371635272
SafeLight	10952F-XXL-LOGO	70071599685	10078371635838	Saturn	1030F-XXL-LOGO	70071599149	10078371635296
SafeLight	10952-XXL-LOGO	70071599701	10078371635852	Saturn	1030FQ-XXL-LOGO	70071599164	10078371635319
SafeLight	10953F-LOGO	70071599719	10078371635869	Saturn	1031F-LOGO	70071599172	10078371635326
SafeLight	10954F-LOGO	70071599727	10078371635876	Saturn	1031FQ-LOGO	70071599198	10078371635340
SafeLight	10910F-LOGO	70071599750	10078371635906	Saturn	1031F-XXL-LOGO	70071599214	10078371635364
SafeLight	10911F-LOGO	70071599768	10078371635913	Saturn	1031FQ-XXL-LOGO	70071599230	10078371635388
Saturn	1020-LOGO	70071598406	10078371634558	Wind Energy	1490 (L-XL)-LOGO	70071602653	10078371638808
Saturn	1020Q-LOGO	70071598422	10078371634572	Wind Energy	1490 (S-M)-LOGO	70071602661	10078371638815
Saturn	1020-XXL-LOGO	70071598448	10078371634596	Wind Energy	1490-XXL-LOGO	70071602679	10078371638822
Saturn	1020Q-XXL-LOGO	70071598463	10078371634619	Wind Energy	1492-L-LOGO	70071602687	10078371638839
Saturn	1021-LOGO	70071598471	10078371634626	Wind Energy	1492-M-LOGO	70071602695	10078371638846
Saturn	1021Q-LOGO	70071598497	10078371634640	Wind Energy	1492-S-LOGO	70071602703	10078371638853
Saturn	1021-XXL-LOGO	70071598513	10078371634664	Wind Energy	1492-XL-LOGO	70071602711	10078371638860
Saturn	1021Q-XXL-LOGO	70071598539	10078371634688	Wind Energy	1492-XXL-LOGO	70071602729	10078371638877
Saturn	1030-LOGO	70071598547	10078371634695				





## For More Information

**Sales Assistance:** 1-800-3M HELPS

**Technical Assistance:** 1-800-243-4630 in US  
1-800-267-4414 in Canada

**Website:** [www.3M.com/FallProtection](http://www.3M.com/FallProtection)



### **⚠️ WARNING**

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the *User Instructions* provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, *User Instructions*, or call 3M OH&ESD Technical Service at 1-800-243-4630. In Canada, call 1-800-267-4414.

**3M**

**Corporate Headquarters**  
3M Center  
Saint Paul, MN 55144-1000  
U.S.A.

Please recycle. Printed in U.S.A.  
© 3M 2011. All rights reserved.

3M and all trademarks used herein (other than those noted below) are trademarks of 3M Company, used under license in Canada.

Grivory is a trademark of EMS-Chemie AG Corporation.  
Nomex is a trademark of E.I. du Pont de Nemours and Company.

70-0715-7447-2 (02.11)