

## 64635 HLX

Halogen lamps with reflector MR16



### Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)



# Product datasheet

## Technical data

### Product information

Order reference	64635 HLX
-----------------	-----------

### Electrical data

Nominal voltage	15.0 V
Nominal wattage	150.00 W


### Photometrical data

Maximum color temperature	3200 K
Color rendering index Ra	100

### Light technical data

Focal length	19.0 mm
--------------	---------

### Dimensions & weight



Diameter	51.0 mm
Length	45.0 mm

### Lifespan

Lifespan	50 h
----------	------

### Additional product data

Coating	Gold
Base (standard designation)	GZ6.35
Product remark	Infra-red lamp; temperature at the focal point approximately 1300 °C
Minimum diameter of lamp enclosure	51.0 mm

## Product datasheet

### Capabilities

Cooling	Forced
Burning position	Any
Application	Other

### Certificates & standards

EEL – Energy Label	B
--------------------	---

### Country specific categorizations

Order reference	64635 HLX
-----------------	-----------

### Environmental information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	19-01-2022
Primary Article Identifier	4050300238807
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

---

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300238807	OSRH64635HLX	-	-	-
4050300238807	OSRH64635HLX	-	-	-

## Product datasheet



### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300238807	64635 HLX	Folding carton box 1	- x - x -		
4050300946443	64635 HLX	Shipping carton box 20	238 mm x 122 mm x 123 mm	3.57 dm <sup>3</sup>	836.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### References / Links

For further technical information please refer to the following OSRAM brochure:  
“Technology and applications, Low-voltage tungsten-halogen lamps”  
“Halogen lamps, low and medium voltage for entertainment, technical and medical applications” cross reference list

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.