

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008	VISOCOLOR ECO Ammonium 3	Page: 1/14
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF 931008  
 no data available VISOCOLOR ECO Ammonium 3  
 REACH Registration number(s): see SECTION 3.1/3.2 or  
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 30 mL NH<sub>4</sub>-1 UFI: AADU-73NS-C20E-U17Y  
 1 x 2,5 g NH<sub>4</sub>-2 UFI: JKDU-R3QY-820W-T205  
 1 x 10 mL NH<sub>4</sub>-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.

**Uses advised against**  
 not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11, 52355 Düren, Germany  
 Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 DE: Gemeinsames Giftinformationszentrum (GGIZ)  
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet: <<http://www.mn-net.com/SDS>>

*Lieferant / Supplier*  
*Carl Roth GmbH + Co KG*  
*Schoemperlenstr. 3-5*  
*76185 Karlsruhe, Germany*  
*+49 721 5606 0*  
*sicherheit@carlroth.de*

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02 GHS05

Signal word DANGER

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H290	Met. Corr. 1
H314	Skin Corr. 1B
H412	Aquatic Chronic 3

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

30 mL NH<sub>4</sub>-1



GHS05



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008	VISOCOLOR ECO Ammonium 3	Page: 2/14
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

Signal word	DANGER
<b>Hazard identification</b>	<b>Hazard classes/categories</b>
H290	Met. Corr. 1
H314	Skin Corr. 1B

10 mL NH<sub>4</sub>-3



Signal word	DANGER
<b>Hazard identification</b>	<b>Hazard classes/categories</b>
H226	Flam. Liq. 3
H314	Skin Corr. 1B
H412	Aquatic Chronic 3

2,5 g NH<sub>4</sub>-2

Signal word	Do not need labelling as hazardous
No hazard class	-

List of H phrases: see section 16.2

## 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

30 mL NH<sub>4</sub>-1



Signal word: DANGER  
 H314  
 Causes severe skin burns and eye damage.  
 P260sh, P280sh, P303+361+353, P305+351+338, P310  
 Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

10 mL NH<sub>4</sub>-3



Signal word: DANGER  
 H314, H412  
 Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.  
 P260sh, P280sh, P303+361+353, P305+351+338, P310



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 3/14

Printing date: 22.11.2022

Date of issue: 19.04.2022

Version: 2.2.2.2

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

## 2,5 g NH<sub>4</sub>-2

Do not need labelling as hazardous

Signal word: -

### Label elements of the complete product



GHS02



GHS05

Signal word: DANGER

H314, H412

Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

## 2.3 Other hazards

### Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. Flammable properties. H290 "May be corrosive to metals." has only relevance for higher concentrations and larger amounts. The labelling GHS05 would be creating an "OVERLABELLING" (see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3., until 125 mL no labelling necessary).

### Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

### Information pertaining to particular risks to the environment

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

### Possible endocrine disrupting effects

no data available

## SECTION 3: Composition / information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 30 mL NH<sub>4</sub>-1

Substance name: *sodium hydroxide solution*

CAS No.: 1310-73-2

Substance rating: No criteria for classification or naming of chemical not required.

Formula: NaOH·H<sub>2</sub>O

Pseudonym (de): Natronlauge

REACH Reg. No.: 01-2119457892-27-xxxx

EC No.: 215-185-5

Indice No.: 011-002-00-6

Concentration: 5 - <10 %

acc. CLP (GHS): H290, Met. Corr. 1, H314, Skin Corr. 1B

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008	VISOCOLOR ECO Ammonium 3	Page: 4/14
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

Substance name: *tri-sodium citrate*  
 CAS No.: 6132-04-3

Substance rating: No criteria for classification or naming of chemical not required.  
 Formula:  $C_6H_5Na_3O_7 \cdot 2H_2O$   
 Pseudonym (de): Na-citrat, E331  
 REACH Reg. No.: 01-2119457027-40-xxxx  
 EC No.: 200-675-3  
 Concentration: 10 - <20 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

**10 mL NH<sub>4</sub>-3**

Substance name: *sodium nitroprusside*  
 CAS No.: 13755-38-9

Substance rating: H301, Acute Tox. 3 oral  
 Formula:  $Na_2[Fe(CN)_5NO]_2 \cdot 2H_2O$   
 Pseudonym (de): Natriumpentacyanonitrosylferrat(II)  
 EC No.: 238-373-9  
 Concentration: 1 - <5 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *ethanol*  
 CAS No.: 64-17-5  
 (denatured with 1% 2-butanone / 1% 2-propanol)

Substance rating: H225, Flam. Liq. 2  
 Formula:  $C_2H_6O$ ;  $C_2H_5OH$   
 Pseudonym (de): Äthylalkohol, vergällter Spiritus  
 REACH Reg. No.: 01-2119457610-43-xxxx  
 EC No.: 200-578-6  
 Concentration: 35 - <55 %  
 acc. CLP (GHS): H226, Flam. Liq. 3

Indice No.: 603-002-00-5

Substance name: *thymol*  
 CAS No.: 89-83-8

Substance rating: H302, Acute Tox. 4 oral, H314, Skin Corr. 1B, H411, Aquatic Chronic 2  
 Formula:  $C_{10}H_{14}O$   
 Pseudonym (de): 1-Methyl-3-hydroxy-4-isopropylbenzol  
 REACH Reg. No.: 01-2119511177-46-xxxx  
 EC No.: 201-944-8  
 Concentration: 5 - <10 %  
 acc. CLP (GHS): H314, Skin Corr. 1B, H412, Aquatic Chronic 3

Indice No.: 604-032-00-1

**2,5 g NH<sub>4</sub>-2**

Substance name: *dichloroisocyanuric acid, Na salt*  
 CAS No.: 2893-78-9

Substance rating: H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H335, STOT SE 3, H410, Aquatic Chronic 1, EUH031, 031 not defined  
 Formula:  $C_3Cl_2N_3NaO_3$   
 Pseudonym (de): 1,3-Dichlor-5H-(1,3,5)-triazin-2,4,6-trion  
 REACH Reg. No.: 01-2119489371-33-xxxx  
 EC No.: 220-767-7  
 Concentration: 3 - <10 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Indice No.: 613-030-01-7

Substance name: *sodium chloride*  
 CAS No.: 7647-14-5

Substance rating: No criteria for classification or naming of chemical not required.  
 Formula: NaCl  
 Pseudonym (de): Kochsalz  
 REACH Reg. No.: exempt, Annex V  
 EC No.: 231-598-3  
 Concentration: 80 - <100 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

**3.3 Remarks**

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 5/14

Printing date: 22.11.2022

Date of issue: 19.04.2022

Version: 2.2.2.2

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

#### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

#### 4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

### 4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form.  
Causes severe skin burns and eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESSES ensure that the patient inhales oxygen. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.1.2 Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

### 5.3 Advice for firefighters

Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

### 5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008	VISOCOLOR ECO Ammonium 3	Page: 6/14
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

## 6.2 Environmental precautions

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

**PBT:** not applicable

**vPvB:** not applicable

## 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals.

Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

## 6.4 Reference to other sections

see information in section 5.4,7,8 and 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1

**Storage class (VC1):** 3

**Water hazard class (DE):** 3

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls /personal protection

### 8.1 Control parameters

#### 30 mL NH<sub>4</sub> -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2

DNEL: [inh] 1 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): 2 mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: (=1=, Y)  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m<sup>3</sup>

NIOSH: 2 mg/m<sup>3</sup>  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 2 mg/m<sup>3</sup>

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3

#### 10 mL NH<sub>4</sub> -3

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L  
PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 mL/m<sup>3</sup> / 380 mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: 4 (II), Y  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m<sup>3</sup>

NIOSH: [TWA] 1000 ppm / 1900 mg/m<sup>3</sup>  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m<sup>3</sup>

Chemical: *thymol* CAS No.: 89-83-8



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 7/14

Printing date: 22.11.2022

Date of issue: 19.04.2022

Version: 2.2.2.2

**2,5 g NH<sub>4</sub>-2**

Chemical: *dichloroisocyanuric acid, Na salt*

CAS No.: 2893-78-9

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *sodium chloride*

CAS No.: 7647-14-5

## 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

No additional recommendations.

### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

### 8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

### 8.2.6 Thermal hazards

no data available

## 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

**30 mL NH<sub>4</sub>-1**

a) State of aggregation:	
b) Colour:	colourless
c) Odor:	red
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	11,5-12,5
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

**10 mL NH<sub>4</sub>-3**

a) State of aggregation:	
b) Colour:	colourless
c) Odor:	red
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	23 °C
i) Flashing temperature:	no data available



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 8/14

Printing date: 22.11.2022

Date of issue: 19.04.2022

Version: 2.2.2.2

j) Decomposition temperature:	no data available
k) pH value:	6-8
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	0,9 g/cm <sup>3</sup>
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

## 2,5 g NH<sub>4</sub>-2

a) State of aggregation:	
b) Colour:	colourless
c) Odor:	red
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	5-7
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

## 9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

### Properties relevant to substance groups

Substances are highly corrosive.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no further data available.

### 10.2 Chemical stability

no known instability.

### 10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

### 10.4 Conditions to avoid

No more required.

### 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 9/14

Printing date: 22.11.2022

Date of issue: 19.04.2022

Version: 2.2.2.2

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 30 mL NH<sub>4</sub>-1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system  
 Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair  
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-31487  
 LD50 orl rat : [40%] 1250 / [<25%] >2000 mg/kg  
 LD50 orl mus : 40 mg/kg

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3  
 TSCA Inventory: listed (CAS 68-04-2)  
 Korea Exist.Chem.Inventory: KE-20843  
 LD50 orl rat : > 8000 mg/kg

#### 10 mL NH<sub>4</sub>-3

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9  
 TSCA Inventory: listed (CAS 14402-89-2)  
 Korea Exist.Chem.Inventory: not listed  
 LD50 orl rat : 99 mg/kg  
 LC<sub>Low</sub> orl rat : 20 mg/kg

Chemical: *ethanol* CAS No.: 64-17-5  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 ACGIH: 1000 ppm  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system  
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-13217  
 LD50 orl rat : 6200 mg/kg  
 LC<sub>Low</sub> ihl gpg : 21,900 mg/L  
 LC<sub>Low</sub> orl hmn : 1400 mg/kg  
 LC50 ihl mus : 123,4 mg/L/4H  
 LC50 ihl rat : 115,9-133,8 mg/L/4H  
 LD50 orl mus : 3450 mg/kg

TRGS 905 (DE): K5, M5, R<sub>F</sub> C

Chemical: *thymol* CAS No.: 89-83-8  
 TSCA Inventory: listed  
 Korea Exist.Chem.Inventory: KE-24420  
 LD50 orl rat : 980 mg/kg

#### 2,5 g NH<sub>4</sub>-2

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: not listed  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-10215, >25% Toxic 2014-1-688



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008	VISOCOLOR ECO Ammonium 3	Page: 10/14
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

LD50 orl rat : 550-1600 mg/kg  
 LC\_Low orl hmn : 3570 mg/kg

Chemical: *sodium chloride* CAS No.: 7647-14-5  
 TSCA Inventory: listed  
 Korea Exist.Chem.Inventory: KE-31387  
 LD50 orl rat : 3000 mg/kg

## 11.2 Other hazards

**Possible endocrine disrupting effects**

no data available

**Other information**

no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

**30 mL NH<sub>4</sub>-1**

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2  
 LC50 leuciscus idus/96h : 35-189 mg/L  
 LC50 fish/96h : 45.4 mg/L  
 EC50 daphnia/48h : >100 mg/L  
 Water hazard class (DE): 1 WGK No.: 142  
 Storage class (VCI): 8 B

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3

LC50 fish/96h : 18-32 g/L  
 EC50 daphnia/48h : 5.6-10 g/L  
 EC50 chlorella vulgaris/5d : >18-32 g/L  
 EC10 pseudomonas putita/16h : EC50 ps. fluorescens/8h : >1.8-3.2 g/L  
 Water hazard class (DE): 1  
 Storage class (VCI): 12-13

**10 mL NH<sub>4</sub>-3**

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9  
 Water hazard class (DE): 3  
 Storage class (VCI): 6.1 B

Chemical: *ethanol* CAS No.: 64-17-5

PNEC (fresh water) : 0.96 mg/L  
 PNEC = Predicted No Effected Concentration  
 LC50 daphnia magna/48h : >100 mg/L  
 LC50 pimephales promelas/96h : 13400 - 15100 mg/L  
 LC50 leuciscus idus/96h : [48h] 8140 mg/L  
 LC50 fish/96h : 13 g/L  
 EC50 daphnia/48h : 9.3-14.2 g/L  
 IC50 scenedesmus quadricauda/72h : [7d] 5000 mg/L  
 EC10 pseudomonas putita/16h : [EC5] 6500 mg/L  
 Water hazard class (DE): 1 WGK No.: 0096  
 Dispersion coefficient (o/w) : -0,31  
 Storage class (VCI): 3

Chemical: *thymol* CAS No.: 89-83-8

LC50 pimephales promelas/96h : 3.2 mg/L  
 EC50 daphnia/48h : 3.2 mg/L  
 Water hazard class (DE): 2 WGK No.: 1220  
 Storage class (VCI): 8 A



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008	VISOCOLOR ECO Ammonium 3	Page: 11/14
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

<b>2,5 g NH<sub>4</sub>-2</b>		
Chemical:	<i>dichloroisocyanuric acid, Na salt</i>	CAS No.: 2893-78-9
Water hazard class (DE):	3	
Storage class (VCI):	13	
Chemical:	<i>sodium chloride</i>	CAS No.: 7647-14-5
Water hazard class (DE):	1	
Storage class (VCI):	12-13	

## 12.2 Persistence and degradability

not necessary

## 12.3 Bioaccumulative potential

not necessary

## 12.4 Mobility in soil

not necessary

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

## 12.6 Endocrine disrupting properties

no data available

## 12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

### 13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

## SECTION 14: Transport information

<b>14.1. UN number:</b>	<b>3316</b>		
<b>14.2. UN proper shipping name:</b>	<b>Chemical Kit</b>		
<b>14.3. Class:</b>	<b>9</b>	<b>14.4. Packing group:</b>	<b>II</b>
<i>Road transport ADR</i>			
Classification code:	M11	Tunnel restriction code:	E
Limited Quantity:	acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation		
<i>Air transport ICAO</i>			
PAX:	960	max. weight PAX:	10 KG
CAO:	960	max. weight CAO:	10 KG
<i>Maritime transport IMDG</i>			
EmS:	F-A, S-P	Storage category:	A

Or use **Alternative declaration for transportation:**

UN No.: (see below) UN 1993 class 3 III, **Excepted Quantities** ( $\leq 30 \text{ mL} / \sum \leq 1 \text{ L}$ ) = ADR/ IATA E1 class 8 II, **Excepted Quantities** ( $\leq 30 \text{ mL} / \sum \leq 500 \text{ mL}$ ) = ADR/ IATA E2

or

<b>14.1 UN number:</b>	<b>1993</b>	<b>14.2 UN proper shipping name:</b>	<b>Flammable liquid, n.o.s. (ethanol mixture)</b>
<b>14.3 Class:</b>	<b>3</b>	<b>14.4 Packing group:</b>	<b>III</b>
<i>Road transport ADR</i>			
Classification code:	F1	Tunnel restriction code:	D/E
Limited Quantity:	5 L	Special instructions:	640E
Excepted Quantity:	E 1		
<i>Air transport ICAO</i>			
Limited Quantity:	LQ 7		
Excepted Quantity:	E 1		
PAX:	355	max. weight PAX:	60 L
CAO:	366	max. weight CAO:	220 L
<i>Maritime transport IMDG</i>			
EmS:	F-E, S-E	Storage category:	A



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008	VISOCOLOR ECO Ammonium 3	Page: 12/14
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

**14.1 UN number:** 3266 **14.2 UN proper shipping name:** Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution)  
**14.3 Class:** 8 **14.4 Packing group:** II  
*Road transport ADR*  
 Classification code: C5  
 Limited Quantity: 1 L Tunnel restriction code: E  
 Excepted Quantity: E 2  
*Air transport ICAO*  
 Limited Quantity: LQ22  
 Excepted Quantity: E 2  
 PAX: 851 max. weight PAX: 1 L  
 CAO: 855 max. weight CAO: 30 L  
*Maritime transport IMDG*  
 EmS: F-A, S-B Storage category: B

- 14.5 Environmental hazards**  
none, contains only small quantities of hazardous substances, contains only small amounts of these substances
- 14.6 Special precautions for user**  
not necessary
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**  
Not applicable.

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020  
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017  
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017  
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017  
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017  
 TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011  
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012  
 TRGS 500, Protective measures, Mai 2008  
 TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015  
 Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)  
 Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016  
 MN leaflet/instructions for use, also at [www.mn-net.com](http://www.mn-net.com)  
 If necessary, observe other country-specific regulations.

**15.2 Chemical safety assessment**  
not necessary for these small amounts

## SECTION 16: Other information

- 16.1 Changes compared to the last version**  
in preparation
- 16.2 List of H and P phrases**
  - 16.2.1 List of relevant H phrases**
    - H226 Flammable liquid and vapour.
    - H290 May be corrosive to metals.
    - H314 Causes severe skin burns and eye damage.
    - H412 Harmful to aquatic life with long lasting effects.
  - 16.2.2 List of relevant P phrases**
    - P260sh Do not breathe dust/vapours.



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008	VISOCOLOR ECO Ammonium 3	Page: 13/14
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

P273	Avoid release to the environment.
P280sh	Wear protective gloves/eye protection.
P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

## 16.3 Recommended restriction on use

Only for professional user.  
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!  
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!  
 An individual package of this product or test kit has a moderate hazardous potential.

## 16.4 Sources of key data

KÜHN, BIRETT leaflets on dangerous working materials  
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres  
 SUVA .CH, limit values in the air at work 2009, revised on 01/2009  
 Regulation 790/2009/EU Adaptation of the CLP Regulation 1272/2008/EU to technical and scientific progress  
 Regulation 453/2010/EU REACH – REQUIREMENTS FOR THE PREPARATION OF SAFETY DATA SHEET  
 Regulation 487/2013/EU, 4. Adaptation of the CLP regulation to technical and scientific progress  
 Regulation 669/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress  
 Regulation 1480/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress  
 TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019  
 Regulation 878/2020/EU  
 Regulation 849/2021/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

### Revisions/Updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary  
 2014-04 Adjustment of Regulation 487/2013/EU  
 2016-03 Adjustment of Regulation 1221/2015/EU  
 2017-08 Adaptation of the new ethanol denaturation 2016/1867/EU  
 2017-11 adaptation of the ECHA registration dossier  
 2022-11 Adjustment of Regulation 878/2020/EU

## 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.  
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxygen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not specified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 931008

VISOCOLOR ECO Ammonium 3

Page: 14/14

Printing date: 22.11.2022

Date of issue: 19.04.2022

Version: 2.2.2.2

ICAO: International Civil Aviation Organization  
 ihl: inhaled  
 IMDG: International Maritime Dangerous Goods Code  
 intrav: intravenous  
 ipt: intraperitoneal  
 ISHL: Industrial Safety and Health Law (Jp)  
 LC50: letale concentration 50%  
 LD50: letale dosis 50%  
 leuciscus idus: fisch, ide, orfe  
 MAK: maximum workplace concentration  
 Met: Metall  
 mus: mouse  
 Muta: mutagen  
 NIOSH: National Institute for Occupational Safety and Health (US)  
 NRD: Non-rapidly degradable  
 onchorhynchus mykiss: fish, rainbow trout  
 orl: oral  
 OSHA: Occupational Safety and Health Administration  
 PAX: transport on passenger planes allowed  
 PBT: persistent, bioaccumulating, toxic substance  
 pH: pH value  
 pimephales promelas: fish, fathead minnow  
 PNEC: Predicted No Effect Concentration  
 PROC 15: Process category 'for laboratory use'  
 PRTR: Law for PRTR and Promotion of Chemical Management (Jp)  
 PVC: polyvinyl chloride  
 quail: bird, quail  
 rat: rat  
 rb: rabbit  
 RD: rapidly degradable  
 RE: repeated  
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
 REF: item number, reference number  
 Reg.No.: rRegistration number  
 Repr: harmful to reproduction  
 Resp: respiratory  
 RIP: REACH Implementations Projects  
 scu: sub cutan  
 SDS: safety data sheet  
 Sens: sensitisation  
 STEL: short term exposure limit  
 STOT: Specific Target Organ Toxicity  
 SVHC: Substance of Very High Concern  
 t/a: tons per year  
 TCCA: Toxic Chemicals Control Act (S. Korea)  
 Tox: toxic  
 TSCA: The Toxic Substances Control Act (US)  
 TWA: time weighted average  
 TRGS: technical regulations (DE)  
 vPvB: very persistent, very bioaccumulating substance

## 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com