EL7583-000 - ACTIVE

RPS-CT

TE Internal #: EL7583-000 RPS-CT, Printable Tubing, Continuous Printable Tubing Type, Commercial Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, White

View on TE.com >



Identification & Labeling > Printable Tubing > CONTINUOUS TUBE COMMERCIAL GRADE RPS-CT



Printable Tubing Type: Continuous
Printable Tubing Grade: Commercial
Printable Tubing Shrink Ratio: 3:1
Primary Product Color: White

Supplied Inner Diameter: 3.2 mm [.125 in]

All CONTINUOUS TUBE COMMERCIAL GRADE RPS-CT (15)

Features

Product Type Features

Printable Tubing Type

Continuous

Printable Tubing Grade	Commercial
Body Features	
Printable Tubing Shrink Ratio	3:1
Primary Product Color	White
Dimensions	
Supplied Inner Diameter	3.2 mm[.125 in]
Recovered Inside Diameter	1.07 mm[.042 in]
Compatible Cable Diameter Range	1.2 – 2.7 mm[.042 – .105 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Operation/Application	
Recommended Ribbon	See TE Document 411-121005 the Printer Product Ribbon Matrix
Printer/Label Features	
Recommended Printer	See TE Document 411-121005 the Printer

C For support call+1 800 522 6752

EL7583-000

RPS-CT, Printable Tubing, Continuous Printable Tubing Type, Commercial Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, White



	Product Ribbon Matrix
Printar Tachnology	Thermal Transfer
Printer Technology	
Packaging Features	
Packaging Quantity	50
Due du et Compulier es	
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2021
	(219) Candidate List Declared Against: JUL 2021
	(219)
	Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900
	ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



EL7583-000


RPS-CT, Printable Tubing, Continuous Printable Tubing Type, Commercial Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, White






TE Part # 1-2186501-1 T3212-SWARE-PRINTER

Also in the Series | RPS-CT



Customers Also Bought



81044/9-10-0

D-101-00-WOTI

Documents

5030A1318-9

Product Drawings RPS-CT-50M-3.2-OUT-9

English

Datasheets & Catalog Pages

RPS-CT, Continuous Commercial Grade Heat Shrinkable Identification

55T9239-24-0/9-9

English

EL7583-000

RPS-CT, Printable Tubing, Continuous Printable Tubing Type, Commercial Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, White



Product Specifications RPS

English

Instruction Sheets Instruction Sheet (non U.S.)

English