



Part no.: 50107684
MS 37 103
Connection unit

Figure can vary

Contents

- Technical data
- Electrical connection
- Operation and display

Part no.: 50107684 – MS 37 103 – Connection unit

Technical data

Basic data	
Suitable for	BPS 37
Suitable for interface	SSI
Electrical data	
Protective circuit	Short circuit protected
Performance data	
Supply voltage U _B	DC
Connection	
Number of connections	3 Piece(s)
Connection 1	
Type of connection	Connector
Function	Service interface
Thread size	M12
Type	Female
Material	Metal
No. of pins	5 -pin
Encoding	A-coded
Connection 2	
Type of connection	Connector
Designation on device	HOST / BUS IN
Function	Data interface
Thread size	M12
Type	Male
Material	Metal
No. of pins	5 -pin
Encoding	B-coded
Connection 3	
Type of connection	Connector
Designation on device	PWR
Function	Voltage supply
Thread size	M12
Type	Male
Material	Metal
No. of pins	5 -pin
Encoding	A-coded
Mechanical data	
Design	Cubic
Dimension (W x H x L)	90 mm x 38 mm x 39 mm
Housing material	Metal
Net weight	160 g
Housing color	Black
Type of fastening	Dovetail grooves
Operation and display	
Type of display	LED

Part no.: 50107684 – MS 37 103 – Connection unit

Number of LEDs	1 Piece(s)
----------------	------------

Environmental data

Ambient temperature, operation	-30 ... 50 °C
--------------------------------	---------------

Certifications

Degree of protection	IP 65
----------------------	-------

Certifications	UL
----------------	----

Classification

Customs tariff number	84733080
-----------------------	----------

eCl@ss 8.0	27279290
------------	----------

eCl@ss 9.0	27279090
------------	----------

ETIM 5.0	EC002498
----------	----------

ETIM 6.0	EC002498
----------	----------

Electrical connection

Connection 1	SERVICE
Type of connection	Connector
Function	Service interface
Thread size	M12
Type	Female
Material	Metal
No. of pins	5 -pin
Encoding	A-coded

Pin	Pin assignment
1	NC
2	TXD
3	GND
4	RxD
5	/Serv

Connection 2	HOST / BUS IN
Type of connection	Connector
Function	Data interface
Thread size	M12
Type	Male
Material	Metal
No. of pins	5 -pin
Encoding	B-coded

Pin	Pin assignment
1	DATA+

Part no.: 50107684 – MS 37 103 – Connection unit

Pin	Pin assignment
2	DATA-
3	CLK+
4	CLK-
5	FE

Connection 3	PWR
Type of connection	Connector
Function	Voltage supply
Thread size	M12
Type	Male
Material	Metal
No. of pins	5 -pin
Encoding	A-coded

Pin	Pin assignment
1	VIN
2	SW OUT
3	GND
4	SW IN
5	FE

Operation and display

LEDs

LED	Display	Meaning
1	Green, continuous light	Operational readiness
	Orange, continuous light	Switching output/switching state
	Red, continuous light	Device error