

TE Connectivity has acquired the DIN Rail Terminal Block product range from ABB

Products + Low Voltage Products and Systems + Connection Devices + Terminal Blocks Accessories + Jumper Bars

### **General Information**

Extended Product Type: JB8-2

**Product ID**: 1SNK908302R0000 **EAN**: 3472599097674

Catalog Description: JB8-2 Jumper Bar - Orange

Long Description: Facilitate & secure your jumper bar assembly process: - Screwless mounti

ng, - Pre-cut poles for alternated jumpering between terminal blocks, - Insu lated, - Positive locking, - Perfectly adapted to low level electrical contact

(20mA, 50mV).

### Ordering

Color:	Orange
Minimum Order Quantity:	50 piece
Customs Tariff Number:	85369010

# Popular Downloads

Data Sheet, Technical Information:	1SNK160030D0201
Instructions and Manuals:	1SNK160027C0201

### **Dimensions**

Product Net Width:	8 mm
Product Net Height:	13.6 mm
Product Net Length:	27.8 mm
Product Net Depth / Length:	27.8 mm
Product Net Weight:	2.7 g

#### **Technical**

Spacing:	8 mm
Function:	Jumper Bars
Rated Current (I <sub>n</sub> ):	Main Circuit 57 A
Rated Short-time Withstand Current (I <sub>cw</sub> ):	for 1 s 1200 A
Rated Voltage (U <sub>r</sub> ):	1000 V
Rated Impulse Withstand Voltage (U <sub>imp</sub> ):	6000 V
Dielectric Test Voltage:	2200 V

Pollution Degree:	3
Power Loss:	1.8 W
Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
Insulation Material:	Polyamide
Suitable For:	ZK6
	ZK6-3P
	ZK6-PE
	ZK6-PE-3P
	ZS10
	ZS10-PE
	ZS10-SF
	ZS10-SF-R
	ZS10-S-R2
	ZS4-D2-SF1
	ZS4-D2-SF1-R
echnical UL/CSA	
Maximum Operating Voltage UL/CSA:	Main Circuit 600 V
Flammability According to UL94:	V0
nvironmental	
Ambient Air Temperature:	Operation -55 +110 °C
P	Storage -55 +110 °C
Resistance to Vibrations acc. to	Compliant
IEC 60068-2-6:	·
RoHS Status:	
NUMO SIAIUS:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
ertificates and Declarations (D	
ertificates and Declarations (D	Document Number)
ertificates and Declarations (C	Document Number) 1SND162004A1708
ertificates and Declarations (C  ATEX Certificate:  CB Certificate:	Document Number) 1SND162004A1708 1SND161018A0202
ertificates and Declarations (DATEX Certificate: CB Certificate: Instructions and Manuals:	Document Number)  1SND162004A1708  1SND161018A0202  1SNK160027C0201
ertificates and Declarations (DATEX Certificate: CB Certificate: Instructions and Manuals: RoHS Information:	Document Number)  1SND162004A1708  1SND161018A0202  1SNK160027C0201

EC000489 - Cross-connector for terminal block

EC000489 - Cross-connector for terminal block

EC000489 - Cross-connector for terminal block

# **Container Information**

ETIM 4:

ETIM 5:

ETIM 6:

Package Level 1 Units: 50 piece

Package Level 1 Width:	50 mm
Package Level 1 Depth / Length:	117 mm
Package Level 1 Height:	50 mm
Package Level 1 Gross Weight:	0.135 kg
Package Level 1 EAN:	3472599097674
Package Level 2 Units:	1500 piece
Package Level 3 Units:	9000 piece

