



Figure similar

DELTA GROUND. OUTLET CONT. UNIT 10/16 A 250 V  
WITH SCREW TERMINALS 4 SQMM FINELY  
STRANDED WITHOUT CLAWS

Model		
Design of the product		SCHUKO
Cover version		others
Design of the special power supply unit		without special current supply
Design of the socket / according to VDE 0620 for severe conditions		No
Design of the phase tap		Without
General technical data		
Marking / of socket outlet		without imprint
Mounting type		fixing with screw
Surface processing		others
Material		others
Protection class		
Protection class IP		IP20
Main circuit		
Operating frequency		
• minimum	Hz	50
• maximum	Hz	50
Operating voltage / Rated value	V	250
Operating current / Rated value	A	16
Appearance		
Color		miscellaneous
Product details		

<b>Product component</b>		
• Ejection equipment		No
• Labeling field		No
• Increased touch protection		No
• Fault current protection		No
• miniature fuse		No
• Integrated / functional lighting		No
• Integrated / Light source		No
• Integrated / orientation lighting		No
• Hinged lid		No
<b>Product property</b>		
• lockable		No
• halogen-free		Yes
• transparent		No

### Product function

<b>Product function</b>		
• Socket selectable		No
• Overvoltage protection		No

### Number

<b>Number of units</b>		1
<b>Number of sockets / switchable</b>		0

### Connections

<b>Arrangement of contacts / diagonal</b>		No
<b>Type of electrical connection</b>		screw-type terminal

### Mechanical Design

<b>Height</b>	mm	70
<b>Width</b>	mm	70
<b>Depth</b>	mm	45
<b>Mounting type</b>		flush mounted
<b>Material / of the enclosure</b>		metal

### General Product Approval



### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5UB11005KK>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/5UB11005KK/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5UB11005KK](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5UB11005KK)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://ausschreibungstexte.siemens.com/tiplv>

**last modified:**

11.03.2015