



Pushing Performance
Since 1945

Han-Fast Lock 1,5-2,5mm² mit Pin, Ag



| | |
|--------------------|---|
| Part number | 09 08 000 7122 |
| Specification | Han-Fast Lock 1,5-2,5mm ² mit Pin, Ag |
| HARTING eCatalogue | https://b2b.harting.com/09080007122 |

Identification

| | |
|----------------------------|----------------------------|
| Category | Contacts |
| Series | Han-Fast [®] Lock |
| Type of contact | PCB contact |
| Description of the contact | With pin |

Version

| | |
|---------------|----------------|
| Pack contents | Single contact |
|---------------|----------------|

Technical characteristics

| | |
|-------------------------|-----------------------------|
| Conductor cross-section | 1.5 ... 2.5 mm ² |
| Operating current | ≤60 A |
| Contact resistance | ≤2 mΩ |
| Stripping length | 7.5 mm |

Material properties

| | |
|-----------------------------|--|
| Material (contacts) | Copper alloy |
| Surface (contacts) | Silver plated |
| Material (locking) | Copper alloy |
| Surface (locking) | Passivated |
| RoHS | compliant with exemption |
| RoHS exemptions | 6(c): Copper alloy containing up to 4 % lead by weight |
| ELV status | compliant with exemption |
| China RoHS | 50 |
| REACH Annex XVII substances | Not contained |



Pushing Performance
Since 1945

Material properties

| | |
|--------------------------------------|--------------------------------------|
| REACH ANNEX XIV substances | Not contained |
| REACH SVHC substances | Yes |
| REACH SVHC substances | Lead |
| ECHA SCIP number | b51e5b97-eeb5-438b-8538-f1771d43c17d |
| California Proposition 65 substances | Yes |
| California Proposition 65 substances | Lead Nickel |

Commercial data

| | |
|--------------------------------|--|
| Packaging size | 100 |
| Net weight | 2.04 g |
| Country of origin | Germany |
| European customs tariff number | 85366990 |
| GTIN | 5713140014862 |
| eCl@ss | 27460201 PCB connector (board connector) |