

SAFETY DATA SHEET

Version #: Issue date: Revision date: 1,0 29-March-2022 29-March-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

TRANSPARENT 21

Registration number

_

Product registration number

UFI:

P-312804

Austria: 0J4X-Q81U-A00D-MJ8C Belgium: 0J4X-Q81U-A00D-MJ8C Bulgaria: 0J4X-Q81U-A00D-MJ8C Croatia: 0J4X-Q81U-A00D-MJ8C Cyprus: 0J4X-Q81U-A00D-MJ8C

Czech Republic: 0J4X-Q81U-A00D-MJ8C Denmark: 0J4X-Q81U-A00D-MJ8C Estonia: 0J4X-Q81U-A00D-MJ8C EU: 0J4X-Q81U-A00D-MJ8C Finland: 0J4X-Q81U-A00D-MJ8C France: 0J4X-Q81U-A00D-MJ8C Germany: 0J4X-Q81U-A00D-MJ8C Great Britain: 0J4X-Q81U-A00D-MJ8C Greece: 0J4X-Q81U-A00D-MJ8C Hungary: 0J4X-Q81U-A00D-MJ8C Iceland: 0J4X-Q81U-A00D-MJ8C Italy: 0J4X-Q81U-A00D-MJ8C Latvia: 0J4X-Q81U-A00D-MJ8C Lithuania: 0J4X-Q81U-A00D-MJ8C Luxembourg: 0J4X-Q81U-A00D-MJ8C Malta: 0J4X-Q81U-A00D-MJ8C Netherlands: 0J4X-Q81U-A00D-MJ8C Norway: 0J4X-Q81U-A00D-MJ8C Poland: 0J4X-Q81U-A00D-MJ8C Portugal: 0J4X-Q81U-A00D-MJ8C Romania: 0J4X-Q81U-A00D-MJ8C Slovakia: 0J4X-Q81U-A00D-MJ8C Slovenia: 0J4X-Q81U-A00D-MJ8C Spain: 0J4X-Q81U-A00D-MJ8C

Sweden: 0J4X-Q81U-A00D-MJ8C

Synonyms None

Product code BDS000693AE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Transparent transfer spray

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company name CRC Industries Europe by

Address Touwslagerstraat 1

9240 Zele Belgium

 Telephone
 +32(0)52/45.60.11

 Fax
 +32(0)52/45.00.34

 E-mail
 hse@crcind.com

 Website
 www.crcind.com

1.4. Emergency telephone

number

Tel.: +32(0)52/45.60.11 (office hours: 9-17h CET)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Material name: TRANSPARENT 21 - Kontakt chemie - Europe
BDS000693AE Version #: 1,0 Revision date: 29-March-2022 Issue date: 29-March-2022

Belgium National Poisons Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Bulgaria National Toxicological Information Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Czech Republic National Poisons Information Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

available for the Emergency Service.)

Denmark National Poisons Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)

Norway Norwegian Poison

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Information Center

Portugal Poison Centre

800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Romania Număr de telefon care poate fi apelat în caz

021 5992300, int. 291 Spitalul Clinic de Urgență București: spital@urgentafloreasca.ro

de urgență:

Romania

0265 212111, 0265 211292, 0265 217235 Spitalul Clinic Județean de Urgență Târgu Mureș: secretariat@spitjudms.ro

Slovakia National Toxicological Information Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Category 1 H222 - Extremely flammable Aerosols

aerosol.

H229 - Pressurized container: May

burst if heated.

Health hazards

Skin corrosion/irritation H315 - Causes skin irritation. Category 2

Environmental hazards

long-term aquatic hazard

Hazardous to the aquatic environment, Category 3 H412 - Harmful to aquatic life with

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms



Signal word Danger

Hazard statements

Extremely flammable aerosol.

Pressurized container: May burst if heated. H229

Causes skin irritation. H315

Harmful to aquatic life with long lasting effects. H412

Precautionary statements

Prevention

Keep out of reach of children. P102

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

Do not spray on an open flame or other ignition source. P211

Do not pierce or burn, even after use. P251

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response Not assigned.

Storage

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P410 + P412

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	75 - 100	- 926-141-6	01-2119456620-43	-	
Classification	: Asp. Tox.	1;H304			
Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclics,< 5% n-hexane	<20	- 921-024-6	01-2119475514-35	-	
Classification		2;H225, Skin Irrit. 2;F quatic Chronic 2;H41	1315, STOT SE 3;H336, Asp 1	. Tox.	
Carbon dioxide	1 - 5	124-38-9 204-696-9	-	-	#
Classification	: Press. Gas	s:H280			

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Material name: TRANSPARENT 21 - Kontakt chemie - Europe

BDS000693AE Version #: 1,0 Revision date: 29-March-2022 Issue date: 29-March-2022

Ingestion In the unlikely event of swallowing contact a physician or poison control centre. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Skin irritation. May cause redness and pain.

Foam. Dry chemical powder. Carbon dioxide (CO2).

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Extremely flammable aerosol.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing media

g Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Contents under pressure. Pressurised container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting procedures

Specific methods

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 2B (Aerosol dispensers and lighters)

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria	_	
Components	Туре	Value
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	TWA (MAK)	200 ppm
Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclic s,< 5% n-hexane	TWA (MAK)	200 ppm
Austria. MAK List, OEL Ordinance (G	wV), BGBI. II, no. 184/2001	
Components	Туре	Value
Carbon dioxide (CAS 124-38-9)	Ceiling	18000 mg/m3
		10000 ppm
	MAK	9000 mg/m3
		5000 ppm
Belgium. Exposure Limit Values		
Components	Туре	Value
Carbon dioxide (CAS 124-38-9)	STEL	54784 mg/m3
		30000 ppm
	TWA	9131 mg/m3
		5000 ppm
Bulgaria. OELs. Regulation No 13 on Components	protection of workers agains Type	t risks of exposure to chemical agents at work Value
Carbon dioxide (CAS	TWA	9000 mg/m3
124-38-9)		5000 ppm
Components	Туре	place (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Value
Carbon dioxide (CAS 124-38-9)	MAC	9000 mg/m3 5000 ppm
		3000 μμπ
Czech Republic. OELs. Government I Components	Decree 361 Type	Value
<u> </u>		
Carbon dioxide (CAS 124-38-9)	Ceiling	45000 mg/m3
,	TWA	9000 mg/m3
Denmark. Exposure Limit Values		
Components	Туре	Value
Carbon dioxide (CAS 124-38-9)	TLV	9000 mg/m3
,		5000 ppm
	re Limits of Hazardous Subst Type	ances (Regulation No. 105/2001, Annex), as amended Value
Components		
Components Carbon dioxide (CAS	Туре	Value 9000 mg/m3
Components Carbon dioxide (CAS	Туре	Value
Carbon dioxide (CAS 124-38-9) Finland. Workplace Exposure Limits	Type TWA	Value 9000 mg/m3 5000 ppm
Carbon dioxide (CAS 124-38-9) Finland. Workplace Exposure Limits	Туре	9000 mg/m3
Components Carbon dioxide (CAS 124-38-9) Finland. Workplace Exposure Limits Components Carbon dioxide (CAS	Type TWA	Value 9000 mg/m3 5000 ppm
Carbon dioxide (CAS 124-38-9) Finland. Workplace Exposure Limits Components Carbon dioxide (CAS 124-38-9)	Type TWA Type	Value 9000 mg/m3 5000 ppm Value

Components	Туре	Value
Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclic	STEL	1500 mg/m3
s,< 5% n-hexane	TWA	1000 mg/m3
France. OELs. Indicative Occupationa Components	al Exposure Limits as Presc Type	ribed by Order of 30 June 2004, as amended Value
Carbon dioxide (CAS 124-38-9)	VME	9000 mg/m3
		9000 mg/m3
		5000 ppm
		5000 ppm
France. Threshold Limit Values (VLEF Components	P) for Occupational Exposui Type	re to Chemicals in France, INRS ED 984 Value
Carbon dioxide (CAS 124-38-9)	VME	9000 mg/m3
Regulatory status: Regulatory in	ndicative (VRI)	5000 ppm
Regulatory status: Regulatory in	ndicative (VRI)	
Germany Components	Туре	Value
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	TWA	300 mg/m3
Germany. DFG MAK List (advisory OB in the Work Area (DFG)	ELs). Commission for the In	vestigation of Health Hazards of Chemical Compound
Components	Туре	Value
Carbon dioxide (CAS 124-38-9)	TWA	9100 mg/m3 5000 ppm
Germany - TRGS 900 Components	Туре	Value
	TWA	700 mg/m3
n-alkanes,isoalkanes,cyclic		
n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t	the Ambient Air at the Work	
n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t Components	the Ambient Air at the Work Type	Value
n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t Components Carbon dioxide (CAS	the Ambient Air at the Work	Value 9100 mg/m3
n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t Components Carbon dioxide (CAS 124-38-9) Greece. OELs (Decree No. 90/1999, as	the Ambient Air at the Work Type AGW s amended)	Value 9100 mg/m3 5000 ppm
n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t Components Carbon dioxide (CAS 124-38-9) Greece. OELs (Decree No. 90/1999, as Components	the Ambient Air at the Work Type AGW	Value 9100 mg/m3
n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t Components Carbon dioxide (CAS 124-38-9) Greece. OELs (Decree No. 90/1999, as Components	the Ambient Air at the Work Type AGW s amended) Type	Value 9100 mg/m3 5000 ppm Value
n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t Components Carbon dioxide (CAS 124-38-9) Greece. OELs (Decree No. 90/1999, as Components	the Ambient Air at the Work Type AGW s amended) Type	Value 9100 mg/m3 5000 ppm Value 54000 mg/m3
n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t Components Carbon dioxide (CAS 124-38-9) Greece. OELs (Decree No. 90/1999, as Components	the Ambient Air at the Work Type AGW s amended) Type STEL	Value 9100 mg/m3 5000 ppm Value 54000 mg/m3 5000 ppm
n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t Components Carbon dioxide (CAS 124-38-9) Greece. OELs (Decree No. 90/1999, as Components Carbon dioxide (CAS 124-38-9) Hungary. OELs. Joint Decree on Cher	AGW Samended) Type STEL TWA	Value 9100 mg/m3 5000 ppm Value 54000 mg/m3 5000 ppm 9000 mg/m3
n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t Components Carbon dioxide (CAS 124-38-9) Greece. OELs (Decree No. 90/1999, as Components Carbon dioxide (CAS 124-38-9) Hungary. OELs. Joint Decree on Cher Components Carbon dioxide (CAS	AGW a amended) Type STEL TWA mical Safety of Workplaces	Value 9100 mg/m3 5000 ppm Value 54000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm
Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclic s,< 5% n-hexane Germany. TRGS 900, Limit Values in t Components Carbon dioxide (CAS 124-38-9) Greece. OELs (Decree No. 90/1999, as Components Carbon dioxide (CAS 124-38-9) Hungary. OELs. Joint Decree on Cher Components Carbon dioxide (CAS 124-38-9) Iceland. OELs. Regulation 154/1999 of Components	AGW Samended) Type STEL TWA mical Safety of Workplaces Type TWA	Value 9100 mg/m3 5000 ppm Value 54000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm Value Value 9000 mg/m3

Components	Туре	Value
		5000 ppm
reland. Occupational Exposure Limit		
Components	Туре	Value
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3
,		5000 ppm
taly. Occupational Exposure Limits		
Components	Туре	Value
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3
121 00 0)		5000 ppm
Latvia. OELs. Occupational exposure	limit values of chemical sub-	stances in work environment
Components	Туре	Value
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3
12 7- 00-3)		5000 ppm
Lithuania. OELs. Limit Values for Ch	emical Substances. General I	
Components	Type	Value
Carbon dioxide (CAS	TWA	9000 mg/m3
124-38-9)		5000 ppm
	venaavea liesit valvaa (Ammav	
Luxembourg. Binding Occupational e Components	Type	Value
Carbon dioxide (CAS	TWA	9000 mg/m3
124-38-9)		5000 ppm
		5000 ppm
Maita. OELs. Occupational Exposure Schedules I and V)	Limit values (L.N. 227. of Oc	cupational Health and Safety Authority Act (CAP. 42
Components	Туре	Value
Carbon dioxide (CAS	TWA	9000 mg/m3
124-38-9)		5000 ppm
Netherlands		5555 Pp
Components	Туре	Value
Hydrocarbons, C11-C14,	TWA (MAC)	1200 mg/m3
n-alkanes, isoalkanes, cyclics, < 2% aromatics		-
Netherlands. OELs (binding)		
Components	Туре	Value
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3
Norway. Administrative Norms for Co	ntaminants in the Workplace	
Components	Туре	Value
Carbon dioxide (CAS	TLV	9000 mg/m3
124-38-9)		5000 ppm
Poland Ordinance of the Minister of I	ahour and Social Policy on 6	5 June 2014 on the maximum permissible
		k environment, Journal of Laws 2014, item 817
concentrations and intensities of han		Value
	Туре	Value
Components Carbon dioxide (CAS 124-38-9)	STEL	27000 mg/m3

SDS EU

BDS000693AE Version #: 1,0 Revision date: 29-March-2022 Issue date: 29-March-2022

Portugal. OELs. Decree-Law n. 29 Components	Type	Value	
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
		5000 ppm	
Portugal. VLEs. Norm on occupat Components	ional exposure to chemical age Type	ents (NP 1796) Value	
<u> </u>			
Carbon dioxide (CAS 124-38-9)	STEL	30000 ppm	
	TWA	5000 ppm	
Romania. OELs. Protection of wo Components	rkers from exposure to chemic Type	al agents at the workplace Value	
Carbon dioxide (CAS	TWA	9000 mg/m3	
124-38-9)		5000 ppm	
Slovakia. OELs. Regulation No. 30	00/2007 concerning protection	of health in work with chemical agents	
Components	Туре	Value	
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
,		5000 ppm	
		gainst risks due to exposure to chemicals while working	
(Official Gazette of the Republic o Components		Value	
	Type		
Carbon dioxide (CAS 124-38-9)	TWA	9000 mg/m3	
		5000 ppm	
Spain. Occupational Exposure Li		Walter	
Components	Туре	Value	
Carbon dioxide (CAS 124-38-9)	TWA	9150 mg/m3	
,		5000 ppm	
Sweden			
Components	Туре	Value	
Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclic s,< 5% n-hexane	STEL (STV)	300 ppm	
-, •	TWA	200 ppm	
		Exposure Limit Values (AFS 2015:7)	
Components	Туре	Value	
Carbon dioxide (CAS 124-38-9)	STEL	18000 mg/m3	
		10000 ppm	
	TWA	9000 mg/m3	
		5000 ppm	
Switzerland	_		
Components	Туре	Value	
Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclic s,< 5% n-hexane	TWA	500 ppm	
Switzerland. SUVA Grenzwerte an	n Arbeitsplatz		
Components	Туре	Value	
Carbon dioxide (CAS	TWA	9000 mg/m3	
124-38-9)		5000 ppm	
		0000 ppiii	

UK.	EH40	Workplace	Exposure	Limits	(WELs)
UIV.		VVOIRDIACE			

Components	Type	Value
Carbon dioxide (CAS 124-38-9)	STEL	27400 mg/m3
		15000 ppm
	TWA	9150 mg/m3
		5000 ppm
EU. Indicative Exposure Limit Components	Values in Directives 91/322/EEC, Type	2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU Value

Biological limit values

124-38-9)

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Carbon dioxide (CAS

procedures

Follow standard monitoring procedures.

TWA

Derived no effect levels (DNELs)

General Population

Components	Value	Assessment factor	Notes
Hydrocarbons, C6-C7, n-alkanes,isoalkan	es,cyclics,< 5% n-hexane (CAS -)	
Long-term, Systemic, Dermal	699 mg/kg bw/day		
Long-term, Systemic, Inhalation	608 mg/m3		
Long-term, Systemic, Oral	699 mg/kg bw/day		
<u>Workers</u>			
Components	Value	Assessment factor	Notes
Hydrogorbona CG C7 n alkanaa jagalkan	on eveling < E0/ n havena (CAC)		

Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclics, < 5% n-hexane (CAS -)

Not available.

Long-term, Systemic, Dermal 773 mg/kg bw/day Long-term, Systemic, Inhalation 2035 mg/m3

Predicted no effect

concentrations (PNECs) 8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to

maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

9000 mg/m3

5000 ppm

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.

Skin protection

- Hand protection When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough

time of the glove should be longer than the total duration of product use. If work lasts longer than

the breakthrough time, gloves should be changed part-way through. Nitrile gloves are

recommended. Suitable gloves can be recommended by the glove supplier.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with

organic vapour cartridge. (Filter type AX)

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable

levels.

SECTION 9: Physical and chemical properties

Material name: TRANSPARENT 21 - Kontakt chemie - Europe

9.1. Information on basic physical and chemical properties

Physical state Liquid. Aerosol. **Form** Colour Colourless. Solvent. Odour

-56,6 °C (-69,9 °F) estimated Melting point/freezing point 61 °C (141,8 °F) estimated **Boiling point or initial boiling**

point and boiling range

Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits 8 % estimated Explosive limit - lower (%)

Explosive limit - upper (%)

0,9 % estimated

Not applicable.

< 0 °C (< 32,0 °F) Closed cup Flash point

Auto-ignition temperature > 200 °C (> 392 °F) **Decomposition temperature** Not available.

Solubility(ies)

pН

Solubility (water) Insoluble in water

Vapour pressure 57300 hPa at 20°C estimated

Vapour density Not available. 0,78 g/cm3 at 20°C Relative density **Particle characteristics** Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Explosive properties Not explosive. Oxidising properties Not oxidising VOC 755 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid high temperatures. 10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

Carbon oxides.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Causes skin irritation. Skin contact

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Skin irritation. May cause redness and pain. **Symptoms**

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity**

BDS000693AE Version #: 1,0 Revision date: 29-March-2022 Issue date: 29-March-2022

Test Results Components **Species**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Dermal

LD50 Rabbit > 5000 mg/kg

Inhalation

LC50 Rat > 5000 mg/m3, 8 h

Oral

LD50 Rat > 5000 mg/kg

Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclics,< 5% n-hexane

Acute Dermal

LD50 Rat 2920 mg/kg bw/day, 24 h

Inhalation

LC50 Rat 25200 mg/m³, 4 h

Oral

LD50 Rat 5840 mg/kg bw/day

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

Based on available data, the classification criteria are not met. Respiratory sensitisation Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Based on available data, the classification criteria are not met. Reproductive toxicity

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Not likely, due to the form of the product.

Mixture versus substance

information

Not available

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects.

Components **Test Results Species**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Aquatic

Acute

EC50 Daphnia 1000 mg/l, 48 h Crustacea Fish LC50 Oncorhynchus mykiss 1000 mg/l, 96 h

Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclics, < 5% n-hexane

Aquatic

Acute

EC50 > 30 - < 100 mg/l, 72 h Algae Algae

Crustacea EC50 Daphnia 3 mg/l, 48 h Fish LC50 Fish 11,4 mg/l, 96 h

Material name: TRANSPARENT 21 - Kontakt chemie - Europe

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

No data available.

Not available.

Partition coefficient

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

The product contains volatile organic compounds which have a photochemical ozone creation

potential. GWP: 0

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN1950

14.2. UN proper shipping

name

AEROSOLS, flammable

14.3. Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Hazard No. (ADR) Not available.

Tunnel restriction code D

14.4. Packing group Not available.

14.3. Transport hazard class(es)
ADR/RID - Classification 5F

code:

14.5. Environmental hazards No

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN1950

14.2. UN proper shipping Aerosols, flammable

name

14.3. Transport hazard class(es)
Class 2.1
Subsidiary risk -

14.4. Packing group Not available.

14.5. Environmental hazards No ERG Code

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

IMDG

UN1950 14.1. UN number

Aerosols, flammable 14.2. UN proper shipping

name

14.3. Transport hazard class(es) Class 2.1 Subsidiary risk

Not available. 14.4. Packing group

14.5. Environmental hazards

Marine pollutant No **EmS** F-D, S-U

14.6. Special precautions

for user

Not established.

14.7. Maritime transport in bulk according to IMO instruments

ADR; IATA; IMDG



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Read safety instructions, SDS and emergency procedures before handling.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Carbon dioxide (CAS 124-38-9)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Material name: TRANSPARENT 21 - Kontakt chemie - Europe

BDS000693AE Version #: 1,0 Revision date: 29-March-2022 Issue date: 29-March-2022 13 / 14

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value. CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification,

labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement

International concernant le transport de marchandises dangereuses par chemin de fer).

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

VOC: Volatile organic compounds. vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

CRC Industries Europe byba cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.