

Product type designation	RUGGEDCOM 2 X 1000TX SFP CC
Product description	2 x 1000TX SFP - RJ45, Conformal Coating RUGGEDCOM 2 X 1000TX SFP CC KIT RSG2K 2 X 1000TX SFP - RJ45, CONFORMAL COATING
Suitability for operation	RSG2xxx

Interfaces

Number of electrical/optical connections / for network components or terminal equipment / maximum	2
Number of electrical connections <ul style="list-style-type: none"> for network components or terminal equipment / maximum 	2
Number of 10/100/1000 Mbit/s RJ45 ports	2
Type of electrical connection <ul style="list-style-type: none"> for network components or terminal equipment 	RJ45

Permitted ambient conditions

Ambient temperature <ul style="list-style-type: none"> during operation during storage during transport Note 	-40 ... +85 °C -40 ... +85 °C -40 ... +85 °C A maximum ambient operating temperature of +85 °C is permissible for a duration of 16 hours
Relative humidity / at 25 °C / without condensation / during operation / maximum	95 %
Protection class IP	IP20

Design, dimensions and weight

Design	SFP Module
Coating	Conformal Coating
Mounting type <ul style="list-style-type: none"> Installation in media module slot 	screwed Yes

Standards, specifications, approvals

Standard <ul style="list-style-type: none"> for safety / from CSA and UL for emitted interference for interference immunity 	UL 60950-1, CSA C22.2 No. 60950-7 EN 61000-6-4 (Class A) EN 61000-6-2
Certificate of suitability <ul style="list-style-type: none"> CE marking C-Tick KC approval 	EN 61000-6-2, EN 61000-6-10 Yes No No

- E1 approval
- IEC 61850-3

No
Yes

Further Information / Internet Links

Internet-Link

- to website: Industry Mall/RUGGEDCOM selector
- to website: Siemens RUGGEDCOM
- to website: Selector for cables and connectors
- to website: Industrial communication
- to website: Industry Mall
- to website: Information and Download Center
- to website: Image database
- to website: CAx Download Manager
- to website: Industry Online Support

<http://ruggedcom-selector.automation.siemens.com>

<http://siemens.com/ruggedcom>

<http://www.siemens.com/snst>

<http://www.siemens.com/simatic-net>

<https://mall.industry.siemens.com>

<http://www.siemens.com/automation/net/catalog>

<http://automation.siemens.com/bilddb>

<http://www.siemens.com/cax>

<https://support.industry.siemens.com>

last modified:

16.03.2015