

PIN BUSBAR SHOCKPROOF, 10 SQMM 1-PHASE+HS, 1016 MM LONG CAN BE CUT, WITHOUT END CAPS



Figure similar

Model		
product brand name		SENTRON
Product designation		Pin busbar
Design of the product		10mm ² 1PH+HS L1016mm
Busbar design		laminated

General technical data		
Surface processing / tin-plated		No

Main circuit		
Operating current / Rated value	A	63

Product details		
Product property / flexible		Yes

Mechanical Design		
Width	mm	15.5
Length	mm	1 016
Thickness / of busbar	mm	4.6
Material / of the busbar		SF-Cu F 24

General Product Approval	Declaration of Conformity	other
		other



[other](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5ST3733>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5ST3733/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=5ST3733

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



¹⁾ Pin spacings in MW (Modular widths, 1 MW = 18 mm).

last modified:

11.03.2015