

MAGNETIC SWITCH SWITCH BLOCK 25XX88 MM,
2NC, WITH M8 PLUG 4-POLE,



Figure similar

Product designation		magnetically operated switch, switch block
Design of the product		rectangular sensor unit
General technical data:		
Product function		
<ul style="list-style-type: none"> positive opening 		No
Shock resistance		
<ul style="list-style-type: none"> acc. to IEC 60068-2-27 		Sinusoidal half-wave 30g / 11 ms
Vibration resistance		
<ul style="list-style-type: none"> acc. to IEC 60068-2-6 		10 ... 55 Hz: 1 mm
Protection class IP		IP67
Equipment marking		
<ul style="list-style-type: none"> acc. to DIN EN 61346-2 		S
<ul style="list-style-type: none"> acc. to DIN EN 81346-2 		S
Enclosure:		
Design of the housing		block
Material of the enclosure		plastic
Drive Head:		
Design of the operating mechanism		magnet
Design of the switching function		NC contact
Connections/ Terminals:		
Type of electrical connection		connector M8
Safety related data:		
Safety Integrity Level (SIL) acc. to IEC 61508		SIL3

Performance level (PL) acc. to EN ISO 13849-1		e
Category acc. to EN 954-1		4

Ambient conditions:

Ambient temperature		
• during operation	°C	-25 ... +70
• during storage and transport	°C	-25 ... +70

Inputs/ Outputs:

Type of switching output		Reed contacts
---------------------------------	--	---------------

Display:

Evaluation version required		yes
------------------------------------	--	-----

Installation/ mounting/ dimensions:

Mounting type		screw fixing
----------------------	--	--------------

Certificates/ approvals:

General Product Approval	Functional Safety/Safety of Machinery	Declaration of Conformity	other
--------------------------	---------------------------------------	---------------------------	-------



[Type Examination Certificate](#)

[other](#)



EG-Konf.

[other](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3SE66042BA01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3SE66042BA01/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mfb=3SE66042BA01&lang=en



last modified:

09.03.2015