


NOTES:

1. MATERIALS AND FINISHES (PLATING THICKNESS IN MICRO-INCHES):
 BODY - ZINC DIE CAST, NICKEL PL. (150 MIN/200MAX) THICK OVER COPPER PL. (100 MIN/200MAX) THICK OVER COPPER PL. (100 MIN/200MAX) THICK OVER COPPER PL.
 CONTACT - BRASS, GOLD PL. 30 MIN. THICK OVER NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
 INSULATORS - TPX & PTFE, COLOR: NATURAL
 FERRULE - COPPER, NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
 HOUSING - NYLON 46, COLOR CODING PER TABLE
2. ELECTRICAL:
 A. IMPEDANCE: 50 OHM NOMINAL
 B. VSWR: 1.180 (DC - 2.0 GHz); 1.222 (2.0 - 4.0 GHz)
 C. DIELECTRIC WITHSTANDING VOLTAGE: 1000 VRMS, MIN.
3. MECHANICAL:
 A. DURABILITY: 100 CYCLES MIN.
 B. TEMPERATURE RANGE: -40° C TO +115° C RANGE: -65° C TO 165° C
4. PACKAGING:
 A. QUANTITY: TRAY PACK
 B. MARKING: TRAY TO BE MARKED
 * AMPHENOL, 2FAI-NXSP-C01-1, AND DATE CODE *
5. RECOMMENDED CABLE ASSEMBLY INSTRUCTIONS
 FOUND ON AMPHENOL SPEC. 349-50695


THIRD ANGLE PROJ.

REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
A	RELEASE TO MFG.	10/21/02	44201	MAH
F	ADDED: CUSTOMER OUTLINE DRAWING (SHEET 2)	8/7/07	46710	BCG
G	UPDATED THE NOTES	1/14/08	46864	BCG



SCALE 2.000



KEY CODE	ASSEMBLY PART #	COLOR	RAL NO
A	2FAI-NASP-C01-1	JET BLACK	9005
B	2FAI-NBSP-C01-1	CREAM	9001
C	2FAI-NCSP-C01-1	SIGNAL BLUE	5005
D	2FAI-NDSP-C01-1	CLARET VIOLET	4004
E	2FAI-NESP-C01-1	LEAF GREEN	6002
F	2FAI-NFSP-C01-1	NUT BROWN	8011
G	2FAI-NGSP-C01-1	BLUE GREY	7031
H	2FAI-NHSP-C01-1	HEATHER VIOLET	4003
I	2FAI-NISP-C01-1	BEIGE	1001
K	2FAI-NKSP-C01-1	CURRY	1027
L	2FAI-NLSP-C01-1	CARMINE RED	3002
M	2FAI-NMSP-C01-1	PASTEL ORANGE	3003
N	2FAI-NNSP-C01-1	PASTEL GREEN	6019
Z	2FAI-NZSP-C01-1	WATER BLUE	5021

CONFIGURATION CONTROL:
 NO CHANGES PERMITTED TO DRAWING WITHOUT
 PPAP QUALIFIED CUSTOMER APPROVAL

METRIC DRAWING

CUSTOMER OUTLINE DRAWING

ALL OTHER DIMENSIONS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE METRIC AND TOLERANCES ARE: 1 PLACE DECIMAL (2 PLACE DECIMAL ANGLES) ± 0.2MM (.012") ± .10 MM (.004") ± .1	MATERIAL REFERENCE CAR 533 GENB ASSYNG.FARRA 9152-1775-300 BDC = KEY DESIGN CHARACTERISTICS FINISH	DRAWN MIKE HOYACK DATE 11-Sep-02	TITLE FARRA STRAIGHT PLUG C01 CABLE GROUP (RG-174)			Amphenol RF Danbury CT USA, Tolson, Taiwan, Shenzhen, China www.amphenolrf.com
		ENGINEER MIKE HOYACK DATE 16-May-02	APPROVED O.BARTHELMES DATE 10/21/02	SCALE: 4.0:1.0 SHEET: 2 OF 2	DRAWING NO. 2FAI-NXSP-C01-1	
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp., (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp., the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.		CAD FILE 1:1\FARRA\2FAI-NXSP-C01-1	DWG SIZE B	CODE ID 74868	REV G	PART NO. 2FAI-NXSP-C01-1