

Customer Notification
 (CN Tracking Number: EE-QR-230921-02)
 Version 1.0

Customer:	All Customers		
Renesas Product Type:	All products, including legacy Intersil, IDT, Dialog and Renesas except "custom-labeled" products.		
Description of Change:	Renesas Electronics will update and streamline the standard outer labels in shipments for all products in conjunction with our systems integration plan. Kindly refer to Appendix A to D for comparison of the current and new standard labels. Please note that there is no change in barcode specifications (EAN-128 (GS1-128)) and saved data.		
Reason for Change:	To integrate company-wide outer labels through the integration of SCM systems, including logistic systems.		
Identification:	Please refer to Appendix A to D for different legacies		
Schedules:	Please refer to Appendix A to D for different implementation schedules depending on legacy Legacy INTERSIL, IDT, DIALOG: Q2/2024 Legacy RENESAS: Q4/2024		
Anticipated Impact:	Fit, Form, Function:	None	
	Quality & Reliability:	None	
	Environmental compliance:	None	
Document no.	EEQC-PCN-CR-23-0078		
Internal Reference:	PA230003		

In case of any question, please contact:

INITIATOR	TITLE	E-mail	PHONE No.
Farhad Banihashemi	Staff Engineer	Farhad.Banihashemi@Renesas.com	+49(0)211-6503-1844

Düsseldorf, 21 September 2023

Details of Change:

Appendix A: LEGACY INTERSIL Products
 Effective Date: 2nd quarter in 2024 (from April to June)

Product Identification: The new standard outer label after the change/unification is as follows:

RENESAS		(Pb) (e3) C/N: 9685
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain
(3S) PKG ID JP0215261995859685		
(6)		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
(7)		
(1P) PART# R7FA4M2AD3CFL#AA0		
(8)		
(K) PO# MIB116		
(9)		
(Q) QTY 617	(4L) Country of Origin JAPAN	(11)
Delivery 1526199585	(4L) Country of Origin UNITED STATES	(12)
PKG COUNT 1 of 4	WEIGHT 3.3 KG	(13)
	7.3 LBS	
LHR Europe		ZYL29868525
UPS NRT		6518400030

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for legacy INTERSIL products:

GAP POINTS CURRENT AND NEW / REN-POWER (LEGACY INTERSIL)

FROM SCHENKER LOGISTICS SEM LTD Lot 5, Pekan Pasir Paku, Bukit Jelutong Industrial Park, Ampang Ulu, 41150 Shah Alam, Selangor Malaysia.	TO
(3S) PKG ID: ORENASAS+MYWR5734	
(K) TRANS ID: 4506741992	
(1P) RENESAS PIN: ISL95866CHRZ-T	
(P) CUSTOMER PROD ID: J&W	
(Q) QUANTITY: 4000	MSL 3, PBT, 259 Deg C ROHS Compliant: Y
PRODUCT OF: (4L) COUNTRY CODE: MALAYSIA	
CHIPS FROM: (4L) COUNTRY CODE: TAIWAN	
PACKAGE COUNT: 001 OF 001	PACKAGE WEIGHT: 1.70 KGS
0602769258	2758AQ

Barcode coding: EAN-128



Approx.
130mm

RENESAS		(Pb) (e3) C/N: 9685
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain
(3S) PKG ID JP0215261995859685		
(6)		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
(7)		
(1P) PART# R7FA4M2AD3CFL#AA0		
(8)		
(K) PO# MIB116		
(9)		
(Q) QTY 617	(4L) Country of Origin JAPAN	(11)
Delivery 1526199585	(4L) Country of Origin UNITED STATES	(12)
PKG COUNT 1 of 4	WEIGHT 3.3 KG	(13)
	7.3 LBS	
LHR Europe		ZYL29868525
UPS NRT		6518400030

Approx.
104mm

Barcode coding: EAN-128

Gap Points

- Added Items
Renesas Logo Mark
- Design Change Items
Pb-Free's Logo Mark (RoHS Compliant)
- Delete Items
MSL and reflow spec. (Move to inner label.)
- CHIPS FROM

For additional information regarding this notice, please contact:

For additional information regarding this notice, please contact your regional change coordinator (below)			
Americas: PCN-US@Renesas.COM	Europe: PCN-EU@Renesas.COM	Japan: PCN-JP@Renesas.COM	Asia Pac: PCN-APAC@Renesas.COM

Appendix B: LEGACY IDT Products
 Effective Date: 2nd quarter in 2024 (from April to June)

Product Identification: The new standard outer label after the change/unification is as follows:

		C/N: 9685	
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	
(3S) PKG ID JP0215261995859685			
(P) CUST. PART# R7FA4M2AD3CFL#AA0			
(1P) PART# R7FA4M2AD3CFL#AA0			
(K) PO# MIB116			
(Q) QTY 617	(4L) Country of Origin JAPAN		
Delivery 1526199585	(4L) Country of Origin UNITEDSTATES		
PKG COUNT 1 of 4	WEIGHT 3.3 KG 7.3 LBS		
LHR Europe	ZYL29868525		
UPS NRT	6518400030		

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for legacy IDT products:

GAP POINTS CURRENT AND NEW / REN-ANALOG (LEGACY IDT)

FROM: RENESAS ELECTRONICS PENANG SDN. BHD. PHASE 5 SARAWANG FIZ PENANG, 11900 MALAYSIA	SHIP TO:
(3S) PKG ID: 796+008288411	
(1P) PART NO: 9DBL0225BK/LFT	
(P) CUST PROD. ID: WISTRON(SERVER)/ODM	
(K) TRANS ID: 4507388514	
(Q) CTN QTY: 5000	(B) D/C: 2252/2252
ORDER: 0001554317-000100-0001	
COUNTRY OF ORIGIN: TAIWAN	QTY/REEL: 2500
PACKAGE COUNT: 1 OF 1	PACKAGE WEIGHT: 4.069 LB 1.845 KG
RoHS Compliant /Green	

	PPGI:02/05/2023
	RPPGI:02/05/2023
	Shipment: 0000114148
Shin Ye J Shipping Mark: HY MICROELECTRONICS CO. LIMITED C/O FELIUS LOGISTICS (ASIA)LIMITED NO 57 RA MEI SAN TSUEN ROAD, TKI SHIP WAI, NT HONG KONG	
	Part ID: 002564568
	Qty: 5000

Barcode coding: EAN-128

For additional information regarding this notice, please contact:

IDT-PCN@lm.renesas.com

		C/N: 9685	
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	
(3S) PKG ID JP0215261995859685			
(P) CUST. PART# R7FA4M2AD3CFL#AA0			
(1P) PART# R7FA4M2AD3CFL#AA0			
(K) PO# MIB116			
(Q) QTY 617	(4L) Country of Origin JAPAN		
Delivery 1526199585	(4L) Country of Origin UNITEDSTATES		
PKG COUNT 1 of 4	WEIGHT 3.3 KG 7.3 LBS		
LHR Europe	ZYL29868525		
UPS NRT	6518400030		

Approx.
104mm

Barcode coding: EAN-128

Gap Points

- Added Items
 - Renesas Logo Mark
 - Pb-Free's Logo Mark
- Design Change Items
 - Pb-Free's Logo Mark (RoHS Compliant)
- Deleted Items
 - D/C (Move to inner label.)

Appendix C: LEGACY DIALOG Products
 Effective Date: 2nd quarter in 2024 (from April to June)

Product Identification: The new standard outer label after the change/unification is as follows:

The image shows a detailed view of a Renesas shipping label with 15 numbered callouts pointing to specific fields and features:

- 1: Pb-Free's Logo Mark (Pb e3)
- 2: Pb-Free Detail Spec Rank (C/N: 9685)
- 3: Case Number
- 4: From address
- 5: To address
- 6: Package ID
- 7: Customer Parts Number
- 8: Renesas Parts Number
- 9: Purchase Order Number
- 10: Quantity
- 11: Country Of Origin
- 12: Delivery Order Number
- 13: Gross Weight
- 14: Package Count
- 15: Renesas internal Europe use area

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal Europe use area

Comparison before and after change for legacy DIALOG products:

GAP POINTS CURRENT AND NEW / REN-POWER & CONNECTIVITY (LEGACY DIALOG)

This image shows the current legacy label layout, which is wider and more complex, containing multiple sections for sender/receiver information, part numbers, and weights.

Barcode coding: EAN-128



Approx. 130mm

This image shows the new unified label layout, which is narrower and more standardized, with a clear focus on essential shipping and identification data.

Approx. 104mm
 Barcode coding: EAN-128

Gap Points

- Added Items
Renesas Logo Mark
- Design Change Items
Pb-Free's Logo Mark
- Deleted Items
Supplier
Vender Code
INV NO.

For additional information regarding this notice, please contact your Renesas Sales Representative

Appendix D: LEGACY RENESAS Products
 Effective Date: 4th quarter in 2024 (from October to December)

Product Identification: The new standard outer label after the change/unification is as follows:

The new standard outer label contains the following information:

- 1: Pb-Free's Logo Mark (Pb e3)
- 2: Pb-Free Detail Spec Rank (C/N: 9685)
- 3: Case Number (0000044284)
- 4: From address (Renesas Electronics Corp., 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan)
- 5: To address (Renesas Electronics Europe GmbH, Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain)
- 6: Package ID (JP0215261995859685)
- 7: Customer Parts Number (R7FA4M2AD3CFL#AA0)
- 8: Renesas Parts Number (R7FA4M2AD3CFL#AA0)
- 9: Purchase Order Number (MIB116)
- 10: Quantity (617)
- 11: Country Of Origin (JAPAN)
- 12: Delivery Order Number (1526199585)
- 13: Gross Weight (3.3 KG / 7.3 LBS)
- 14: Package Count (1 of 4)
- 15: Renesas internal use area (LHR Europe, UPS NRT, ZYL29868525, 6518400030)

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for legacy RENESAS products:
GAP POINTS CURRENT AND NEW / REN-CORE (LEGACY RENESAS)

Current label features a red box around the JSF P/N (R7FA4M2AD3CFL#AA0).

Approx. 130mm

New label features a blue box around the design change items (Pb e3 logo).

Barcode coding: EAN-128

Approx. 104mm

Barcode coding: EAN-128

Gap Points

- Design Change Items
- Deleted Items

Pb-Free's Logo Mark

JSF P/N#

For additional information regarding this notice, please contact your Renesas Sales Representative