

MAGNET COIL F. CONTACTORS 7,5KW AC 42V,  
50HZ FOR MOTOR CONTACTORS SZ S0, SCREW  
TERMINAL,





General technical data:





product brand name		SIRIUS
Product designation		Magnet coil

Control circuit:

Type of voltage of the control supply voltage		AC
Apparent power loss of the magnet coil with AC typical	V·A	7.6
Control supply voltage <ul style="list-style-type: none"> <li>• 1 with AC</li> <li>— at 50 Hz Rated value</li> </ul>	V	42
Operating range factor control supply voltage rated value of the magnet coil with AC <ul style="list-style-type: none"> <li>• at 50 Hz</li> <li>• at 60 Hz</li> </ul>		0.8 ... 1.1 0.85 ... 1.1

Certificates/ approvals:

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval		
	 EG-Konf.	<a href="#">Special Test Certificate</a>	 ABS	 BUREAU VERITAS	 DNV

Shipping Approval	other				
 GL	 LRS	 RMRS	<a href="#">Environmental Confirmations</a>	<a href="#">Confirmation</a>	 VDE

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

**Cax online generator**

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT29245AD01>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/3RT29245AD01/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

<http://www.automation.siemens.com/bilddb/index.aspx?attID9=3RT29245AD01&lang=en>

**last modified:**

09.03.2015