

Straight Adapter SMA Jack to BNC Jack


multicomp PRO



Specifications

Convert From Coax Type : SMA
 Convert From Gender : Jack
 Convert To Coax Type : BNC
 Convert To Gender : Jack
 Bodies : Brass per JIS-C3604
 Centre Contact : Beryllium copper per ASTM B196 UNS C17300
 Insulation : PTFE per ASTM D1457 and ASTM D1710
 Connector interface per MIL-STD-348 A
 Part to be clean and free of burrs

Diagram



No.	Description	Material	Finish
1	Insulation	PTFE	None
2	Centre Contact	Beryllium Copper	Gold 50µ" Min.
3	Body	Brass	Nickel 100µ" Min.
4	Chassis		

Part Number Table

Description	Part Number
Straight Adapter, SMA Jack to BNC Jack, 50Ω	MP-19-39-4 TGN

Dimensions : Millimetres (Inches)

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro
 Farnell.com/multicomp-pro
 Element14.com/multicomp-pro

multicomp PRO