



Product Change Notification

| | | | |
|--|--|---------------------|--------|
| Date Issued : | June 16, 2023 | PCN Number : | 513774 |
| Reason for Change : | Packaging Method/Quantity Changing | | |
| Description of Change : | The purpose of the change is to allign , commanise and make the MLQ and DU global. As a result there is DU change, however the Fit, Form and Function remains the same. The Reason for the change is a corrective action, in that to reduce the incoherences caused between DU and MLQ. The Change is implemented by standardizing the MLQ and DU. | | |
| Reason for Short Notice : | Corrective Actions | | |
| Assessment of Change : | Drop Test | | |
| Planned Implementation Date : | July 15, 2023 | | |
| Sample Availability Date: | July 12, 2023 | | |
| Internal Molex Qualification Date : | July 12, 2023 | | |
| Last date to request Samples by Customer : | June 16, 2023 | | |
| <p>Before Picture</p> <ol style="list-style-type: none"> 1. There were inconsistencies between Standard Packaging quantity and Minimum line quantity which resulted in process inefficiencies at the packaging station. 2. This causes variances and product quality conformance issues. | | | |

After Picture

1. Standardized minimum Line quantity (MLQ) and Delivery Unit (DU) at the global level has been fixed.
2. A comprehensive packaging solution as per conformance has been developed.
3. No fit, form and function impacted.
4. Part number affected as per the list attached.
5. Qualification report available upon request.

RELEASED

You may address inquires regarding this PCN by clicking on the below link
mailto:pcn_coordinator@molex.com?subject=PCN_Notification:513774
or contact your Local Sales Engineer.

Note: While responding, please retain " PCN Notification : **PCN Notification: 513774** " in the e-mail Subject line for faster response.

[Molex, LLC](#)
2222 Wellington Court
Lisle, IL 60532
TEL (800) 786-6539
www.molex.com