

# Han-Modular ECO hood IP65 (with PE mark)



Part number	09 14 001 0421	
Specification	Han-Modular ECO hood IP65 (with PE mark)	
HARTING eCatalogue	https://b2b.harting.com/09140010421	
Identification		
Category	Hoods/Housings	
Series of hoods/housingsHan-Modular <sup>®</sup> ECO		
Type of hood/housing	Hoods	
Description of hood/ housing	With PE identification (pin 1 = PE)	
	With integrated cable gland	

## Version

Locking type	Snap-in latches
Size	Modular ECO
Version	Top entry
Cable entry	1x Integrated

#### **Technical characteristics**

Limiting temperature	-40 +85 °C
Tightening torque	3 Nm Cable gland
Mating cycles	≥500
Degree of protection acc. to IEC 60529	IP65
Cable diameter	6 13 mm

# Material properties

Material (hood/housing)	Polycarbonate
Colour (hood/housing)	RAL 7032 (pebble grey)
Material (seal)	NBR
Material flammability class acc. to UL 94	V-0
RoHS	compliant
ELV status	compliant
China RoHS	e
REACH Annex XVII substances	No
REACH ANNEX XIV substances	No

Page 1 / 2 | Creation date 2018-09-04 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric GmbH & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com



## Material properties

REACH SVHC substances	No
Specifications and approvals	
Specifications	EN 60664-1 IEC 61984
Commercial data	
Packaging size	2
Net weight	42 g
Country of origin	Germany
Customs tariff number	85389099