



SHUNT TRIP FLEXIBLE 48-60 V AC 50/60 HZ
ACCESSORY FOR 3VA UPTO 600/630 A

Model			
product brand name		SENTRON	
General technical data			
Overvoltage category		III	
Voltage			
Insulation voltage / Rated value	V	690	
Accessories			
accessories		Auxiliary release	
Height	mm	65.1	
Depth	mm	31.2	
General Product Approval	EMC	Declaration of Conformity	other



VDE



[other](#)



EG-Konf.

[other](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3VA99880BA21>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3VA99880BA21/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA99880BA21

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

11.03.2015