XB5PUSB3

Panel mounted USB 3.0 port, plastic, Ø22, for USB interface jack type A



Main Range of product Harmony XB5 Product or component type Device short name XB5P

Complementary

Complementary	
Sale per indivisible quantity	1
Mounting diameter	0.87 in (22 mm)
Thickness	0.24 In (6 mm) without protection cover 0.060.20 In (1.55 mm) with protection cover plastic 0.060.20 In (1.55 mm) with protection cover rigid plastic 0.060.10 in (1.52.5 mm) with protection cover metal
Bezel material	Plastic
Fixing collar material	Plastic
Integrated connection type	USB 3.0 type A
Minimum number of matings	1500 cycles
IP degree of protection	Front IP20 IEC 60529 Back IP20 IEC 60529
Ambient air temperature for operation	-40158 °F (-4070 °C)
Ambient air temperature for storage	-40158 °F (-4070 °C)
Tightening torque	13.28 lbf.in (1.5 N.m)
Vibration resistance	5.35 gn15 min per axis
Shock resistance	30 gn 11 ms 3 chocks in each direction X, Y and Z
Standards	USB 3.0
Product certifications	CSA UL Listed
Height	1.10 in (28 mm)
Maximum Width	1.10 in (28 mm)
Depth	1.73 in (44 mm)
Net Weight	0.04 lb(US) (0.0169 kg)

Ordering and shipping details

Category	00028 - DATA PORTS	
Discount Schedule	CS2	
GTIN	00785901714699	
Nbr. of units in pkg.	1	
Package weight(Lbs)	0.04 lb(US) (0.02 kg)	
Returnability	Yes	
Country of origin	DE	

Packing Units

Package 1 Height	0.300 dm
Package 1 width	0.350 dm
Package 1 Length	0.700 dm

Offer Sustainability California proposition 65	WADNING: This product can expect you to chemicals including: Load and
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EV RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	€Yes
China RoHS Regulation	☑ China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.