SIEMENS

Data sheet	6GK1905-0DA00
Product type designation Product description	PB ECOFAST Terminating Plug ECOFAST bus termination connector with pin insert and integrated termination resistors PROFIBUS ECOFAST TERMINATING PLUG (ECOFAST CU) 2 X CU; 4 X1.5SQMM CU, PIN CONNECTOR, INT. TERMINATING RESISTORS PACK OF 5
Suitability for use	As terminating plug-in connector for PROFIBUS DP
Transmission rate	
Transfer rate / with PROFIBUS	9.6 kbit/s 12 Mbit/s
Interfaces	
Number of electrical connections	
• for network components or terminal equipment	1
Type of electrical connection	
• for network components or terminal equipment	Hanbrid connector with female insert
Type of electrical connection / FastConnect	No
Mechanical data	
Design of terminating resistor	Integrated resistor combination
Material / of the enclosure	plastic
Design, dimensions and weight	
Type of cable outlet	180° cable outlet
Width	27 mm
Height	27 mm
Depth	71 mm
Net weight	40 g
Permitted ambient conditions	
Ambient temperature	
during operation	-20 +70 °C
during storage	-40 +80 °C
during transport	-40 +80 °C
Chemical resistance / to water	resistant
Protection class IP	IP65/67
Product properties, functions, components / general	
Product property	\ <u>'</u>
• silicon-free	Yes
Product component • strain relief	Yes
- Strain rollo	

Standards, specifications, approvals

Certificate of suitability

RoHS conformity

UL approval

• Railway application in accordance with EN

50155

Yes No

No

Further Information / Internet Links

Internet-Link

• to website: Selector SIMATIC NET

SELECTION TOOL

• to website: Industrial communication

• to website: Industry Mall

• to website: Information and Download Center

• to website: Image database

• to website: CAx Download Manager

• to website: Industry Online Support

http://www.siemens.com/snst

http://www.siemens.com/simatic-net

https://mall.industry.siemens.com

http://www.siemens.com/automation/net/catalog

http://automation.siemens.com/bilddb

http://www.siemens.com/cax

https://support.industry.siemens.com

last modified: 09.03.2015