





DEBUR AND BREAK SHARP EDGES

DO NOT SCALE DRAWING

REVISION



PART No.	"A"
TRCRLCBSRE-10-01	15.9
TRCRLCBSRE-4-01	6.4
TRCRLCBSRE-6-01	9.5
TRCRLCBSRE-8-01	12.7

D	2 PT.NO'S ADDED M.E. 29/07/14
C	Pt.No.TABLE ADDED M.E. 01/07/14
B	DRG No CHANGED M.E. 18/06/14
A	DRAWN 01/11/13

NOTES

1. MATERIAL: NYLON 66 UL-94V2;
2. COLOR: NATURAL;
3. ROHS Compliant;
4. TOP Hole: $\varnothing 4.0 \pm 0.08\text{mm}$
Panel Thickness: 1.6mm.
5. Bottom Hole: $\varnothing 5.4 \pm 0.08\text{mm}$
Panel Thickness: 1.2-2.0mm.



DESIGN RIGHT. TR FASTENINGS LTD, 2003
UNDER NO CIRCUMSTANCES MUST THIS
DRAWING BE COPIED OR DISCLOSED,
WITHOUT FIRST OBTAINING WRITTEN
AUTHORITY.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
SURFACE FINISH:
TOLERANCES:

NAME	DATE
DRAWN MARTIN ELLIOTT	01/11/13
CHK'D	
APPV'D	

CUSTOMER PART No

MATERIAL:
SEE NOTES

HEAT TREATMENT
N/A

FINISH:
N/A


TITLE:

CUPPED REVERSE
LOCKING CIRCUIT
BOARD SUPPORT

DWG NO. TRCRLCBSRE-XX-01

A3

PROJECTION



SHEET 1 OF 1