M70/31.F



TE Connectivity has acquired the DIN Rail Terminal Block product range from ABB

Products + Low Voltage Products and Systems + Connection Devices + Terminal Blocks + Solution Series

General Information

Extended Product Type: M70/31.F

Product ID: 1SNA115144R1300

EAN: 3472591151442

Catalog Description: M70/31.F

Long Description: - Compact one stud terminal block, - Lug mounting in accordance with NF

C 20-130 and DIN 46234, - Various marking options, - Rail or base mounti

ng.

Ordering

Color:	Grey
Minimum Order Quantity:	10 piece
Customs Tariff Number:	85369010

Popular Downloads

Data Sheet,	Technical Information:	1SNC160020C0201

Instructions and Manuals: 1SNC160020C0201

Dimensions

Product Net Width:	31 mm
Product Net Height:	66 mm
Product Net Depth / Length:	50.5 mm
Product Net Weight:	60 g

Technical

Rated Cross-Section:	50 mm²
Spacing:	31 mm
Connection Type:	Stud
Function:	Feed-through
Number of Levels:	1
Connecting Capacity Main Circuit:	Stud / Flexible 1x 2.5 50 mm² Stud / Rigid 1x 2.5 70 mm²
Rated Current (I _n):	Main Circuit 150 A
Rated Short-time Withstand Current (I _{cw}):	for 1 s 8000 A
Rated Voltage (U _r):	1000 V

Rated Impulse Withstand Voltage (U _{imp}):	8 kV
Dielectric Test Voltage:	3500 V
Pollution Degree:	3
Insulation Material:	Polyamide
Mounting on DIN Rail:	G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
Tightening Torque:	Cable Lug 12 N·m
Technical UL/CSA	
Maximum Operating Voltage UL/CSA:	Main Circuit 600 V
Connecting Capacity Main Circuit UL/CSA:	Stud / Rigid 1x 4 00 AWG
Connecting Capacity UL/CSA:	Stranded 0 AWG
Flammability According to UL94:	V2
Environmental	
	On anation 55 1440 % O
Ambient Air Temperature:	Operation -55 +110 °C Storage -55 +110 °C
RoHS Status:	Following EU Directive 2011/65/EU
RoHS Status: Certificates and Declarations (E	
Certificates and Declarations (Document Number)
Certificates and Declarations (E	Document Number) 1SND165000A0203
Certificates and Declarations (Ecul Certificate: Declaration of Conformity - CE:	Document Number) 1SND165000A0203 1SND225011U1000
Certificates and Declarations (Ecul Certificate: Declaration of Conformity - CE: EAC Certificate:	Document Number) 1SND165000A0203 1SND225011U1000 1SND161009A1100
Certificates and Declarations (Ecul Certificate: Declaration of Conformity - CE: EAC Certificate: Environmental Information:	Document Number) 1SND165000A0203 1SND225011U1000 1SND161009A1100 1SND220022E1002
Certificates and Declarations (Ecul Certificate: Declaration of Conformity - CE: EAC Certificate: Environmental Information: Instructions and Manuals:	Document Number) 1SND165000A0203 1SND225011U1000 1SND161009A1100 1SND220022E1002 1SNC160020C0201
Certificates and Declarations (Ecul Certificate: Declaration of Conformity - CE: EAC Certificate: Environmental Information: Instructions and Manuals: RoHS Information:	Document Number) 1SND165000A0203 1SND225011U1000 1SND161009A1100 1SND220022E1002 1SNC160020C0201
Certificates and Declarations (ECUL Certificate: Declaration of Conformity - CE: EAC Certificate: Environmental Information: Instructions and Manuals: RoHS Information: Classifications	Document Number) 1SND165000A0203 1SND225011U1000 1SND161009A1100 1SND220022E1002 1SNC160020C0201 1SND230022F0204
Certificates and Declarations (Ecul Certificate: Declaration of Conformity - CE: EAC Certificate: Environmental Information: Instructions and Manuals: RoHS Information: Classifications Object Classification Code:	Document Number) 1SND165000A0203 1SND225011U1000 1SND161009A1100 1SND220022E1002 1SNC160020C0201 1SND230022F0204
Certificates and Declarations (ECUL Certificate: Declaration of Conformity - CE: EAC Certificate: Environmental Information: Instructions and Manuals: RoHS Information: Classifications Object Classification Code: ETIM 4:	Document Number) 1SND165000A0203 1SND225011U1000 1SND161009A1100 1SND220022E1002 1SNC160020C0201 1SND230022F0204 X EC000897 - Feed-through terminal block
Certificates and Declarations (ECUL Certificate: Declaration of Conformity - CE: EAC Certificate: Environmental Information: Instructions and Manuals: RoHS Information: Classifications Object Classification Code: ETIM 4: ETIM 5:	Document Number) 1SND165000A0203 1SND225011U1000 1SND161009A1100 1SND220022E1002 1SNC160020C0201 1SND230022F0204 X EC000897 - Feed-through terminal block EC000897 - Feed-through terminal block
Certificates and Declarations (ECUL Certificate: Declaration of Conformity - CE: EAC Certificate: Environmental Information: Instructions and Manuals: RoHS Information: Classifications Object Classification Code: ETIM 4: ETIM 5: ETIM 6:	Document Number) 1SND165000A0203 1SND225011U1000 1SND161009A1100 1SND220022E1002 1SNC160020C0201 1SND230022F0204 X EC000897 - Feed-through terminal block EC000897 - Feed-through terminal block
Certificates and Declarations (ECUL Certificate: Declaration of Conformity - CE: EAC Certificate: Environmental Information: Instructions and Manuals: RoHS Information: Classifications Object Classification Code: ETIM 4: ETIM 5: ETIM 6: Container Information	Document Number) 1SND165000A0203 1SND225011U1000 1SND161009A1100 1SND220022E1002 1SNC160020C0201 1SND230022F0204 X EC000897 - Feed-through terminal block EC000897 - Feed-through terminal block EC000897 - Feed-through terminal block

Package Level 1 Height:	64 mm
Package Level 1 Gross Weight:	0.6 kg
Package Level 1 EAN:	3472591151442
Package Level 2 Units:	100 piece
Package Level 3 Units:	4800 piece
Product Packing Type:	Box

