ORRON Industrial Automation



H7CC-AU

Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply

Specifications

Туре	Pre-set counter
Size	1/16 DIN (48 x 48 mm)
Counting functions	1-stage counter, 1-stage counter with batch counter, 1-stage counter with total counter, 2-stage counter, Dual counter (addition/subtraction), Tachometer, Twin counter
Counting range	-99999 - 999999
LCD backlight	With backlight
Number of digits	6
Body color	Black
Installation type	On-panel
Terminal	Screw
Output type	Relay, Transistor
Relay output	1
Transistor output	1
Inputs	DC voltage, No-voltage
Supply voltage AC	100-240 V
Speed	10000 Hz
Width	48 mm
Height	48 mm
Depth	78 mm

Accessories

Y92A-48	Protective cover for DIN48x48mm device, hard plastic (shallow)
Y92A-48F1	Protective cover for DIN 48 x 48 mm timer and counter, soft plastic
Y92F-45	Panel adaptor, 48 x 48 device into 67 x 67 hole

Downloads

CAD Library



H7CC Digital Counter/Digital Tachometer Brochure

EN PDF 3.65 MB



H7CC Digital Counter/Tachometer Datasheet

EN PDF 15.5 MB



H7CC One Minute Presentation EN PDF 1.08 MB

Environmental product information

H7CC-AU 🗸 No	Part number	RoHS (EU)2015/863	REACH	SVHC contained	
	H7CC-AU	✓	~	No	



Dispose in accordance with applicable regulations.

SVHC content information has been adapted as a result of the adoption at our company of chemSHERPA v.2, the Japanese standard for chemical information sharing and exchange throughout the supply chain.

We continuously make our best effort to communicate compliance information transparently to our customers, however some information may still be in the process to be collected or displayed. So don't hesitate to contact us in case a specific product or information you're looking for can't be found here.

TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 6 February, 2023. Click here for terms of use.

