

# MATERIAL SAFETY DATA SHEET

## GLASS FIBRE TEXTILES

### 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

#### **Identification of the products.**

Common name: Glass Fibre Textiles

#### **Identification of the company.**

Draper Tools Ltd.  
Hursley Road  
Chandlers Ford  
Eastleigh  
Hampshire  
SO53 1YF

Draper Helpline +44 (0) 2380 494344

### 2. COMPOSITION/INFORMATION OF INGREDIENTS.

E-glass Fibre Textiles are basically sold as; Twisted ropes, braided and knitted packings, woven and knitted tapes, fibre ropes and cloths.

E-glass Fibre Textiles are not substances but preparations within the meaning of EEC Directive 67/548/ dated June 27<sup>th</sup> 1967, corresponding to a mixture of E-Glass in the form of continuous strands and a Size. It is exactly the same for the American TSCA (Toxic Substances Control Act) legislation in which glass fibre are considered as items. The CAS number of glass fibre is 65997-17-3 (corresponding to the oxides used for production).

E-glass is a glass with a very low alkaline content. Its composition (expressed in oxides) is within the following percentages;

Cont..

SiO <sub>2</sub>	52-56%
Alkaline Oxides (Na <sub>2</sub> O, K <sub>2</sub> O)	0-2%
CaO	16-25%
MgO	0-5%
B <sub>2</sub> O <sub>3</sub>	5-10%
Al <sub>2</sub> O <sub>3</sub>	12-16%
TiO <sub>2</sub>	0-0.8%
Fe <sub>2</sub> O <sub>2</sub>	0.05-0.4%
F <sub>2</sub>	0-1%

Size is a mixture of chemicals applied to the glass strands in a maximum quantity of 3% - more generally between 1% and 1.5% by weight.

### 3. HAZARDS IDENTIFICATION.

E-glass Fibre Textiles are **not significantly hazardous**.

Details about chemical hazards are given in paragraph 2. Toxicological aspects are developed in detail in chapter 11. The essential point to remember is that glass filaments are not 'respirable' as they are over 3µm in diameter and have been shown not to cause lung cancer.

Hazards identified are:

- Mechanical irritation (itching)
- The formation of respirable filaments
- Extremely rare possibilities of allergy.

### 4. FIRST AID MEASURES.

Inhalation: Remove from scene of exposure.

Skin contact: Wash copiously with lukewarm soapy water without rubbing excessively.

Eye contact: Flush in running water (for at least 10 minutes) and if necessary consult a doctor.

### 5. FIRE FIGHTING MEASURES.

In case of fire, E-glass fibre Textiles are not flammable, are incombustible and don't support combustion.

Only the packaging (plastic film, paper, cardboard, wood) and the small amounts of size or binder are likely to burn. Combustion gases are basically Carbon Dioxide and water vapour. There may be small quantities of Carbon Monoxide and other substances which makes it necessary to use protective devices in the event of a major fire.

### 6. ACCIDENTAL RELEASE MEASURES.

#### **Personal protection.**

See chapter 8.

#### **Environmental protection.**

In leaching tests E-glass Fibre Textiles wastes did not emit any significant quantities of dangerous products and they can therefore be considered as **Inert Industrial Wastes**, or even **Common Industrial Wastes**, as defined by national and local regulations. All waste and scrap materials should be disposed of in accordance with applicable national, federal, state and local regulations.

Cont..

### **Cleaning.**

Vacuum clean, sweep or shovel into containers normally used for glass fibre waste (selective collection).

## **7. Handling and storage.**

### **Handling.**

(Technical measures / precautions / safe handling advice):

It is preferable to avoid prolonged contact with skin: wear gloves, garments with sleeves and long leggings or protective overalls, goggles and dust masks.

Glass filaments and dusts must be removed from work garments with a vacuum cleaner and not blown off with compressed air jets. Wash work garments separately from other clothes.

### **Storage.**

Technical measures:                      Respect the stacking procedure recommended for each type of product.

### **Storage conditions.**

Store away from excessive humidity to prevent damage to the product and to the packaging materials, which could lead to storage safety problems.

### **Incompatible material.**

Not relevant.

## **8. EXPOSURE CONTROL/PERSONAL PROTECTION.**

### **Technical measures.**

Use every appropriate means (suction, modification of manufacturing methods to reduce fibre dust) to try to reduce the concentration of fibres likely to cause irritation.

### **Test parameters.**

Test ambient atmosphere in which glass fibre is used regularly to determine levels of:

- “non respirable” and “respirable” filaments
- “non respirable” and “respirable” dust.

Legal requirements for respirable and non-respirable dusts and fibres vary from country (or do not even exist). The table below (prepared using the knowledge we currently possess) shows the limits applicable in different countries for Time-Weighted Average (TWA) exposure.

It is recommended to identify the chemical nature of the fibre found in working atmospheres correctly, in particular in insulation wools and mineral fibres like asbestos, which are sometimes present and can be confused with continuous glass strands.

Country	Dusts	TWA (Time-Weighted Average concentration) (mg/cu.m. for 8 hours work)	Fibres	TWA (Time-Weighted Average concentration) (fibres/ml for 8 hours work)
Austria	Fine	6	Total	0.5
Belgium	Total	10	No regulation	
Denmark	Respirable	5	Total	1
	Total	10		
Finland	Total	10	Total	1
France	Total	10	Respirable	1
Germany	Respirable	3	Respirable	0.25
Great Britain	Respirable	5	Respirable	2
	Total	10		
The Netherlands	Respirable	2	Total	1
	Total	10		
Ireland	Respirable	5	Respirable	2
Italy	Respirable	3	Total	1
	Total	10		
Norway	Respirable	5	Total	1
	Total	10		
Portugal	Total	4	Total	1
Spain	Total	10	Total	1
Sweden	Respirable	5	Total	1
	Total	10		
Switzerland	Total	6	Respirable	0.5
USA	Total	5	Total	1

### **Personal protection equipment.**

#### Respiratory protection

During occasional operations releasing high quantities of dust, wear minimum FP1 or preferably FP2 EEC approved dust masks. Type 3M 8710 or 3M 9900 respirators approved according to American National Institute For Occupational Safety and Health (NIOSH) directives can be used, for example.

#### Protection of hands and other exposed parts of the body.

Gloves for the hands, long sleeved garments and long leggings, to prevent irritation. People with delicate skin should apply barrier cream to exposed skin areas.

#### Eye protection.

Safety goggles (or masks) or safety glasses

### **9. PHYSICAL AND CHEMICAL PROPERTIES.**

Physical state:

Solid

Form:

E-glass Fibre Textiles in the form of twisted ropes, braided and knitted packings, woven and knitted tapes, fibre ropes and

cloths.

Colour:

White

Odour:

None

pH:

Not applicable

Cont..

Specific temperature at which changes in physical state occur:

Softening point:	Approximately 850°C
Melting point:	Approximately 1200°C
Decomposition temperature:	Only size products start to decompose at 200°C
Flash point:	None
Explosive properties:	None
Density (molten glass):	2.6g/cu.cm
Solubility:	Very low solubility in water. Sizes can be partially (and even totally) dissolved in most organic solvents.

## 10. STABILITY AND REACTIVITY.

### **Stability.**

Stable in normal use and storage conditions, and normally in foreseeable usage conditions.

### **Hazardous reactions.**

No chemical hazardous reaction is foreseeable.

### **Hazardous decomposition products.**

In continuous combustion conditions, in addition to water vapour and CO<sub>2</sub>, small quantities of CO and Nox may be released from the combustion of the size. Other products may be released in limited quantities, depending on combustion conditions. This is why it is recommended to use high-performance gas masks, when fighting intense fires.

## 11. TOXICOLOGICAL INFORMATION.

### **Acute toxicity.**

Not relevant.

### **Localized effects.**

Possible temporary irritations. This irritation is of purely mechanical and temporary nature. It disappears when exposure is ended. It can affect the skin, the eyes and the upper respiratory tracts.

In Europe, mechanical irritation is not considered to be a health hazard within the terms of European directives 67/548/EEC for hazardous products. This is confirmed by the fact that EC Directive 97/96/EC for mineral fibres does not stipulate the need to use an Xi (irritant) label nor a classification for continuous strand glass fibres (which in this Directive only apply to insulation glass wool's in some circumstances).

### **Sensitisation.**

Some allergies to continuous strand Glass fibres have been declared. All sizing mixtures are tested for their wet state sensitising properties when developed by the manufacturer and are only adopted if they have no or a very low sensitisation level. In case of the allergy is confirmed, remove the person from the scene of the exposure

### **Long term toxicity.** (Carcinogenic risks)

**Continuous strand glass fibres are not respirable** (i.e. do not penetrate the lung alveoli). This is because fibres are over 3µm in diameter. Even after handling, the length of the finest dusts is also well over 5µm and the length/diameter ratio is greater than 3:1. These are the values determined by the World Health Organisation (WHO) for the definition of respirable fibres.

Cont..

## **Regulatory Situation.**

None of the following official organisations have attributed any risks of Cancer during the production and use of continuous filament glass fibres.

During its congress in June 1987, the World Health Organisation (WHO), through the IARC (International Agency of Research on Cancer) examined all laboratory studies using animals and epidemiological studies carried out on glass yarns for textiles.

The conclusion was that **glass filaments are not classified as to their carcinogenicity**. They belong to the **Group 3 of IARC**. This conclusion was confirmed by the IARC Working Group in October 2001.

The International Labour Office (ILO) and the CSIP (Chemical Safety International Program) came to the same conclusions in a congress held in 1987.

European Commission Directive 97/69/EC dated 5/12/97, the 23<sup>rd</sup> amendment to Directive 67/548/EEC which concerns classification, packing and labelling of hazardous substances did not think it necessary to include glass fibres as have carcinogenic risks.

Most European Union member nations have transposed this Directive into their national law and adopted the same conclusions:

<b>Country</b>	<b>Reference of transposition documents of Directive 97/69/EC</b>
Austria	Chemikalienverordnung 1999
Belgium	French implementation by < Koninklijk Besluit> of 15/1/99 published on 24/2/99
Denmark	BEK N°11/1999.01.09 (Ministry of Environment)
Finland	Landskapforordning 23/04/98 and 24/02/98 and List of Hazardous Chemicals 16.12.98
France	Arêté ministerial du 28/08/98, Circulaire DRT 99/10 du 13/8/99
Germany	4 <sup>th</sup> adaptation of the German Gefahrstoffverordnung 1999
Great Britain	The chemicals (Hazard information and packaging for supply) (amendment) Regulations 1998.6/1/99
Greece	Not available
The Netherlands	Wijzigingsbesluit (Stb.217,2001)
Ireland	Statuary Instruments S.I. N°513 of 1998. European Communities (Classification, Packaging, Labelling and Notification of Dangerous Substances) Amendment N°2 Regulation 1998. Effect on December 22 <sup>nd</sup> 1998.
Italy	Decreto ministeriale del 01/09/98, Gazzetta Ufficiale-Serie generale-del 19/11/98 n271 pag. 16, decreto del 2 feb 2000, circolare n°4 del 15/03/99
Norway	Règlement Grand Ducal du 31/10/98
Portugal	Not available
Spain	Bulletin Oficial del Estada (11/09/98)
Sweden	KIFS 1998:7

OSHA (Occupational Safety and Health Administration) and NTP (U.S. National Toxicology Program), official American organisations, have not listed glass yarns for textiles as hazardous substances and the ACGIH (American Conference of Governmental Industrial Hygienists) has classified them as A4 (not classified as carcinogenic for Man).

No new studies have led the organisations to revise their position on this subject.

Most laws and studies concerning respirable fibres do not apply to continuous filaments glass yarns for textiles.

Cont..

For example,

- The concentration of respirable fibres in the atmosphere (1.5 fibres/cu.m) fixed by French circular 95/04 dated 12/01/1995 (in addition to that dated 19/07/1982) from the French Ministry of Work does not apply to glass yarns.
- Cancer risk index KI defined in German TRGS 905 does not apply to non-respirable continuous filament glass fibres.

### **Epidemiological and laboratory studies.**

No epidemiological and laboratory studies carried out up until now demonstrate in a scientifically significant way any risk of Cancer related to reinforcement fibres.

Several recent epidemiological studies (Chiazze 1997, Boffeta 1997) confirmed the absence of excessive mortality due to Cancer in people working in glass fibre manufacturing facilities vs. control populations.

### **12. ECOTOXICOLOGICAL INFORMATION.**

E-glass is not biodegradable.

Sizes or binders are organic materials slowly and only partial dissolved by natural agents like water. As the concentration of the ingredients in the mixture and ingredient solubility are low and as they have not been classified as hazardous, glass yarns are considered to have no adverse ecotoxicological effects.

Glass fibres and sizing products **were not listed as products** likely to destroy the **ozone layer** by the 1987 Montreal Protocol (Class 1 or Class 2). These list are included in EC Regulation n° 3093/94 and in section VI of amendments to the “Clean Air Act” by the American Environmental Agency (EPA).

Glass fibre sizes **do not contain PCB** (Polychlorinated biphenyl) or/and other polyaromatic products of the same type.

### **13. WASTE DISPOSAL.**

Depending on local regulations, glass fibre wastes can either be considered as inert waste or as common industrial waste. As such they can be buried in landfills approved for these categories.

Glass fibre waste cannot be destroyed by incineration and can damage incinerators by the formation of a vitrified mass.

Clean cardboard, wood, plastic (film or bags) and packaging can be eliminated in units specific to these products (i.e. for recycling or use as fuels).

### **14. TRANSPORT.**

International Regulations:

Glass yarns are not considered as hazardous goods by transport regulations. They are part of one of the 13 hazardous classes listed in international regulations.

They do not need special procedures under any regulations. For international transport in Europe by land (ADDR, RID, ADNR), sea (OMI) or air (OAC/IATA) or to the USA (DOT) or Canada (TDG), they are not shown as a risk category nor qualified by a UNO number or a packing group.

Cont..

### **15. REGULATORY INFORMATION**

Continuous filament glass yarns do not require hazardous product labelling (see chapter 11).

General hygiene and work safety regulations apply (see chapter 8).

Continuous filament glass yarns are preparations and for this reason are not listed as such in substance lists in several countries (EINECS in Europe, ELINCS, TSCA for the USA, DSL and NDSL for Canada, MITI for Japan, PICS for the Philippines, KECl for Korea and AICS for Australia). An attention label will be shown on Ceramic Fibre textile products.

## 16. OTHER INFORMATION.

### **Food environments.**

Appendix III of European Directive 90/128/CEE and its most recent amendment 96/11/EC dated 5/3/96 defines the compatibility of pure glass fibres with food environments as additives to plastics. However the fact that sizing products should be shown on the current list in European Commission approved products, the BGVV LII list in Germany or the Food and Drugs Administration lists (FDA) in the USA means that a case by case study must be made if a product is used to reinforce a plastic material in contact with food. Consult the Manufacturer for further information.

### **Contact with portable water.**

As differ from country to country, every question must be examined individually with the manufacturer.

### **Notice.**

The information presented herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, no warranty or representation, express or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorisation given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by the vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification and are not , in part or total, to be construed a constructing a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention with a license.