

dsPIC33CK512MP608 General Purpose Plug-In Module (PIM) Information Sheet

Overview

The dsPIC33CK512MP608 General Purpose Plug-In Module (EV09H41A) is designed to demonstrate the capabilities of the dsPIC33CK512MP608 family using the Explorer 16/32 Development Board. Refer to Table 1 and Table 2 for the mapping of the physical pins on the dsPIC33CK512MP608 to the 100 pins on the PIM connector.

Not all predefined PIM signals found on the Explorer 16/32 are connected due to the limited amount of I/O pins available.

Asia/Pacific

Australia - Sydney - 61-2-9866-6733
China - Beijing - 86-10-8569-7000
China - Chengdu - 86-28-8665-5511
China - Chongqing - 86-23-8980-9588
China - Dongguan - 86-769-8702-9880
China - Guangzhou - 86-20-8755-8029
China - Hangzhou - 86-571-8792-8115
China - Hong Kong SAR - 852-2943-5100
China - Nanjing - 86-25-8473-2460
China - Qingdao - 86-532-8502-7355
China - Shanghai - 86-21-3326-8000
China - Shenyang - 86-24-2334-2829
China - Shenzhen - 86-755-8864-2200
China - Suzhou - 86-186-6233-1526
China - Wuhan - 86-27-5980-5300
China - Xi'an - 86-29-8833-7252
China - Xiamen - 86-592-2388138
China - Zhuhai - 86-756-3210040
India - Bangalore - 91-80-3090-4444
India - New Delhi - 91-11-4160-8631
India - Pune - 91-20-4121-0141
Japan - Osaka - 81-6-6152-7160
Japan - Tokyo - 81-3-6880-3770
Korea - Daegu - 82-53-7444-4301
Korea - Seoul - 82-2-554-7200
Malaysia - Kuala Lumpur - 60-3-7651-7906
Malaysia - Penang - 60-4-227-8870
Philippines - Manila - 63-2-634-9065
Singapore - 65-6334-8870
Taiwan - Hsin Chu - 886-3-577-8366
Taiwan - Kaohsiung - 886-7-213-7830
Taiwan - Taipei - 886-2-2508-8600
Thailand - Bangkok - 66-2-694-1351
Vietnam - Ho Chi Minh - 84-28-5448-2100

Americas

Atlanta - 678-957-9614
Austin - 512-257-3370
Boston - 774-760-0087
Chicago - 630-285-0071
Dallas - 972-818-7423
Detroit - 248-848-4000
Houston - 281-894-5983
Indianapolis - 317-773-8323
Los Angeles - 949-462-9523
New York - 631-435-6000
Phoenix - 480-792-7200
Raleigh - 919-844-7510
San Jose - 408-735-9110
Toronto - 905-695-1980

Europe

Austria - Wels - 43-7242-2244-39
Denmark - Copenhagen - 45-4485-5910
Finland - Espoo - 358-9-4520-820
France - Paris - 33-1-69-53-63-20
Germany - Garching - 49-8931-9700
Germany - Garching - 49-8931-9700
Germany - Haan - 49-2129-3766400
Germany - Heilbronn - 49-7131-72400
Germany - Karlsruhe - 49-721-625370
Germany - Munich - 49-89-627-144-0
Germany - Rosenheim - 49-8031-354-560
Israel - Ra'anana - 972-9-744-7705
Italy - Milan - 39-0331-742611
Italy - Padova - 39-049-7625286
Netherlands - Drunen - 31-416-690399
Norway - Trondheim - 47-7288-4388
Poland - Warsaw - 48-22-3325737
Romania - Bucharest - 40-21-407-87-50
Spain - Madrid - 34-91-708-08-90
Sweden - Gothenberg - 46-31-704-60-40
Sweden - Stockholm - 46-8-5090-4654
UK - Wokingham - 44-118-921-5800

2/28/20



MICROCHIP

Microchip Technology Inc. • 2355 West Chandler Blvd. • Chandler, AZ 85224-6199
www.microchip.com

The Microchip name and logo, and the Microchip logo are registered trademarks of Microchip Technology Inc. in the U.S.A. and other countries. All other trademarks mentioned herein are property of their respective companies. © 2021, Microchip Technology Incorporated, Printed in the U.S.A. All Rights Reserved. 8/21

DS50003189A

Table 1: dsPIC33CK512MP608 PIM Mapping

PIM Pin #	Device Pin #	dsPIC33CK512MP608 I/Os	Function	Explorer 16/32 Net Name
1	—	—	USB Type-C™ VBUS	P1_VBUS
2	12, 25, 31, 51, 71	Vdd Pins Plus AVdd	Vdd	VDD_PIM
3	64	RE13	LCD D5	P3_LCDD5
4	77	RE14	LCD D6	P4_LCDD6
5	79	RE15	LCD D7	P5_LCDD7
6	16	OA1OUT/AN0/CMP1A/BIAS0/RA0	General Purpose I/O	P6
7	18	OA1IN/ANA1/RA1	General Purpose I/O	P7
8	43	PGD2/OA2IN+/AN8/RP35/RB3	General Purpose I/O	P8
9	45	PGC2/OA2IN+/RP36/RB4	General Purpose I/O	P9
10	29	OA3IN+/AN14/CMP2B/ISRC1/RP50/PMD13/PMA13/RC2	EEPROM (SCK) and mikroBUS™ A SCK	P10_SCKA
11	53	RP70/PMD14/RD6	EEPROM (MSDI) and mikroBUS A MISO	P11_MISOA
12	33	AN15/CMP2A/BIAS2/RP51/PMD11/PMA11/RC3	EEPROM (MSDO) and mikroBUS A MOSI	P12_MOSIA
13	9	MCLR	MCLR	P13_MCLR
14	69	RP67/ASCL3/RD3	mikroBUS A Chip Select	P14_CSA
15	11, 26, 32, 50, 70	Vss Pins Plus AVss	Vss + AVss	VSS
16	12, 25, 31, 51, 71	Vdd Pins Plus AVdd	Vdd	VDD_PIM
17	2	AN20/RE3	LED D3	P17_LED3
18	80	RP45/PWM2L/PMD4/RB13	mikroBUS B Interrupt	P18_INTB
19	30	AN17/AN11/BIAS1/RP54/PMD12/PMA12/RC6	mikroBUS B Reset	P19_RSTB
20	23	OA3OUT/AN4/CMP3B/BIAS3/RA4	10k Potentiometer	P20_POT
21	40	AN16/ISRC2/RP55/PMD8/PMA8/RC7	TC1047A Temp. Sensor	P21_TEMP
22	28	OA3IN-/AN13/CMP1B/ISRC0/RP49/PMA7/RC1	General Purpose I/O	P22
23	58	TD0/AN2/CMP3A/RP39/SDA3/RB7	mikroBUS B Chip Select	P23_CSB
24	41	OA2OUT/AN17/AN4/OA0/CMP1D/CMP2D/CMP3D/RP34/SCL3INT0/RB2	mikroBUS B Analog	P24_ANB
25	21	DACOUT1/AN3/CMP1C/RA3	mikroBUS A Analog or USB Overcurrent Sense	P25_ANA_USBOC
26	56	PGC3/RP38/SCL2/RB6	ICSP™ PGC	P26_PGC
27	55	PGD3/RP37/SDA2/PMA14/PMCS1/PSCS/RB5	ICSP PGD	P27_PGD
28	36	AN19/CMP2C/RP75/PMA0/PMALL/PSA0/RD11	General Purpose I/O	P28
29	44	RE9	General Purpose I/O	P29
30	12, 25, 31, 51, 71	Vdd Pins Plus AVdd	Vdd	VDD_PIM
31	11, 26, 32, 50, 70	Vss Pins Plus AVss	Vss	VSS
32	20	OA1IN+/AN9/PIA6/RA2	USB Type-C CC2 Sense Line	P32_CC2
33	15	AN12/AN10/RP48/RC0	USB Type-C CC1 Sense Line	P33_CC1
34	—	—	General Purpose I/O	P34
35	—	—	General Purpose I/O	P35
36	11, 26, 32, 50, 70	Vss Pins Plus AVss	Vss	VSS
37	12, 25, 31, 51, 71	Vdd Pins Plus AVdd	Vdd	VDD_PIM
38	4	AN21/RE1	LED D4	P38_LED4
39	75	TMS/RP42/PWM3H/IMPD1/RB10	General Purpose I/O	P39
40	76	TCK/RP43/PWM3L/PMD2/RB11	General Purpose I/O	P40
41	—	—	General Purpose I/O	P41
42	—	—	General Purpose I/O	P42
43	—	—	General Purpose I/O	P43
44	59	RE11	LCD RS	P44_LCDRS
45	11, 26, 32, 50, 70	Vss Pins Plus AVss	Vss	VSS
46	12, 25, 31, 51, 71	Vdd Pins Plus AVdd	Vdd	VDD_PIM
47	7	RP62/PWM6H/PIA4/RC14	General Purpose I/O	P47
48	8	RP63/PWM6L/PIA3/RC15	General Purpose I/O	P48
49	66	RP58/PWM7H/PIA7/PIA6/PIA5/PSD1/RC10	MCP2221A/mikroBUS B RX	P49_RXB

Table 1: dsPIC33CK512MP608 PIM Mapping (Continued)

PIM Pin #	Device Pin #	dsPIC33CK512MP608 I/Os	Function	Explorer 16/32 Net Name
50	67	RP59/PWM7L/RC11	MCP2221A/mikroBUS B TX	P50_TXB
51	73	RP65/PWM8H/RD1	mikroBUS™ A TX	P51_TXA
52	74	RP64/PWM4L/PMD0/RD0	mikroBUS A RX	P52_RXA
53	49	RP72/SDO2/PCI19/RD8	mikroBUS B MOSI	P53_MOSIB
54	47	RP57/ASCL1/SDI2/RC9	mikroBUS B MISO	P54_MISOB
55	46	RP56/ASDA11/SCK2/RC8	mikroBUS B SCKB	P55_SCKB
56	61	PGC1/AN11/RP41/SDA1/RB9	Shared I ² C SDA	P56_SDA
57	60	PGD1/AN10/RP40/SCL1/RB8	Shared I ² C SCL	P57_SCL
58	17	AN22/RE2	LED D5	P58_LED5
59	19	AN23/RE3	LED D6	P59_LED6
60	22	RE4	LED D7	P60_LED7
61	24	RE5	LED D8	P61_LED8
62	12, 25, 31, 51, 71	Vdd Pins Plus AVdd	Vdd	VDD_PIM
63	34	OSCI/CLKI/AN5/RP32/PMD10/PMA10/RB0	Primary Oscillator In	P63_OSCI
64	35	OSCO/CLKO/AN6/RP33/PMA11/PMALL/PSA1/RB1	Primary Oscillator Out	P64_OSOC
65	11, 26, 32, 50, 70	Vss Pins Plus AVss	Vss	VSS
66	78	TDI/JP44/PWM2H/PIA3/RB12	General Purpose I/O	P66
67	72	RP66/RD2	mikroBUS A Interrupt (digital)	P67_INTA
68	14	AN22/RP77/RD13	General Purpose I/O	P68
69	65	RP53/PWM6L/ASCL2/PWMR/PMENB/PSWR/RC5	General Purpose I/O	P69
70	13	RP78/PCI21/RD14	General Purpose I/O	P70
71	—	—	General Purpose I/O	P71
72	3	RP47/PWM1L/PMD6/RB15	mikroBUS A PWM	P72_PWMA
73	—	—	SOSC In	P73_SOSCI
74	—	—	SOSC Out	P74_SOSCO
75	11, 26, 32, 50, 70	Vss Pins Plus AVss	Vss	VSS
76	38	AN18/CMP3C/ISRC3/RP74/PMD9/PMA9/RD10	General Purpose I/O	P76
77	—	—	General Purpose I/O	P77
78	63	RP52/PWM5H/ASDA2/RC4	mikroBUS B PWM	P78_PWMB
79	42	RE8	EEPROM CS	P79_EECS
80	48	RP73/PCI20/RD9	Switch S4	P80_S4
81	57	RE10	LCD E	P81_LCDE
82	—	—	LCD RW	P82_LCDRW
83	1	RP46/PWM1H/PIA5/RB14	Switch S3	P83_S3
84	10	RP79/PCI22/PMA2/RD15	Switch S6	P84_S6
85	—	—	VCAP, 10 μF Capacitor	P85_VDDCORE
86	—	—	ENVREG	P86_ENVREG
87	5	RP60/PWM8H/PIA7/RC12	General Purpose I/O	P87
88	6	RP61/PWM8L/PIA5/RC13	General Purpose I/O	P88
89	52	RP71/PMD15/RD7	USB D- to Type-C/A	P89_USBDN
90	54	RP69/PMA15/PMCS2/RD5	USB D+ to Type-C/A	P90_USBDP
91	37	RE6	LED D9	P91_LED9
92	39	RE7	LED D10, Switch S5	P92_S5_LED10
93	—	—	LCD D0	P93_LCDD0
94	—	—	LCD D1	P94_LCDD1
95	68	RP68/ASDA3/RD4	mikroBUS A Reset Pin	P95_RSTA
96	27	RP76/RD12	Vbus Output Enable for USB Type-C™	P96_VBUSON
97	—	—	General Purpose I/O	P97
98	—	—	LCD D2	P98_LCDD2
99	—	—	LCD D3	P99_LCDD3
100	62	RE12	LCD D4	P100_LCDD4

Table 2: dsPIC33CK512MP608 PIC® MCU Mapping

Device Pin #	PIM Pin #	dsPIC33CK512MP608 I/Os	Function	Explorer 16/32 Net Name
1	83	RP46/PWM1H/PMID5/RB14	Switch S3	P83_S3
2	17	AN20/RE0	LED D3	P17_LED3
3	72	RP47/PWM1L/PMID6/RB15	mikroBUS™ A PWM	P72_PWMMA
4	38	AN21/RE1	LED D4	P38_LED4
5	87	RP60/PWM8B/PMID7/RC12	General Purpose I/O	P87
6	88	RP61/PWM8L/PMIA5/RC13	General Purpose I/O	P88
7	47	RP62/PWM6H/PMIA4/RC14	General Purpose I/O	P47
8	48	RP63/PWM6L/PMIA3/RC15	General Purpose I/O	P48
9	13	MCLR	MCLR	P13_MCLR
10	84	RP79/PC122/PMIA2/RD15	Switch S6	P84_S6
11	15, 31, 36, 45, 65, 75	Vss	Vss	VSS
12	2, 16, 30, 37, 46, 62	Vdd	Vdd	VDD_PIM
13	70	RP78/PC121/RD14	General Purpose I/O	P70
14	68	AN22/RP77/RD13	General Purpose I/O	P68
15	33	AN12/AN0/RP48/RC0	USB Type-C™ CC1 Sense Line	P33_CC1
16	6	OA1OUT/AN0/CMP1A/BIAS0/RA0	General Purpose I/O	P6
17	58	AN22/RE2	LED D5	P58_LED5
18	7	OA1IN/ANA1/RA1	General Purpose I/O	P7
19	59	AN23/RE3	LED D6	P59_LED6
20	32	OA1IN+/AN8/PMIA8/RA2	USB Type-C CC2 Sense Line	P32_CC2
21	25	DACOUT+/AN3/CMP1C/RA3	mikroBUS A Analog or USB Overcurrent Sense	P25_ANA_USBOC
22	60	RE4	LED D7	P60_LED7
23	20	OA3OUT/AN4/CMP3B/BIAS3/RA4	10k Potentiometer	P20_POT
24	61	RE5	LED D8	P61_LED8
25	2, 16, 30, 37, 46, 62	A/vdd	A/vdd	VDD_PIM
26	15, 31, 36, 45, 65, 75	Avss	Avss	VSS
27	96	RP76/RD12	Vbus Output Enable for USB Type-C	P96_VBUSON
28	22	OA3IN-/AN13/CMP1B/ISR00/CP49/PMIA7/RC1	General Purpose I/O	P22
29	10	OA3IN+/AN14/CMP2B/ISR1/CP50/PMID13/PMIA13/RC2	EEPROM (SCK) and mikroBUS A SCK	P10_SCKA
30	19	AN17/AN11/BIAS1/IRP54/PMID12/PMIA12/RC6	mikroBUS B Reset	P19_RSTB
31	2, 16, 30, 37, 46, 62	Vdd	Vdd	VDD_PIM
32	15, 31, 36, 45, 65, 75	Vss	Vss	VSS
33	12	AN15/CMP2A/BIAS2/IRP51/PMID11/PMIA11/RC3	EEPROM (MSDO) and mikroBUS A MOSI	P12_MOSIA
34	63	OSCI/CLKI/AN5/IRP32/PMID10/PMIA10/RB0	Primary Oscillator In	P63_OSCI
35	64	OSCO/CLKO/AN6/IRP33/PMIA11/PMALH/IRPSA1/RB1	Primary Oscillator Out	P64_OSOCO
36	28	AN19/CMP2C/IRP75/PMIA0/PMALL/PSA0/RD11	General Purpose I/O	P28
37	91	RE6	LED D9	P91_LED9
38	76	AN18/CMP3C/ISR3/CP74/PMID9/PMIA9/RD10	General Purpose I/O	P76
39	92	RE7	LED D10, Switch S5	P92_SS_LED10
40	21	AN16/ISR22/IRP55/PMID8/PMIA8/RC7	TC1047A Temp. Sensor	P21_TEMP
41	24	OA2OUT/AN1/AN7/ANA0/CMP1D/CPMP2D/CPMP3D/IRP34/SCL3/INT0/RB2	mikroBUS B Analog	P24_ANB
42	79	RE8	EEPROM CS	P79_EECS
43	8	PGD2/OA2IN-/AN8/IRP35/RB3	General Purpose I/O	P8
44	29	RE9	General Purpose I/O	P29
45	9	PGC2/OA2IN+/RP36/RB4	General Purpose I/O	P9
46	55	RP56/ASDA1/SCK2/RC8	mikroBUS B SCKB	P55_SCKB
47	54	RP57/ASCL1/SDI2/RC9	mikroBUS B MISO	P54_MISOB
48	80	RP73/PC120/RD9	Switch S4	P80_S4

Table 2: dsPIC33CK512MP608 PIC® MCU Mapping (Continued)

Device Pin #	PIM Pin #	dsPIC33CK512MP608 I/Os	Function	Explorer 16/32 Net Name
49	53	RP72/SDO2/PC119/RD8	mikroBUS B MOSI	P53_MOSIB
50	15, 31, 36, 45, 65, 75	Vss	Vss	VSS
51	2, 16, 30, 37, 46, 62	Vdd	Vdd	VDD_PIM
52	89	RP71/PMID15/RD7	USB D- to Type-C/A	P89_USBDN
53	11	RP70/PMID14/RD6	EEPROM (MSDI) and mikroBUS A MISO	P11_MISOA
54	90	RP69/PMIA15/PMCS2/RD5	USB D+ to Type-C/A	P90_USBDP
55	27	PGD3/IRP37/SDA2/PMIA14/PMCS1/IRPSCS/RB5	ICSP™ PGD	P27_PGD
56	26	PGC3/IRP38/SCL2/RB6	ICSP PGC	P26_PGC
57	81	RE10	LCD E	P81_LCDE
58	23	TD0/AN2/CMP3A/IRP39/SDA3/RB7	mikroBUS B Chip Select	P23_CSB
59	44	RE11	LCD RS	P44_LCDRS
60	57	PGD1/AN10/IRP40/SCL1/RB8	Shared I ² C SCL	P57_SCL
61	56	PGC1/AN11/IRP41/SDA1/IRB9	Shared I ² C SDA	P56_SDA
62	100	RE12	LCD D4	P100_LCDD4
63	78	RP52/PMW5H/ASDA2/RC4	mikroBUS B PWM	P78_PWMIB
64	3	RE13	LCD D5	P3_LCDD5
65	69	RP53/PMW5L/ASCL2/PMWR/PMENB/IRPSWR/RC5	General Purpose I/O	P69
66	49	RP58/PMW7H/PMRD/PMWR/IRPSRD/RC10	MCP2221A and mikroBUS B RX	P49_RXB
67	50	RP59/PMW7/RC11	MCP2221A and mikroBUS B TX	P50_TXB
68	95	RP68/ASDA3/RD4	mikroBUS A Reset Pin	P95_RSTA
69	14	RP67/ASCL3/RD3	mikroBUS A Chip Select	P14_CSA
70	15, 31, 36, 45, 65, 75	Vss	Vss	VSS
71	2, 16, 30, 37, 46, 62	Vdd	Vdd	VDD_PIM
72	67	RP66/RD2	mikroBUS A Interrupt (digital)	P67_INTA
73	51	RP65/PMW4H/RD1	mikroBUS A TX	P51_TXA
74	52	RP64/PMW4L/PMID0/RD0	mikroBUS A RX	P52_RXA
75	39	TMS/IRP42/PMW3H/PMID1/RB10	General Purpose I/O	P39
76	40	TCK/IRP43/PMW3L/PMID2/RB11	General Purpose I/O	P40
77	4	RE14	LCD D6	P4_LCDD6
78	66	TDI/IRP44/PMW2H/PMID3/RB12	General Purpose I/O	P66
79	5	RE15	LCD D7	P5_LCDD7
80	18	RP45/PMW2L/PMID4/RB13	mikroBUS B Interrupt	P18_INTB
—	1	—	USB Type-C Vbus	P1_VBUS
—	34	—	General Purpose I/O	P34
—	35	—	General Purpose I/O	P35
—	41	—	General Purpose I/O	P41
—	42	—	General Purpose I/O	P42
—	43	—	General Purpose I/O	P43
—	71	—	General Purpose I/O	P71
—	73	—	SOSC In	P73_SOSCI
—	74	—	SOSC Out	P74_SOSCO
—	77	—	General Purpose I/O	P77
—	82	—	LCD RW	P82_LCDRW
—	85	—	V _{CAP} , 10 µF Capacitor	P85_VDDCORE
—	86	—	ENVREG	P86_ENVREG
—	93	—	LCD D0	P93_LCDD0
—	94	—	LCD D1	P94_LCDD1
—	97	—	General Purpose I/O	P97
—	98	—	LCD D2	P98_LCDD2
—	99	—	LCD D3	P99_LCDD3

dsPIC33CK512MP608 General Purpose Plug-In Module (PIM) Information Sheet

Schematic Revision 2.0

dsPIC33CK512MP608-I/PT TQFP-80

