

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate ≥ 98%, pure

article number: **0325**
Version: **1.0 en**

date of compilation: 2017-07-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Magnesiumhexafluorosilicate hexahydrate
Article number	0325
Registration number (REACH)	This information is not available.
Index No	009-018-00-3
EC number	241-022-2
CAS number	18972-56-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
3.10	acute toxicity (oral)	(Acute Tox. 3)	H301
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 3)	H412

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: 0325

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms



Hazard statements

H301	Toxic if swallowed
H318	Causes serious eye damage
H412	Harmful to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection.

Precautionary statements - response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H301	Toxic if swallowed.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3 Other hazards

There is no additional information.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: 0325

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Magnesiumhexafluorosilicate hexahydrate
Index No	009-018-00-3
EC number	241-022-2
CAS number	18972-56-0
Molecular formula	$\text{MgSiF}_6 \cdot 6 \text{H}_2\text{O}$
Molar mass	274,5 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Gastrointestinal complaints, Nausea, Vomiting, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate \geq 98%, pure

article number: **0325**

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

in case of fire and/or explosion do not breathe fumes

5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8.
Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: **0325**

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation. Handle and open container with care. Clear contaminated areas thoroughly.

• Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Store locked up.

• Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	Notation	Identifier	TWA [mg/m ³]	STEL [mg/m ³]	Source
GB	dust	i	WEL	10		EH40/2005
GB	dust	r	WEL	4		EH40/2005

Notation

i Inhalable fraction

r Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

8.2 Exposure controls

Individual protection measures (personal protective equipment)



Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: 0325

Eye/face protection

Use safety goggles with side protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid (crystalline)
Colour	whitish
Odour	odourless
Odour threshold	No data available

Other physical and chemical parameters

pH (value)	This information is not available.
Melting point/freezing point	120 °C (slow decomposition)
Initial boiling point and boiling range	This information is not available.
Flash point	not applicable
Evaporation rate	no data available
Flammability (solid, gas)	This information is not available
<u>Explosive limits</u>	
• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	these information are not available
Vapour pressure	This information is not available.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: **0325**

Density	1,79 g/cm ³ at 20 °C
Vapour density	This information is not available.
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	~ 600 g/l at 20 °C
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	Information on this property is not available.
Decomposition temperature	>120 °C
Viscosity	not relevant (solid matter)
Explosive properties	Shall not be classified as explosive
Oxidising properties	none

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali hydroxide (caustic alkali), Acids

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >120 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate ≥ 98%, pure

article number: **0325**

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Exposure route	Endpoint	Value	Species	Source
oral	LD50	200 mg/kg	guinea pig	TOXNET

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

- **Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

- **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

gastrointestinal complaints, nausea, vomiting

- **If in eyes**

Causes serious eye damage, risk of blindness

- **If inhaled**

data are not available

- **If on skin**

Frequently or prolonged contact with skin may cause dermal irritation

Other information

Substance not yet fully tested

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: 0325

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Exposure time
LC50	100 mg/l	fish	96 h

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

Safety data sheet


according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: 0325

SECTION 14: Transport information

14.1	UN number	2853
14.2	UN proper shipping name Hazardous ingredients	MAGNESIUM FLUOROSILICATE Magnesiumhexafluorosilicate hexahydrate
14.3	Transport hazard class(es) Class	6.1 (toxic substances)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulations • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)	
	UN number	2853
	Proper shipping name	MAGNESIUM FLUOROSILICATE
	Particulars in the transport document	UN2853, MAGNESIUM FLUOROSILICATE, 6.1, III, (E)
	Class	6.1
	Classification code	T5
	Packing group	III
	Danger label(s)	6.1
		
	Special provisions (SP)	802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 kg
	Transport category (TC)	2
	Tunnel restriction code (TRC)	E
	Hazard identification No	60
	Emergency Action Code	2Z

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: 0325

• International Maritime Dangerous Goods Code (IMDG)

UN number	2853
Proper shipping name	MAGNESIUM FLUOROSILICATE
Particulars in the shipper's declaration	UN2853, MAGNESIUM FLUOROSILICATE, 6.1, III
Class	6.1
Packing group	III
Danger label(s)	6.1



Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-A
Stowage category	A

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	2853
Proper shipping name	Magnesium fluorosilicate
Particulars in the shipper's declaration	UN2853, Magnesium fluorosilicate, 6.1, III
Class	6.1
Packing group	III
Danger label(s)	6.1



Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)
Not listed.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: 0325

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

Not listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

Not listed.

- **Restrictions according to REACH, Annex XVII**

Name of substance	CAS No	Wt%	Type of registration	No
Magnesiumhexafluorosilicate hexahydrate		100	1907/2006/EC annex XVII	3

- **List of substances subject to authorisation (REACH, Annex XIV)**

not listed

- **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

Notation

41) - Category 2, all exposure routes
- category 3, inhalation exposure route

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: 0325

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Magnesiumhexafluorosilicate hexahydrate $\geq 98\%$, pure

article number: **0325**

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H301	toxic if swallowed
H318	causes serious eye damage
H412	harmful to aquatic life with long lasting effects

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.