

Process/Product Change Notification **Ta Polymer SMD Black Epoxy Conversion**


Date: 05082013	ID Number (DDMMYY): PCN05082013-CMC	
Affected Products	KEMET Ta Surface Mount (SMD) Polymer Series, included in table 1, produced in Suzhou:	
	Ta Polymer SMD Series	
	T520 Polymer Tantalum	
	T521 High Voltage Polymer Tantalum	
	T522 Reduced Leakage Polymer Tantalum	
	T525 125°C Rated Polymer Tantalum	
	T528 Low ESL/Facedown Terminal Polymer Tantalum	
	T530 High Capacitance/125°C Rated Polymer Tantalum	
	Table I. Affected Polymer SMD Series with Black Epoxy Conversion	
Change	KEMET Suzhou Plant has evaluated and qualified the new black epoxy material setting and will start the conversion from yellow to black.	
Justification and Benefits	KEMET Suzhou Plant has evaluated and qualified the new black epoxy material setting and will start the conversion from yellow to black. This conversion allows KEMET to be consistent and standardize with industry and minimize the future risk of potential raw material cost escalation/availability related to usage of yellow epoxy in specialized industries.	
Effective Date	2014. Both yellow and black epoxy material will be shipped until all finished goods inventory of yellow material is depleted. No changes in the part number will be implemented	
and		
Identification	The Implementation Project steps are enclosed in this PCN.	
	The Qualification Pack Data is available upon request. Samples are available under request.	
Contact	Cristina Mota Caetano	
	Ta BG Technical Product Marketing Director	
	KEMET Electronics Corp (www.kemet.com)	
	ph: +351 96 330 84 59	
	E-Mail: <u>cristinacaetano@kemet.com</u>	

KEMET Proprietary Information

Entire Contents not to be shared without express written consent of KEMET Electronics Corporation.







* 331 = 31th week of 2013

Page 2 of 3 P.O. Box 5928, Greenville, South Carolina 29606 U.S.A. Tel: 864.963.6300 Fax: 864.963.6521



Implementation Project Plan

Ta Polymer SMD Series	Conversion Plan DATE CODE
T520 Polymer Tantalum B, V, D, W	Conversion yellow to black DC 406 (1 st week February 2014)
T520 Polymer Tantalum Others	Conversion yellow to black DC 408
T521 High Voltage Polymer Tantalum	Conversion yellow to black DC 406 (1 st week February 2014)
T522 Reduced Leakage Polymer Tantalum	Conversion yellow to black DC 410
T525 125°C Rated Polymer Tantalum	Conversion yellow to black DC 411
T528 Low ESL/Facedown Terminal Polymer Tantalum	Conversion yellow to black DC 412
T530 High Capacitance/125°C Rated Polymer Tantalum	Conversion yellow to black DC 413

All impacted series are converted to black epoxy until 31st March 2014.

