

PRODUCT-DETAILS

# S25/M25/B

## M25 SWIVEL FITTING FOR S25



### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | S25/M25/B  |
| Product ID            | 7TCA296010R0102  |
| EAN                   | 5020963000614  |
| Catalog Description   | M25 SWIVEL FITTING FOR S25   |
| Long Description      | Nickel Plated Brass Straight Fitting with Swivel External Threads, Nominal Conduit Size 25 Millimeters, Metric Thread Size M25 |

### Ordering

|                       |               |
|-----------------------|---------------|
| EAN                   | 5020963000614 |
| Customs Tariff Number | 7412200000    |

### Dimensions

|                    |                     |
|--------------------|---------------------|
| Product Net Weight | .157 lb<br>71.202 g |
|--------------------|---------------------|

### Container Information

|                       |                 |
|-----------------------|-----------------|
| Package Level 1 Units | 10 piece        |
| Package Level 2 Units | 150 piece       |
| Package Level 2 Width | 14 in<br>356 mm |

|                                |                 |
|--------------------------------|-----------------|
| Package Level 2 Height         | 14 in<br>356 mm |
| Package Level 2 Depth / Length | 6 in<br>152 mm  |

---

### Additional Information

|                      |  |
|----------------------|--|
| Application          | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Brand / Label        | Adaptaflex   |
| Cable Entry Position | M25 Thread   |
| Color                | Metallic   |
| Material             | Brass  |
| Number of Batteries  | 0  |
| Product Name         | brass fitting for conduit  |
| Product Type         | Conduit Fitting with Metric Threads                                |
| Size                 | 3/4 Inch   |
| Surface Finishing    | Nickel Plated  |
| UPC                  | 786210251448   |

---

### Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | S25/M25/B       |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| Instructions and Manuals          | S25/M25/B       |

---

### Classifications

|                                    |  |
|------------------------------------|--|
| ETIM 6                             | EC001180 - Screw connection for protective metallic hose |
| ETIM 7                             | EC001180 - Screw connection for protective metallic hose |
| UNSPSC                             | 39121311   |
| WEEE Category                      | Product Not in WEEE Scope                                |
| IDEA Granular Category Code (IGCC) | 4441 >> Electrical fittings                              |

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

