

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



Product / Process Change Notification (PCN)

- Major change
 Minor change

PCN #: PCN_FeSTAR-RING_20200501

Affected Series: WE-STAR-RING;
742715x; 742715xS

PCN Date: January 31, 2020

Effective Date: May 01, 2020

Change Category:

- Equipment / Location
 General Data
 Material
 Process
 Product Design
 Shipping / Packaging
 Supplier
 Software

Contact: Product Management

Phone: +49 (0) 7942 - 945 5001

Fax: +49 (0) 7942 - 945 5179

E-Mail: pcn.eisos@we-online.com

Data Sheet Change:

Yes No

Attachment:

Yes No

DESCRIPTION AND PURPOSE OF CHANGE:

As a datasheet information amendment and correction, Würth Elektronik will change the tolerance type from "typ." to "±" tolerances and the General Tolerances Standard for not specified Dimensions.

Additional one dimension in the datasheet of part numbers 7427151 and 7427151S will be corrected.

This is a Datasheet correction and amendment only. There will be no change in form, fit, function, quality or reliability of the product.

DETAIL OF CHANGE:

- 1. Change:** Tolerance type from "typ." to "±"
Validity: 742715x; 742715xS

BEFORE CHANGE	AFTER CHANGE

- 2. Change:** General Tolerance Standard from DIN ISO 2768-1m to DIN ISO 2768-1c
Validity: 742715x; 742715xS

BEFORE CHANGE	AFTER CHANGE																
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">CREATED KaS</td> <td style="width: 20%;">CHECKED NFI</td> <td style="width: 40%; border: 2px solid red;">GENERAL TOLERANCE DIN ISO 2768-1m</td> <td style="width: 20%;">PROJECTION METHOD</td> </tr> <tr> <td colspan="2">DESCRIPTION WE-STAR-RING Snap Ferrite with safety key technology</td> <td colspan="2">ORDER CODE 7427153</td> </tr> </table>	CREATED KaS	CHECKED NFI	GENERAL TOLERANCE DIN ISO 2768-1m	PROJECTION METHOD	DESCRIPTION WE-STAR-RING Snap Ferrite with safety key technology		ORDER CODE 7427153		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">CREATED KaS</td> <td style="width: 20%;">CHECKED NFI</td> <td style="width: 40%; border: 2px solid green;">GENERAL TOLERANCE DIN ISO 2768-1C</td> <td style="width: 20%;">PROJECTION METHOD</td> </tr> <tr> <td colspan="2">DESCRIPTION WE-STAR-RING Snap Ferrite with safety key technology</td> <td colspan="2">ORDER CODE 7427153</td> </tr> </table>	CREATED KaS	CHECKED NFI	GENERAL TOLERANCE DIN ISO 2768-1C	PROJECTION METHOD	DESCRIPTION WE-STAR-RING Snap Ferrite with safety key technology		ORDER CODE 7427153	
CREATED KaS	CHECKED NFI	GENERAL TOLERANCE DIN ISO 2768-1m	PROJECTION METHOD														
DESCRIPTION WE-STAR-RING Snap Ferrite with safety key technology		ORDER CODE 7427153															
CREATED KaS	CHECKED NFI	GENERAL TOLERANCE DIN ISO 2768-1C	PROJECTION METHOD														
DESCRIPTION WE-STAR-RING Snap Ferrite with safety key technology		ORDER CODE 7427153															

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49(0)79 42 945-0 · Fax +49(0)79 42 945-400

eiSos@we-online.de · www.we-online.de



- 3. Change:** Correcting the Dimension of Height from "30,0 mm" to "29,0 mm"
Validity: only for 7427151; 7427151S

BEFORE CHANGE	AFTER CHANGE

RELIABILITY / QUALIFICATION SUMMARY:

There will be no change of the product, therefore no additional reliability or qualification testing will be performed.