


Data sheet | Item number: 221-2525 **NEW**

Mounting carrier; 5-way; for inline splicing connector with lever; for screw mounting; gray




[www.wago.com/221-2525](http://www.wago.com/221-2525)



Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

|                         |                      |
|-------------------------|----------------------|
| Width                   | 47.8 mm / 1.882 inch |
| Height from the surface | 6.5 mm / 0.256 inch  |
| Depth                   | 56 mm / 2.205 inch   |

### Material data

|        |       |
|--------|-------|
| Color  | gray  |
| Weight | 7.2 g |

### Commercial data

|                       |               |
|-----------------------|---------------|
| Packaging type        | BOX           |
| Country of origin     | CN            |
| GTIN                  | 4055144066586 |
| Customs tariff number | 39269097900   |

## Compatible products

### assembling

Item no.: 209-119

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



|  |   |  |
|--|---|--|
|  | Fixing screw; for 209-120 mounting carrier  | <a href="http://www.wago.com/209-119">www.wago.com/209-119</a> |
| <hr/>                                  | <b>Item no.: 209-120</b>  |  |
|  | Mounting foot; can be snapped on terminal blocks with snap-in mounting foot; for mounting on relay-modules; 6.4 mm wide; gray     | <a href="http://www.wago.com/209-120">www.wago.com/209-120</a> |
| <hr/>                                  | <b>Item no.: 209-123</b>  |  |
|  | Mounting foot with screw; can be screwed on terminal blocks with fixing flange; 6.4 mm wide; gray                                 | <a href="http://www.wago.com/209-123">www.wago.com/209-123</a> |
| <hr/> <b>Marking accessories</b> <hr/> |   |  |
|  | <b>Item no.: 210-334</b><br>Marking strips; as a DIN A4 sheet; Strip width 5 mm; Strip length 182 mm; plain; Self-adhesive; white | <a href="http://www.wago.com/210-334">www.wago.com/210-334</a> |

## Downloads

### Documentation

#### Additional Information

|                        |            |               |          |
|------------------------|------------|---------------|----------|
| Technical explanations | 3 Apr 2019 | pdf<br>2.2 MB | Download |
|------------------------|------------|---------------|----------|

## Environmental Product Compliance

### Compliance Search

|   |     |          |
|---|-----|----------|
| Environmental Product Compliance 221-2525<br>Mounting carrier; 5-way; for inline splicing connector with lever; for screw mounting;<br>gray | URL | Download |
|---|-----|----------|

## Installation Notes

Subject to changes. Please also observe the further product documentation!