

NH-FUSE-LINK SIZE 000 40A GG 690V WITH DUAL INDICATOR INSULATED GRIP-LUGS

Model		
product brand name		SETRON
Product designation		LV HRC fuse link
Design of an identification indicator		Combination alarms
Design of the switching contact		Non-corroding, silver-plated
Design of the fuse link		LV HRC fuse link
General technical data		
Size of fuse system / acc. to DIN EN 60269-1		NH000
Operating class of the fuse link		gG
circuit-breaker / Design		3NA6
Mounting type		Insulated grip lugs
Protection class		
Protection class IP		IP20, with connected conductors
Switching capacity		
<b>Switching capacity current</b>		
<ul style="list-style-type: none"> <li>for DC / acc. to IEC 60947-2 / Rated value</li> </ul>	kA	25
<ul style="list-style-type: none"> <li>acc. to IEC 60947-2 / Rated value</li> </ul>	kA	120
Dissipation		
<b>Active power loss</b>		
<ul style="list-style-type: none"> <li>for rated value of the current / with AC / in hot operating state / per pole</li> </ul>	W	3.6
Electricity		
rated current $I_n$ / IEC, DIN/VDE / at 40 Cel	A	38
Current / with AC / Rated value	A	40
Mechanical Design		
mounting position		Any, preferably vertical
Environmental conditions		
<b>Ambient temperature</b>		
<ul style="list-style-type: none"> <li>minimum</li> </ul>	°C	-5
<ul style="list-style-type: none"> <li>maximum</li> </ul>	°C	40
<ul style="list-style-type: none"> <li>during storage / Note</li> </ul>		Air humidity 90% at 20 °C
Certificates		
Equipment marking		

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

F

F

General Product Approval

other



[other](#)

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3NA68176KJ>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3NA68176KJ/all>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NA68176KJ](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NA68176KJ)

### CAX-Online-Generator

<http://www.siemens.com/cax>

### Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>

last modified:

11.03.2015