



Suma Multi D2

Revision: 2018-10-14

Version: 07.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Multi D2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P303 - Kitchen cleaner. Manual process

AISE-P304 - Kitchen cleaner. Spray and wipe manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssebroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone)

Hazard statements:

H319 - Causes serious eye irritation.

EUH208 - May produce an allergic reaction.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|-------------------------------|-----------|------------|--------------|--|-------|----------------|
| alkyl alcohol ethoxylate | Polymer* | 69011-36-5 | [4] | Acute Tox. 4 (H302) Eye Dam. 1 (H318) | | 3-10 |
| isotridecanol, ethoxylated | Polymer* | 69011-36-5 | [4] | Acute Tox. 4 (H302) Eye Dam. 1 (H318) | | 1-3 |
| sodium alkylbenzenesulphonate | 290-656-6 | 90194-45-9 | [1] | Acute Tox. 4 (H302) | | 1-3 |

Suma Multi D2

| | | | | | |
|------------------------------|-----------|-----------|-------------------|--|----------|
| | | | | Skin Irrit. 2 (H315) Eye Dam. 1 (H318) | |
| 1,2-benzisothiazol-3(2H)-one | 220-120-9 | 2634-33-5 | No data available | Acute Tox. 2 (H330) Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) | 0.01-0.1 |

* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| | |
|--|--|
| Inhalation: | Get medical attention or advice if you feel unwell. |
| Skin contact: | Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention. |
| Eye contact: | Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention. |
| Ingestion: | Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell. |
| Self-protection of first aider: | Consider personal protective equipment as indicated in subsection 8.2. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|----------------------|---|
| Inhalation: | No known effects or symptoms in normal use. |
| Skin contact: | No known effects or symptoms in normal use. |
| Eye contact: | Causes severe irritation. |
| Ingestion: | No known effects or symptoms in normal use. |

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Suma Multi D2

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Use personal protective equipment as required. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| isotridecanol, ethoxylated | [-] | [-] | [-] | [-] |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

DNEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|-------------------------------|----------------------------|--|---------------------------|---|
| alkyl alcohol ethoxylate | - | - | - | - |
| isotridecanol, ethoxylated | - | [-] | - | [-] |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

DNEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|-------------------------------|----------------------------|--|---------------------------|---|
| alkyl alcohol ethoxylate | - | - | - | - |
| isotridecanol, ethoxylated | - | [-] | - | [-] |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

DNEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyl alcohol ethoxylate | - | - | - | No data available |
| isotridecanol, ethoxylated | - | - | - | - |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

DNEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyl alcohol ethoxylate | No data available | No data available | - | - |
| isotridecanol, ethoxylated | - | - | - | - |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--------------------------|-----------------------------|------------------------------|---------------------|-------------------------------|
| alkyl alcohol ethoxylate | - | - | - | - |

Suma Multi D2

| | | | | |
|-------------------------------|-------------------|-------------------|-------------------|-------------------|
| isotridecanol, ethoxylated | - | - | - | - |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m ³) |
|-------------------------------|------------------------------|--------------------------|-------------------|--------------------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| isotridecanol, ethoxylated | - | - | - | - |
| sodium alkylbenzenesulphonate | No data available | No data available | No data available | No data available |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).
Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 3

Appropriate engineering controls: Provide a good standard of general ventilation.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).
Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

| | Method / remark |
|---|--|
| Physical State: Liquid | |
| Colour: Clear, Blue | |
| Odour: Slightly perfumed | |
| Odour threshold: Not applicable | |
| pH: ≈ 11 (neat) | |
| Melting point/freezing point (°C): Not determined | Not relevant to classification of this product |
| Initial boiling point and boiling range (°C): Not determined | |

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|-------------------------------|-------------------|------------------|----------------------------|
| alkyl alcohol ethoxylate | > 200 | Method not given | |
| isotridecanol, ethoxylated | No data available | | |
| sodium alkylbenzenesulphonate | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |

Method / remark

Suma Multi D2

Flammability (liquid): Not flammable.

Flash point (°C): ≈ 93.4

closed cup

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined

Flammability (solid, gas): Not applicable to liquids

Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

| Ingredient(s) | Lower limit (% vol) | Upper limit (% vol) |
|----------------------------|---------------------|---------------------|
| isotridecanol, ethoxylated | [-] | [-] |

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|-------------------------------|-------------------|------------------|------------------|
| alkyl alcohol ethoxylate | Negligible | Method not given | 20-25 |
| isotridecanol, ethoxylated | < 10 | | 20 |
| sodium alkylbenzenesulphonate | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |

Method / remark

Vapour density: Not determined

Relative density: ≈ 1.02 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|-------------------------------|-------------------|------------------|------------------|
| alkyl alcohol ethoxylate | Soluble | Method not given | 20 |
| isotridecanol, ethoxylated | Soluble | Method not given | 20 |
| sodium alkylbenzenesulphonate | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

Viscosity: ≈ 80 mPa.s (20 °C)

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined

Not relevant to classification of this product

Corrosion to metals: Not corrosive

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 4500

Eye irritation and corrosivity

Result: Eye irritant 2

Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|-------------------------------|------------------|-------------------|---------|------------------------|-------------------|
| alkyl alcohol ethoxylate | LD ₅₀ | > 300 - 2000 | Rat | OECD 423 (EU B.1 tris) | |
| isotridecanol, ethoxylated | LD ₅₀ | > 300-2000 | Rat | Weight of evidence | |
| sodium alkylbenzenesulphonate | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | LD ₅₀ | > 2000 | Rat | | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|-------------------------------|------------------|-------------------|---------|--------------------|-------------------|
| alkyl alcohol ethoxylate | LD ₅₀ | > 2000 | Rabbit | Method not given | |
| isotridecanol, ethoxylated | LD ₅₀ | > 2000 | Rabbit | Weight of evidence | |
| sodium alkylbenzenesulphonate | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | LD ₅₀ | > 2000 | Rat | OECD 402 (EU B.3) | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------------|----------|-------------------|---------|--------|-------------------|
| alkyl alcohol ethoxylate | | No data available | | | |
| isotridecanol, ethoxylated | | No data available | | | |
| sodium alkylbenzenesulphonate | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | |

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------|-------------------|---------|-------------------|---------------|
| alkyl alcohol ethoxylate | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| isotridecanol, ethoxylated | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| sodium alkylbenzenesulphonate | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | Corrosive | | | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------|-------------------|---------|-------------------|---------------|
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Method not given | |
| isotridecanol, ethoxylated | Severe damage | Rabbit | OECD 405 (EU B.5) | |
| sodium alkylbenzenesulphonate | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | No data available | | | |
| isotridecanol, ethoxylated | No data available | | | |
| sodium alkylbenzenesulphonate | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|-------------------------------|-------------------|------------|------------------|-------------------|
| alkyl alcohol ethoxylate | Not sensitising | Guinea pig | Method not given | |
| isotridecanol, ethoxylated | Not sensitising | Guinea pig | Method not given | |
| sodium alkylbenzenesulphonate | No data available | | | |

Suma Multi D2

| | | | |
|------------------------------|-------------|------------|--|
| 1,2-benzisothiazol-3(2H)-one | Sensitising | Guinea pig | |
|------------------------------|-------------|------------|--|

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | No data available | | | |
| isotridecanol, ethoxylated | No data available | | | |
| sodium alkylbenzenesulphonate | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|-------------------------------|---|-------------------------------------|---|-------------------------------------|
| alkyl alcohol ethoxylate | No evidence of genotoxicity, negative test results | Method not given | No evidence of genotoxicity, negative test results | Method not given |
| isotridecanol, ethoxylated | No evidence for mutagenicity | Method not given Weight of evidence | No evidence for mutagenicity, negative test results | Method not given Weight of evidence |
| sodium alkylbenzenesulphonate | No data available | | No data available | |
| 1,2-benzisothiazol-3(2H)-one | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) | No data available | |

Carcinogenicity

| Ingredient(s) | Effect |
|-------------------------------|---|
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, weight-of-evidence |
| isotridecanol, ethoxylated | No evidence for carcinogenicity, weight-of-evidence |
| sodium alkylbenzenesulphonate | No data available |
| 1,2-benzisothiazol-3(2H)-one | No data available |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|-------------------------------|----------|---------------------|--------------------|---------|--------------------|---------------|--|
| alkyl alcohol ethoxylate | NOAEL | Teratogenic effects | > 50 | Rat | Not known | | No known significant effects or critical hazards |
| isotridecanol, ethoxylated | NOAEL | Maternal toxicity | > 250 | Rat | Weight of evidence | | Not toxic for reproduction |
| sodium alkylbenzenesulphonate | | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | | No data available | | | | |

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| isotridecanol, ethoxylated | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| isotridecanol, ethoxylated | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| isotridecanol, ethoxylated | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|-------------------------------|----------------|----------|--------------------|---------|--------------------|---------------|---|--------|
| alkyl alcohol ethoxylate | Oral | NOAEL | 50 | Rat | Method not given | 24 month(s) | Effects on organ weights | |
| isotridecanol, ethoxylated | Oral | NOAEL | 50 | Rat | Weight of evidence | 24 month(s) | Effects on body weight and food/water consumption Effects on organ weights | |
| sodium alkylbenzenesulphonate | | | No data available | | | | | |
| 1,2-benzisothiazol-3(2H)-one | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|-------------------------------|-------------------|
| alkyl alcohol ethoxylate | Not applicable |
| isotridecanol, ethoxylated | Not applicable |
| sodium alkylbenzenesulphonate | No data available |
| 1,2-benzisothiazol-3(2H)-one | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|-------------------------------|-------------------|
| alkyl alcohol ethoxylate | Not applicable |
| isotridecanol, ethoxylated | Not applicable |
| sodium alkylbenzenesulphonate | No data available |
| 1,2-benzisothiazol-3(2H)-one | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------------|------------------|-------------------|----------------------------|---|-------------------|
| alkyl alcohol ethoxylate | LC ₅₀ | 1 - 10 | <i>Cyprinus carpio</i> | OECD 203 (EU C.1) | 96 |
| isotridecanol, ethoxylated | LC ₅₀ | > 10 - 100 | <i>Cyprinus carpio</i> | OECD 203 (EU C.1) Weight of evidence | 96 |
| sodium alkylbenzenesulphonate | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | LC ₅₀ | 2.18 | <i>Oncorhynchus mykiss</i> | OECD 203 (EU C.1) | |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------------|------------------|-------------------|-----------------------------|-------------------|-------------------|
| alkyl alcohol ethoxylate | EC ₅₀ | 1 - 10 | <i>Daphnia magna Straus</i> | OECD 202, static | 48 |
| isotridecanol, ethoxylated | EC ₅₀ | > 10 - 100 | <i>Daphnia magna Straus</i> | OECD 202, static | 48 |
| sodium alkylbenzenesulphonate | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | EC ₅₀ | 2.94 | <i>Daphnia</i> | OECD 202 (EU C.2) | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------------|--------------------------------|-------------------|--------------------------------|--|-------------------|
| alkyl alcohol ethoxylate | EC ₅₀ | 1 - 10 | <i>Desmodesmus subspicatus</i> | OECD 201, static | 72 |
| isotridecanol, ethoxylated | EC ₅₀ | > 10 - 100 | <i>Desmodesmus subspicatus</i> | OECD 201, static Weight of evidence | 72 |
| sodium alkylbenzenesulphonate | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | E _r C ₅₀ | 0.11 | | OECD 201 (EU C.3) | 72 |

Suma Multi D2

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|-------------------------------|----------|-------------------|---------|--------|----------------------|
| alkyl alcohol ethoxylate | | No data available | | | - |
| isotridecanol, ethoxylated | | No data available | | | - |
| sodium alkylbenzenesulphonate | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|-------------------------------|------------------|-------------------|------------------|--------------------|---------------|
| alkyl alcohol ethoxylate | EC ₁₀ | > 10000 | Activated sludge | DIN 38412 / Part 8 | 17 hour(s) |
| isotridecanol, ethoxylated | EC ₁₀ | > 10000 | Bacteria | DIN 38412 / Part 8 | 17 hour(s) |
| sodium alkylbenzenesulphonate | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | EC ₂₀ | 3.3 | Activated sludge | OECD 209 | 3 hour(s) |

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|-------------------------------|----------|-------------------|---------|--------|---------------|------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| isotridecanol, ethoxylated | | No data available | | | | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|-------------------------------|------------------|-------------------|----------------------|-----------------------|---------------|-------------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| isotridecanol, ethoxylated | EC ₁₀ | 2.6 | <i>Daphnia magna</i> | OECD 211, semi-static | 21 day(s) | Effects on reproduction |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------------|----------|---------------------------|---------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate | | No data available | | | - | |
| isotridecanol, ethoxylated | | No data available | | | - | |
| sodium alkylbenzenesulphonate | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|----------|-----------------------|-----------------------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate | NOEC | 220 | <i>Eisenia fetida</i> | | - | |
| isotridecanol, ethoxylated | NOEC | 220 | <i>Eisenia fetida</i> | | - | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|----------|-----------------------|-------------------------|----------|----------------------|------------------|
| alkyl alcohol ethoxylate | NOEC | 10 | <i>Lepidium sativum</i> | OECD 208 | - | |
| isotridecanol, ethoxylated | NOEC | 10 | <i>Lepidium sativum</i> | OECD 208 | - | |

Terrestrial toxicity - birds, if available:

Suma Multi D2

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|----------|-------------------|---------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate | | No data available | | | - | |
| isotridecanol, ethoxylated | | No data available | | | - | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate | | No data available | | | - | |
| isotridecanol, ethoxylated | | No data available | | | - | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|----------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate | | No data available | | | - | |
| isotridecanol, ethoxylated | | No data available | | | - | |

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT ₅₀ | Method | Evaluation |
|-------------------------------|--------------------------|----------------------------|---------------------|--------------------|----------------------------|
| alkyl alcohol ethoxylate | Activated sludge, aerobe | CO ₂ production | > 60 % in 28 day(s) | OECD 301B | Readily biodegradable |
| isotridecanol, ethoxylated | | CO ₂ production | > 60 % in 28 day(s) | OECD 301B | Readily biodegradable |
| sodium alkylbenzenesulphonate | | | | OECD 301B | Readily biodegradable |
| 1,2-benzisothiazol-3(2H)-one | | | | Weight of evidence | Not readily biodegradable. |

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|------------------------------|-----------------------------------|---------------------|------------------|-----------|---------------|
| 1,2-benzisothiazol-3(2H)-one | Sewage treatment plant simulation | Primary degradation | > 90% | OECD 303A | Biodegradable |

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

| Ingredient(s) | Value | Method | Evaluation | Remark |
|-------------------------------|-------------------|----------|-----------------------------|--------|
| alkyl alcohol ethoxylate | No data available | | | |
| isotridecanol, ethoxylated | No data available | | No bioaccumulation expected | |
| sodium alkylbenzenesulphonate | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | 0.7 | OECD 107 | No bioaccumulation expected | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|-------------------------------|-------------------|---------|----------|-----------------------------|--------|
| alkyl alcohol ethoxylate | No data available | | | | |
| isotridecanol, ethoxylated | No data available | | | No bioaccumulation expected | |
| sodium alkylbenzenesulphonate | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | 6.95 | | OECD 305 | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log K _{oc} | Desorption coefficient Log K _{oc} (des) | Method | Soil/sediment type | Evaluation |
|--------------------------|--|--|--------|--------------------|------------------------------|
| alkyl alcohol ethoxylate | No data available | | | | Immobile in soil or sediment |

Suma Multi D2

| | | | | | |
|-------------------------------|-------------------|--|--|--|------------------------------|
| isotridecanol, ethoxylated | No data available | | | | Immobile in soil or sediment |
| sodium alkylbenzenesulphonate | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No. 648/2004 - Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: YYE4-40RY-T005-QYWF

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants

5 - 15 %

anionic surfactants

< 5 %

perfumes, Benzisothiazolinone, Citral, Limonene

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS3418

Version: 07.1

Revision: 2018-10-14

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H330 - Fatal if inhaled.
- H400 - Very toxic to aquatic life.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate

End of Safety Data Sheet