

# EU Type Examination Certificate

This is to certify that:

JSP Limited  
Worsham Mill  
Minster Lovell  
Witney, Oxford  
OX29 0TA  
United Kingdom

Holds Certificate Number:

CE 676976

In respect of:

**Industrial Safety Helmets to EN 397:2012 + A1:2012 Plus Additional Assessments to EN 50365:2002**

on the basis BSI carried out the relevant Type Examination procedures in accordance with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V

For and on behalf of BSI:



---

Chris Lewis - Certification Director, Product Certification

First Issued: 2017-06-29

Latest Issue: 2018-04-03

Effective Date: 2018-04-21

Expiry Date: 2023-04-21

Page: 1 of 11

...making excellence a habit.™

# EU Type Examination Certificate

No. CE 676976

## Product Details:

<b>Product type:</b>	Industrial safety helmets.
<b>Models:</b>	See below.
<b>Technical Specifications:</b>	Harmonized European Standard EN 397:2012+A1:2012 Harmonized European Standard EN 50365:2002 JSP Technical Specification TS 03:02-18
<b>Classifications:</b>	See Model Specific Details.

## Product Assessments

The product assessments for the helmets were based on the requirements of the following Technical Specifications: BS EN 397:2012+A1:2012, the English language version of EN 397:2012+A1:2012, BS EN 50365:2002, the English language version of EN 50365:2002, electrically insulating helmets for use on low voltage installations and JSP Technical Specification for Industrial Safety Helmets. The JSP Technical Specification TS 03:02-18 details a very low temperature shock absorption and penetration performance option, the requirements are as detailed in EN 397:2012+A1:2012 but at the lower temperature of -40°C. This option is indicated by the symbol -40°C.

## Products certified to EN 397:2012+A1:2012 and EN 50365:2002:

Invincible® EVO®2/Mk 2 EVO®	Invincible® EVO®3/Mk 3 EVO®	Invincible® EVO® 6100 FB
Invincible® EVO® Force 9/EVO®4	Invincible® EVO® Force 9+/EVO®5	Invincible® Mk 7
Invincible® Mk 7 Hi-Temp 150	Invincible® EvoLite®	

## Products certified to EN 397:2012+A1:2012:

Invincible® Mk 2	Invincible® Mk 3
------------------	------------------

First Issued: 2017-06-29  
Latest Issue: 2018-04-03

Effective Date: 2018-04-21  
Expiry Date: 2023-04-21

Page: 2 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 676976

## Performance options

The following performance options are applicable to some models within the product range, see Model Specific Details section.

## Options/Attributes

BS EN 397 - Very low temperature shock absorption and penetration performance

BS EN 397 - Very high temperature

BS EN 397 - Electrical insulation properties

BS EN 397 - Molten metal splash

BS EN 397 - Lateral deformation

JSP TS - Very low temperature shock absorption and penetration performance

BS EN 50365:2002, electrically insulating helmets for use on low voltage installations.

## Product Marking Symbol

-20°C or -30°C

+150°C


440V a.c.

MM

LD

-40°C (encompasses the -20°C and -30°C options of EN 397).

Class 0 and Double Triangle



First Issued: 2017-06-29

Latest Issue: 2018-04-03

Effective Date: 2018-04-21

Expiry Date: 2023-04-21

Page: 3 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 676976

## Model Specific Details:

### Products Certified to EN 397:2012+A1:2012, and EN 50365:2002:

<b>Model:</b>	<b>Invincible® EVO®2/Mk2 EVO®</b>
<b>Size range:</b>	53 – 64cm.
<b>Shell material:</b>	High Density Polyethylene.
<b>Shell options:</b>	Vented or non-vented shell, each type with micro (short) or mid (standard) length peak.
<b>Headband/nape strap:</b>	Low and High Density Polyethylene options.
<b>Cradle:</b>	6 point system with Low Density Polyethylene Star.
<b>Headband adjustment system:</b>	Slip Ratchet type.
<b>EN 397 options:</b>	-30°C, 440 V a.c. (1) and MM.
<b>EN 50365 classification:</b>	Class 0 (1).
<b>Additional items:</b>	Fabric sweatband 2 and 4 point chinstrap system.

(1) Vented shell variants do not have the EN 397 electrical insulation properties or the EN 50365 options.

First Issued: 2017-06-29

Latest Issue: 2018-04-03

Effective Date: 2018-04-21

Expiry Date: 2023-04-21

Page: 4 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 676976

## Products Certified to EN 397:2012+A1:2012 and EN 50365:2002 (continued):

<b>Model:</b>	<b>Invincible® EVO®3/Mk3 EVO®</b>
<b>Size range:</b>	53 – 64cm.
<b>Shell material:</b>	High Density Polyethylene.
<b>Shell options:</b>	Vented or non-vented shell, each type with micro (short) or mid (standard) length peak.
<b>Headband/nape strap:</b>	Low and High Density Polyethylene options.
<b>Cradle:</b>	6 point textile tapes system.
<b>Headband adjustment system:</b>	Slip Ratchet or Wheel Ratchet type.
<b>EN 397 options:</b>	-30°C, 440 V a.c. (1) and MM.
<b>EN 50365 classification:</b>	Class 0 (1).
<b>JSP TS option:</b>	-40°C.
<b>Additional items:</b>	Fabric sweatband. 2 and 4 point chinstrap system.

(1) Vented shell variants do not have the EN 397 electrical insulation properties or the EN 50365 options.

<b>Model:</b>	<b>Invincible® EVO® 6100FB</b>
<b>Size range:</b>	53 – 64cm.
<b>Shell material:</b>	High Density Polyethylene.
<b>Shell options:</b>	Vented or non-vented shell, full brim.
<b>Headband/nape strap:</b>	Low and High Density Polyethylene options.
<b>Cradle:</b>	6 point textile tapes system.
<b>Headband adjustment system:</b>	Slip Ratchet and Wheel Ratchet type.
<b>EN 397 options:</b>	-30°C, 440V a.c. (1) and MM.
<b>EN 50365 classification:</b>	Class 0 (1).
<b>JSP TS option:</b>	-40°C.
<b>Additional items:</b>	Fabric sweatband. 2 and 4 point chinstrap systems. Requirements of the Technical Specifications are met with the harness orientated within the shell in either of two positions as selected by the end user enabling the helmet to be worn 'back to front' if required.

(1) Vented shell variants do not have the EN 397 electrical insulation properties or the EN 50365 options.

First Issued: 2017-06-29

Effective Date: 2018-04-21

Latest Issue: 2018-04-03

Expiry Date: 2023-04-21

Page: 5 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# EU Type Examination Certificate

No. CE 676976

## Products Certified to EN 397:2012+A1:2012 and EN 50365:2002 (continued):

<b>Model:</b>	<b>Invincible® EVO® Force 9 and name only variant Invincible® EVO®4</b>
<b>Size range:</b>	53 – 64cm.
<b>Shell material:</b>	Acrylonitrile Butadiene Styrene.
<b>Shell options:</b>	Vented or non-vented shell, each type with micro (short) or mid (standard) length peak.
<b>Headband/nape strap:</b>	Low and High Density Polyethylene options.
<b>Cradle:</b>	6 point system with Low Density Polyethylene Star.
<b>Headband adjustment system:</b>	Slip Ratchet type.
<b>EN 397 options:</b>	-30°C, 440V a.c. (1), MM and LD.
<b>JSP TS option:</b>	-40°C.
<b>EN 50365 classification:</b>	Class 0 (1).
<b>Additional items:</b>	Fabric sweatband. 2 and 4 point chinstrap system.

<b>Model:</b>	<b>Invincible® EVO® Force 9+ and name only variant Invincible® EVO®5</b>
<b>Size range:</b>	53 – 64cm.
<b>Shell material:</b>	Acrylonitrile Butadiene Styrene.
<b>Shell options:</b>	Vented or non-vented shell, each type with micro (short) or mid (standard) length peak.
<b>Headband/nape strap:</b>	Low and High Density Polyethylene options.
<b>Cradle:</b>	6 point textile tapes system.
<b>Headband adjustment system:</b>	Slip Ratchet or Wheel Ratchet type.
<b>EN 397 options:</b>	-30°C, 440V a.c. (1), MM and LD.
<b>JSP TS option:</b>	-40°C.
<b>EN 50365 classification:</b>	Class 0 (1).
<b>Additional items:</b>	Fabric sweatband. 2 and 4 point chinstrap system.

(1) Vented shell variants do not have the EN 397 electrical insulation properties or the EN 50365 options.

First Issued: 2017-06-29

Latest Issue: 2018-04-03

Effective Date: 2018-04-21

Expiry Date: 2023-04-21

Page: 6 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# EU Type Examination Certificate

No. CE 676976

## Products Certified to EN 397:2012+A1:2012 and EN 50365:2002 (continued):

<b>Model:</b>	<b>Invincible® Mk 7</b>
<b>Size range:</b>	53 – 64cm.
<b>Shell options:</b>	Vented or non-vented shell, each type with short or standard length peak.
<b>Shell material:</b>	High Density Polyethylene.
<b>Headband/nape strap:</b>	Low Density Polyethylene.
<b>Cradle:</b>	6 point textile tapes system.
<b>Headband adjustment system:</b>	Slip Ratchet or Wheel Ratchet type.
<b>EN 397 options:</b>	-20°C and 440V a.c. (1).
<b>EN 50365 classification:</b>	Class 0 (1).
<b>Additional items:</b>	Leatherette sweatband.

(1) Vented shell variants do not have the EN 397 electrical insulation properties or the EN 50365 options.

<b>Model:</b>	<b>Invincible® Mk 7 Hi-Temp 150</b>
<b>Size range:</b>	53 – 63cm.
<b>Shell options:</b>	Vented or non-vented shell, each type with short or standard length peak.
<b>Shell material:</b>	Glass Fibre Re-enforced Polyamide.
<b>Headband/napestrap:</b>	Low Density Polyethylene.
<b>Cradle:</b>	6 point textile tapes system with high temperature webbing clips.
<b>Headband adjustment system:</b>	Slip Ratchet or Wheel Ratchet type.
<b>EN 397 options:</b>	-30°C, +150°C, LD, and MM.
<b>JSP TS option:</b>	-40°C.
<b>Additional items:</b>	Leatherette sweatband.

First Issued: 2017-06-29

Latest Issue: 2018-04-03

Effective Date: 2018-04-21

Expiry Date: 2023-04-21

Page: 7 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 676976

## Products Certified to EN 397:2012+A1:2012 and EN 50365:2002 (continued):

<b>Model:</b>	<b>Invincible® EvoLite®</b>
<b>Size range:</b>	53 – 64cm.
<b>Shell material:</b>	Acrylonitrile Butadiene Styrene.
<b>Shell options:</b>	Vented or non-vented shell, each type with micro (short) or mid (standard) length peak.
<b>Headband/nape strap:</b>	Low and High Density Polyethylene options.
<b>Cradle:</b>	6 point textile tapes system.
<b>Headband adjustment system:</b>	Slip Ratchet or Wheel Ratchet type.
<b>EN 397 options:</b>	-30°C, LD, 440V a.c. (1) and MM.
<b>EN 50365 classification:</b>	Class 0 (1).
<b>JSP TS option:</b>	-40°C.
<b>Additional items:</b>	Fabric sweatband. 2 and 4 point chinstrap system.

(1) Vented shell variants do not have the EN 397 electrical insulation properties or the EN 50365 options.

First Issued: 2017-06-29

Latest Issue: 2018-04-03

Effective Date: 2018-04-21

Expiry Date: 2023-04-21

Page: 8 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.



# EU Type Examination Certificate

No. CE 676976

## Products Certified to EN 397:2012+A1:2012:

**Model:** **Invincible® Mk 2**  
**Size range:** 53 – 61cm.  
**Shell material:** High Density Polyethylene.  
**Shell options:** Short or standard length peak.  
**Headband/nape strap:** Low Density Polyethylene.  
**Cradle:** 6 point system with Low Density Polyethylene Star.  
**Headband adjustment system.** Slip Ratchet type.  
**EN 397 options:** -20°C and 440V a.c.  
**Additional configuration:** End user assembled version available.

**Model:** **Invincible® Mk 2 Linesman**  
**Size range:** 53 – 61cm.  
**Shell material:** High density polyethylene.  
**Shell option:** Short length peak.  
**Headband/nape strap:** Low density polyethylene.  
**Cradle:** 6 point system with Low Density Polyethylene Star.  
**Headband adjustment system:** Slip Ratchet type.  
**Auxiliary retention system:** Tubular nylon chinstrap/nape strap with acetal buckle and nylon adjuster.  
**EN 397 options:** -20°C and 440V a.c.  
**Additional configuration:** End user assembled version available.

First Issued: 2017-06-29  
Latest Issue: 2018-04-03

Effective Date: 2018-04-21  
Expiry Date: 2023-04-21

Page: 9 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 676976

## Products Certified to EN 397:2012+A1:2012 (Continued):

**Model:** **Invincible® Mk 3**  
**Size range:** 53 – 63cm.  
**Shell options:** Short or standard length peak.  
**Shell material:** High Density Polyethylene.  
**Headband/nape strap:** Low Density Polyethylene.  
**Cradle:** 6 point textile tapes system.  
**Headband adjustment system.** Slip Ratchet or Wheel Ratchet type.  
**EN 397 options:** -20°C and 440V a.c.

**Model:** **Invincible® Mk 3 Linesman**  
**Size range:** 53 – 63cm.  
**Shell material:** High Density Polyethylene.  
**Shell options:** Short length peak.  
**Headband/nape strap:** Low Density Polyethylene.  
**Cradle:** 6 point textile tapes system.  
**Adjustment system.** Slip Ratchet or Wheel Ratchet type.  
**Auxiliary retention system:** Tubular nylon chinstrap/nape strap with acetal buckle and nylon adjuster.  
**EN 397 options:** -20°C and 440V a.c.

First Issued: 2017-06-29  
Latest Issue: 2018-04-03

Effective Date: 2018-04-21  
Expiry Date: 2023-04-21

Page: 10 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 676976

## Certification Administration Details:

Technical File References: AJE160-000-000, AJA160-000-000, AHB010-000-100

## Certificate Amendment Record:

Issue date:	Comments:	BSI Internal Project No:
29 <sup>th</sup> June 2017	First Issue to the PPE Regulation 2016/425 EU. Product initially approved to Article 10 of the PPE Directive 89/686/EEC on BSI issued certificate CE 00279	0086:17:8764894
April 2018	Addition of Evolite <sup>®</sup> and Invincible <sup>®</sup> helmets.	0086:18:8849241

## Certificate Validity

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall processes utilised in the manufacture of the product, failure to so do could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

## Monitoring of Manufactured PPE

The validity is also dependent upon the maintenance of the BSI issued PPE regulation Module D Certificate CE 690890 for the Module D process, the EC Quality of Production by Monitoring.

First Issued: 2017-06-29

Latest Issue: 2018-04-03

Effective Date: 2018-04-21

Expiry Date: 2023-04-21

Page: 11 of 11

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.