

0\_ 116025

In application of the Directive ref. 89/686/EEC of the 21 st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29 th of July 1992 concerning the transposition of this Directive into French law,

#### CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010.

registered under the number 0075, published in OJEC, delivers :

#### CE TYPE EXAMINATION CERTIFICATE 0075/1639/162/05/12/0380

To the following model of personal protective equipment :

\* protective glove against

mechanical risks, thermal risks.

\* reference of the model:

TOP L5

\* responsible for placing on the market :

Safeline OHG

Kupferstraße 66, 44532 Lünen

Germany

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on May 18th, 2012

CTC

4, rue Hermann Frenkel 69367 Lyon Cedex 07 - France

Tél. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00 www.ctcgroupe.com

Issued by Lionel GAUDILLERE

NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

LTMRX



# 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : TOP L5 Basic Model Dated : MAY, 2012

BLACK COLOR WRINKLE FINISHED LATEX DIPPED GLOVES MADE ON 13G LINER MADE FROM SPECIAL BLEND OF SYNTHETIC YARN

Available sizes:

6

7 8

9 10

Visual description:



#### Material:

|         | Colour   | Material       | Gauges | Thikness |
|---------|--|----------------|--------|----------|
| PALM    | Black  | LATEX          |        |          |
|         | Black/White  | SYNTHETIC YARN | 13     |          |
| BACK    | Black/White  | SYNTHETIC YARN | 13     |          |
| LINING  |  |                |        |          |
| CUFF    | Black/White  | SYNTHETIC YARN | 13     |          |
| BINDING | Yellow, Blue, Red,<br>White, Brown, Grey,<br>Green | Polyester      |        |          |



## 2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- \* EN 420:2003+A1:2009
- General requirements for gloves and test methods
- \* EN 388:2003
- Protective glove against mechanical risks
- \* EN 407:2004
- Protective gloves against thermal risks
- \* Directive 2002/61/CE:
- This product fulfills the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

| Laboratory | CTC Asia   | CTC France | Other    |  |
|------------|--|------------|----------|--|
| EN 420     | 04951-11, 04726-10, 04727-10,<br>04723-10, 04728-10, 04724-10,<br>05434-11, 04729-10 |            | 04951-11 |  |
| Azo        | 04951-11, 04726-10, 04727-10,<br>04723-10, 04728-10, 04724-10,<br>05434-11, 04729-10 |            |          |  |
| EN 388     | 04951-11, 05683-11   |            |          |  |
| EN 407     | 01409-12   |            |          |  |

## Performance levels offered against mechanical risks (EN 388:2003) are:

| Abrasion resistance | Blade cut resistance | Tear strength resistance | Puncture resistance |  |
|---------------------|----------------------|--------------------------|---------------------|--|
| 4                   | 5                    | 4                        |                     |  |

The levels of performance have been measured on the palm

#### Performance levels offered against thermal risks (EN 407:2004) are:

| Burning<br>behaviour | Contact heat | Convective heat | Radiant heat | Small<br>splashes of<br>molten<br>metal | Large<br>quantities of<br>molten metal |
|----------------------|--------------|-----------------|--------------|---|--|
| X                    | 1            | X               | X            | x                                       | ×                                      |



## 3. MARKING

## Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* C € marking
- \* reference of the model:

TOP L5

- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for thermal risks followed by the performance levels
- \* information pictogram

#### Marking example:

