

Wiha Torque Blades.

Interchangeable Blades.



Interchangeable Blade for Hex Socket Screws.

High quality chrome-vanadium-molybdenum steel, through

hardened, chrome-plated.

Wiha ChromTop finish on tip for a perfect fit every time.

Colour-coding: red.

Application: For applications where recommended torque settings are important.

Use in combination with a Wiha torque handle.

Order-No.	Colour-coding	O 1	- 01	==	Nm max.		
26200 6		1.5	4	175	0.9	1	
26060 6		2	4	175	1.8	1	
26061 3		2.5	4	175	3.8	1	I IE
26062 0		3	4	175	8.0	1	
26063 7		4	4	175	8.0	1	2,002,7,5





Interchangeable Ballpoint Hex Blade for Hex Socket Screws.

High quality chrome-vanadium-molybdenum steel, through

hardened, chrome-plated.

Wiha ChromTop finish on tip for a perfect fit every time.

Colour-coding: red.

Application: For applications where recommended torque settings are important.

Use in combination with a Wiha torque handle.

Ballpoint allows up to 25 degree entry angle to fastener. Extra:

Order-No.	Colour-coding	@ 1	O 1	=	Nm max.		
26221 1		1.5	4	175	0.4	1	643 - 1789
26222 8		2	4	175	0.9		663-1290
26223 5		2.5	4	175	2.0		443-1807
26224 2	1000	3	4	175	3.8		443-1315
26225 4		4	4	175	8.0	1	669-1820

Universal-Bitholde / Adapter Blade.



Universal Bit Holder.

For all C 6.3 and E 6.3 (1/4") Bits.

High quality chrome-vanadium-molybdenum steel, through Blade

hardened, chrome-plated.

Made of stainless steel. Retainer:

For applications where recommended torque settings are important.

Use in combination with a Wiha torque handle.

Order-No.	•	=		
26163 4	1/4"	149	1 THE REPORT OF THE PROPERTY OF THE PARTY OF	

2859 Adapter Blade.

For 1/4" Square Nuts.

High quality chrome-vanadium-molybdenum steel, through Blade

hardened, chrome-plated.

Head: Nickel-plated, spring-mounted ball.

For applications where recommended torque settings are important. Application:

Use in combination with a Wiha torque handle.

	::			
26229 7 1/4	145	1		(4.4.)