



## RG Standard Cable Ties

 UL #E343355

**NEW**



## RG/WIT

### Cable Tie Installation Tools



**WIT-1**  
• Suitable for cable ties from 2.5 - 4.8mm width



**RG-401C**  
• Suitable for cable ties from 2.2 - 4.8mm width



**WIT-3**  
• Suitable for cable ties from 7.6 - 8.9mm width




**RG-403**  
• Suitable for cable ties from 3.6 - 4.8mm width

UL94 V-2 Nylon 6/6, RMS-01 Color: Natural	UL94 V-2 Nylon 6/6, RMS-01 Color: Black	Min. Loop Tensile Strength (Kg)	Max. Bundle Ø Ref.	"L" Ref.	"W"	"T" Ref.	Standard Pack		
RG-201	RG-301	6	15	75	2.2	0.8	1000		
RG-203	RG-303	8	21	98	2.5	1			
RG-205	RG-305		32	135					
RG-206	RG-306		40	160	2.6	1.1			
RG-207	RG-307		52	200					
RG-208	RG-308	13	103	370	3.6	1.5	100		
RG-209	RG-309		35	140		1.1	1000		
RG-214	RG-314		50	200		1.3	500		
RG-210	RG-310		80	290					
RG-211	RG-311		22.4	40	160	4.5	1.4	1000	
RG-212	RG-312	24		120					
RG-213	RG-313	45		178					
RG-215	RG-315	50		200					
RG-216	RG-316C	55		68	250	4.8	1.5	100	
RG-217	RG-317			79	290				
RG-218	RG-318			106	390				
RG-219C	RG-319			103	360				
RG-220	RG-320	71	115	430	7.8	1.7	100		
RG-221	RG-321		25	120					
RG-223	RG-323		45	180					
RG-225	RG-325		63	240					
RG-226	RG-326		80	300					
RG-227C	RG-327	55	100	365	7.5	1.7	100		
RG-229	RG-329		130	450					
RG-231	RG-331		158	540					
RG-233	RG-333	110	220	750	7.8	2	50		
RG-234	RG-334		71	233				780	9
RG-235	RG-335		57	225				12.5	2
RG-237	RG-337		143	500					
RG-239	RG-339		213	720					
RG-241	RG-341	255	850						
RG-243	RG-343	302	1000						

## RG Coloured Cable Ties

**NEW**

 UL #E343355



Material: UL94 V-2 Nylon 6/6, RMS-01						
Standard Pack: 100/Bag						
Part No.	Color Suffix	Min. Loop Tensile Strength (Kg)	"W" Width Ref.	"L" Length Ref.	"T" Thickness Ref.	Max. Bundle Ø Ref.
RG-203-X	-RD = Red	8	2.5	98	1	21
RG-209-X	-YL = Yellow	13	3.6	140	1.1	35
RG-214-X	-GN = Green			200	1.3	50
RG-215-X	-BL = Blue	22.4	4.8	290	1.4	79
RG-217-X						


Replace '-X' with the suffix of the color required; ex. RG-203-YL.

Other sizes may be available with a minimum order quantity (MOQ).

PART No.		Material: UL94 V-2 NYLON 6/6 (RMS-01)							
COLOUR: NATURAL	COLOUR: BLACK	Min. Loop Tensile (Kg)	Max. Bundle $\phi$ (Ref)	Length 'L' (Ref)	Width 'W' (Ref)	Thickness 'T' (Ref)			
RG-201	RG-301	6	15	75	2.2	0.8			
RG-203	RG-303	8	21	98	2.5	1			
RG-205	RG-305		32	135					
RG-206	RG-306		40	160					
RG-207	RG-307		52	200					
RG-208	RG-308	13	103	370	3.6	1.5			
RG-209	RG-309		35	140		1.1			
RG-214	RG-314		50	200		1.3			
RG-210	RG-310		80	290					
RG-211	RG-311	22.4	40	160	4.8	1.4			
RG-212	RG-312		24	120					
RG-213	RG-313		45	178					
RG-215	RG-215		50	200					
RG-216	RG-316C		68	250			1.5		
RG-217	RG-317		79	290					
RG-218	RG-318		106	390			1.7		
RG-219C	RG-319		103	360					
RG-220	RG-320		115	430					
RG-221	RG-321		55	25				120	7.8
RG-223	RG-322	45		180					
RG-225	RG-325	63		240					
RG-226	RG-326	80		300					
RG-227C	RG-327	100		365	7.5				
RG-229	RG-329	130		450					
RG-231	RG-331	158		540					
RG-233	RG-333	220		750	7.8				
RG-234	RG-334	71		233	780	9	2		
RG-235	RG-335	110		57	225				
RG-237	RG-337		143	500					
RG-239	RG-339		213	720					
RG-241	RG-341		255	850					
RG-243	RG-343	302	1000						

PART No.	COLOUR SUFFIX	Material: UL94 V-2 NYLON 6/6 (RMS-01)				
		Min. Loop Tensile (Kg)	Width 'W' (Ref)	Length 'L' (Ref)	Thickness 'T' (Ref)	Max. Bundle $\phi$ (Ref)
RG-203-X	-RD = RED -YL = YELLOW -GN = GREEN -BL = BLUE	8	2.5	98	1	21
RG-209-X		13	3.6	140	1.1	35
RG-214-X		22.4	4.8	200	1.3	50
RG-215-X				290	1.4	79
RG-217-X						

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	05/05/10	DT
02	CO2010936	04/06/10	SF
03	CO2010972	10/08/10	MT
04	CO2011029	14/12/10	SF
05	CO2011047	24/01/11	SF




**#E343355 FOR PARTS IN  
UL94-V2 NYLON,RMS-01 ONLY**

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
WWW.RICHCO-INC.COM

ALL DIMENSIONS IN mm  
GENERAL TOLERANCES  $\pm 0.25$   
UNLESS OTHERWISE STATED  
1 DECIMAL PLACE  $\pm$   
2 DECIMAL PLACES  $\pm$   
ANGULAR  $\pm 1^\circ$


THIRD ANGLE



MATERIAL:		SEE TABLES		COLOUR:		SEE TABLES	
DESCRIPTION:				PART No:			
CABLE TIES				SEE TABLES			
DRG No:		PROJECT NUMBER:		SHEET SIZE			
010-036		EU10-0009		A4			
DRN	DATE	CHKD	DATE	SCALE	SHEET No.		
DT	05/05/10	JK	17/05/10	NTS	1 OF 2		

PART No.		Material: UL94 V-2 HEAT STABILISED NYLON RMS-164				
COLOUR: NATURAL	COLOUR: BLACK	Min. Loop Tensile (Kg)	Width 'W' (Ref)	Length 'L' (Ref)	Thickness 'T' (Ref)	Max. Bundle $\phi$ (Ref)
RG-203-HS	RG-203-HS	8	2.5	98	1	21
-	RG-307-HS		2.6	200	1.1	52
RG-209-HS	RG-309-HS	13	3.6	140		1.3
RG-214-HS	RG-314-HS			200	50	
-	RG-310-HS			290	80	
-	RG-311-HS	22.4	4.5	160	1.4	40
RG-215-HS	RG-315-HS		4.8	200		50
RG-217-HS	RG-317-HS			290		79
RG-219-HS	RG-319-HS			360		103
-	RG-325-HS	55		7.8	240	1.7
RG-227-HS	RG-327-HS		7.5	365	100	
-	RG-333-HS		7.8	750	220	
-	RG-337-HS	110	12.5	500	2	143

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	05/05/10	DT
02	CO2010936	04/06/10	SF
03	CO2010972	10/08/10	MT
04	CO2011029	14/12/10	SF
05	CO2011047	24/01/11	SF



PART No.		Material: UL94 V-2 UV STABILISED NYLON 6/6 (RMS-46) COLOUR:BLACK				
	Min. Loop Tensile (Kg)	Width 'W' (Ref)	Length 'L' (Ref)	Thickness 'T' (Ref)	Max. Bundle $\phi$ (Ref)	
RG-303-UV	8	2.5	98	1	21	
RG-307-UV		2.6	200	1.1	52	
RG-309-UV	13	3.6	140	1.3	35	
RG-314-UV			200		50	
RG-310-UV			290		80	
RG-313-UV	22.4	4.8	178	1.4	45	
RG-315-UV			200		50	
RG-317-UV			290		79	
RG-319-UV			360		103	
RG-327-UV	55	7.5	365	1.7	100	
RG-331-UV		7.8	540		158	
RG-333-UV		7.8	750		220	
RG-334-UV	71	9	780	2	233	
RG-337-UV	110	12.5	500		143	

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

**RICHCO, INC.**  
[WWW.RICHCO-INC.COM](http://WWW.RICHCO-INC.COM)

ALL DIMENSIONS IN mm  
 GENERAL TOLERANCES  $\pm 0.25$   
 UNLESS OTHERWISE STATED  
 1 DECIMAL PLACE  $\pm$   
 2 DECIMAL PLACES  $\pm$   
 ANGULAR  $\pm 1^\circ$

THIRD ANGLE

PART No.		Material: UL94 V-0 NYLON 6/6 (RMS-19) COLOUR:NATURAL				
	Min. Loop Tensile (Kg)	Width 'W' (Ref)	Length 'L' (Ref)	Thickness 'T' (Ref)	Max. Bundle $\phi$ (Ref)	
RG-203-V0	8	2.5	98	1	21	
RG-209-V0	13	3.6	140	1.1	35	
RG-214-V0			200	1.3	50	
RG-215-V0	22.4	4.8	290	1.4	79	
RG-217-V0			365	1.7	100	
RG-227-V0	55	7.5	365			

MATERIAL:		SEE TABLES		COLOUR:		SEE TABLES	
DESCRIPTION:				PART No:			
CABLE TIES				SEE TABLES			
DRG No:		PROJECT NUMBER:		SHEET SIZE		A4	
010-036		EU10-0009					
DRN	DATE	CHKD	DATE	SCALE	SHEET No.		
DT	05/05/10	JK	17/05/10	NTS	2 OF 2		

A

B

C

D

E

FORM No. 0143/00