

SAFETY DATA SHEET

#### Antibacterial hand sanitiser aerosol

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Antibacterial hand sanitiser aerosol	
Product number	NSS150	
Internal identification	DH719	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	Hand sanitiser Hard surface sanitiser	
Uses advised against	Use only for intended applications.	
1.3. Details of the supplier of the supplier of the supplier of the supplier of the supplication of the su	he safety data sheet	
Supplier	James Briggs Ltd	
	Salmon Fields	
	Royton	
	Oldham	
	OL2 6HZ	
	0161 627 0101	
	sds@jamesbriggs.co.uk	
1.4. Emergency telephone number		
SECTION 2: Hazards identification		
2.1. Classification of the subst	ance or mixture	
Classification (EC 1272/2008)		

Physical hazards	Aerosol 1 - H222, H229
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word

Hazard statements

Danger H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H319 Causes serious eye irritation.

Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P261 Avoid breathing spray.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/ attention.</li> </ul>
Supplementary precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>

#### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

#### SECTION 3: Composition/information on ingredients

Ethanol		60-1009
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01- 2119457610-43-XXXX
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
Petroleum gases, liquefied		10-30%
CAS number: 68476-85-7	EC number: 270-704-2	
Classification		
Flam. Gas 1 - H220		
Press. Gas (Liq.) - H280		
Propan-2-ol		1-5%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01- 2119457558-25-XXXX
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		

**SECTION 4: First aid measures** 

#### 4.1. Description of first aid measures

**General information** 

If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. If in doubt, get medical attention promptly. Due to the small packaging, the risk of ingestion is minimal. Do not induce vomiting unless under the direction of medical personnel.
Skin contact	Use suitable lotion to moisturise skin.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Spray/mists may cause respiratory tract irritation.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	Vapour or spray in the eyes may cause irritation and smarting. Particles in the eyes may cause irritation and smarting.
4.3. Indication of any immedia	te medical attention and special treatment needed
4.3. Indication of any immediat	te medical attention and special treatment needed Treat symptomatically.
	Treat symptomatically.
Specific treatments	Treat symptomatically.
Specific treatments SECTION 5: Firefighting meas	Treat symptomatically.
Specific treatments SECTION 5: Firefighting meas 5.1. Extinguishing media	Treat symptomatically.
Specific treatments SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing	Treat symptomatically.
Specific treatments SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	Treat symptomatically.
Specific treatments SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising fre	Treat symptomatically.
Specific treatments SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising fre Specific hazards Hazardous combustion	Treat symptomatically.  Treat symptomatically.  The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Do not use water jet as an extinguisher, as this will spread the fire. <b>Om the substance or mixture</b> Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Vapours may form explosive mixtures with air.  Thermal decomposition or combustion products may include the following substances: Toxic

Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective<br/>clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,<br/>protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Not considered to be a significant hazard due to the small quantities used.

#### 6.3. Methods and material for containment and cleaning up

# Methods for cleaning up Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Under normal conditions of handling and storage, spillages from aerosol containers are unlikely. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Provide adequate ventilation. Small Spillages: Wipe up with an absorbent cloth and dispose of waste safely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

#### 6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. The product is flammable. Avoid exposing aerosol containers to high temperatures or direct sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Do not expose to temperatures exceeding 50°C/122°F. Avoid inhalation of vapours and spray/mists. Avoid contact with eyes.
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Wash contaminated skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash after use and before eating, smoking and using the toilet.
7.2. Conditions for safe storage	e, including any incompatibilities

Storage precautionsStore away from incompatible materials (see Section 10). Keep away from oxidising materials,<br/>heat and flames. Store in a cool and well-ventilated place. Protect from sunlight. Keep<br/>containers upright. Protect containers from damage. Do not expose to temperatures<br/>exceeding 50°C/122°F. Do not store near heat sources or expose to high temperatures. Store<br/>in accordance with national regulations.

Storage class Chemical storage. Aerosol containers and lighters

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### Ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

#### Petroleum gases, liquefied

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m<sup>3</sup>

#### Propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup> WEL = Workplace Exposure Limit.

#### Ethanol (CAS: 64-17-5)

DNEL	Workers - Inhalation; Long term systemic effects: 950 mg/m <sup>3</sup> Workers - Inhalation; Long term local effects: 1900 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 343 mg/kg/day General population - Inhalation; Long term systemic effects: 114 mg/m <sup>3</sup> General population - Inhalation; Long term local effects: 950 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 206 mg/kg/day General population - Oral; Long term systemic effects: 87 mg/kg/day
PNEC	<ul> <li>Fresh water; 0.96 mg/l</li> <li>marine water; 0.79 mg/l</li> <li>STP; 580 mg/l</li> <li>Sediment (Freshwater); 3.6 mg/kg</li> <li>Sediment (Marinewater); 2.9 mg/kg</li> <li>Soil; 0.63 mg/kg</li> <li>Oral; 380 mg/kg</li> </ul>
	Propan-2-ol (CAS: 67-63-0)
DNEL	Workers - Inhalation; Long term systemic effects: 500 mg/m <sup>3</sup>
	Workers - Dermal; Long term systemic effects: 888 mg/kg/day General population - Inhalation; Long term systemic effects: 89 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 319 mg/kg/day General population - Oral; Long term systemic effects: 26 mg/kg/day

#### 8.2. Exposure controls

## Protective equipment

$\Theta$	
Appropriate engineering controls	Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Use suitable lotion to moisturise skin.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
SECTION 9: Physical and ch	nemical properties

9.1. Information on basic phys	ical and chemical properties
Appearance	Aerosol. Clear liquid.
Odour	Alcoholic.
Initial boiling point and range	-402°C (LPG)
Flash point	-104°C (LPG)
Upper/lower flammability or explosive limits	1.4 - 10.9%(V)(LPG)
Vapour pressure	590 - 1760 KPa (LPG)
Auto-ignition temperature	365 °C / 689 °F (LPG)
9.2. Other information	
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	See the other subsections of this section for further details.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.
10.4. Conditions to avoid	

Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Pressurised container: may burst if heated Avoid heat, flames and other sources of ignition. Avoid the following conditions: Freezing.	
10.5. Incompatible materials		
Materials to avoid	No specific requirements are anticipated under normal conditions of use.	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
SECTION 11: Toxicological inf	ormation	
11.1. Information on toxicologie	cal effects	
Inhalation	Gas or vapour may irritate the respiratory system. May cause nausea, headache, dizziness and intoxication. Vapour may irritate respiratory system/lungs.	
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. May cause chemical burns in mouth, oesophagus and stomach. May cause discomfort if swallowed. May cause stomach pain or vomiting.	
Skin contact	Repeated exposure may cause skin dryness or cracking.	
Eye contact	May cause eye irritation. May cause serious eye damage.	
Route of exposure	Inhalation Ingestion Skin and/or eye contact	
SECTION 12: Ecological inform	nation	
12.1. Toxicity		
Toxicity	The product is not believed to present a hazard due to its physical nature.	
12.2. Persistence and degrada	bility	
Persistence and degradability	Volatile substances are degraded in the atmosphere within a few days. The other substances in the product are not expected to be readily biodegradable.	
12.3. Bioaccumulative potentia	<u>I</u>	
Bioaccumulative potential	Bioaccumulation is unlikely. Exposure to aquatic environment unlikely.	
12.4. Mobility in soil		
Mobility	The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces. The product is soluble in water.	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
12.6. Other adverse effects		
Other adverse effects	The product contains volatile organic compounds (VOCs) which have a photochemical ozone creation potential.	
SECTION 13: Disposal conside	erations	

#### 13.1. Waste treatment methods

General information	The generation of waste should be minimised or avoided wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Dispose of waste product or used containers in accordance with local regulations
Disposal methods	Do not empty into drains. Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Waste class	The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

### SECTION 14: Transport information

14.1. UN number		
UN No. (ADR/RID)	1950	
UN No. (IMDG)	1950	
UN No. (ICAO)	1950	
UN No. (ADN)	1950	
14.2. UN proper shipping name	2	
Proper shipping name (ADR/RID)	AEROSOLS	
Proper shipping name (IMDG)	AEROSOLS	
Proper shipping name (ICAO)	AEROSOLS	
Proper shipping name (ADN)	AEROSOLS	
14.3. Transport hazard class(es)		
ADR/RID class	2.1	
ADR/RID classification code	5F	
ADR/RID label	2.1	
IMDG class	2.1	
ICAO class/division	2.1	
ADN class	2.1	

Transport labels



14.4. Packing group	
ADR/RID packing group	None
IMDG packing group	None
ICAO packing group	None
ADN packing group	None
14.5. Environmental hazards	

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user	
EmS	F-D, S-U
ADR transport category	2

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits. The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).	
EU legislation	<ul> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18</li> <li>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> <li>Commission Regulation (EU) No 2015/830 of 28 May 2015.</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16</li> <li>December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> <li>Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (as amended).</li> </ul>	

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

**EU - EINECS/ELINCS** 

None of the ingredients are listed or exempt.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul><li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li><li>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</li><li>RID: European Agreement concerning the International Carriage of Dangerous Goods by</li></ul>
	<ul> <li>Rail.</li> <li>IATA: International Air Transport Association.</li> <li>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>CAS: Chemical Abstracts Service.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</li> <li>LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).</li> <li>EC<sub>50</sub>: 50% of maximal Effective Concentration.</li> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> </ul>
Classification abbreviations and acronyms	Aerosol = Aerosol
Key literature references and sources for data	Source: European Chemicals Agency, http://echa.europa.eu/
Classification procedures according to Regulation (EC) 1272/2008	Aerosol 1 - H222, H229: : Expert judgement.
Revision date	22/05/2020
Revision	2
Supersedes date	18/05/2020
SDS number	6547
Hazard statements in full	<ul> <li>H220 Extremely flammable gas.</li> <li>H222 Extremely flammable aerosol.</li> <li>H225 Highly flammable liquid and vapour.</li> <li>H229 Pressurised container: may burst if heated.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.