



Product Change Notification

Date Issued :	May 24, 2022	PCN Number :	512019
Reason for Change :	Change Supplier		
Description of Change :	This notification is to inform you about changes that are being made to the part(s) as identified in the list. This change is only the raw material supplier and will not affect fit, form or function.		
Reason for Short Notice :	Special Request		
Assessment of Change :	Dimension analysis		
Planned Implementation Date :	July 14, 2022		
Sample Availability Date:	July 01, 2022		
Internal Molex Qualification Date :	July 01, 2022		
Last date to request Samples by Customer :	June 20, 2022		
Traceability Code Markings / Date :	Date code		

RELEASED

After Picture

Overview

- 2021 ~ 2022 has caused a global shortage for various grades of resin. This extraordinary event, in conjunction with an already constrained market, has caused immediate and severe disruption in the industry. Due to these supply constraints of LCP marketing, Molex identified the shortage risk of resin supplying which would create a challenge to fulfill all orders. Therefore, an alternative resin has been identified for relative product.
- Molex evaluate and select the same type of alternative resin with current resin material. Molex team will take necessary qualification action on new source material to ensure the product meets the same form, fit, and function requires as defined in the current Molex product specification and sales drawing.
- **Product Impact**
 - "no impact to fit, form, function".
- **Part Number Impact**
 - see attached impacted parts list
- **Planned Implementation date.**
 - Level 4 PPAP will be available upon request beginning 14th July 2022. Request for PPAP must occur by 14th July 2022. Submissions must will not occur without request.
 - If PPAP requested, disposition response required within 5 days of submit date or it will be considered approved.
 - If no PPAP requested by 14th July 2022, the PPAP will be considered approved.

RELEASED

You may address inquires regarding this PCN by clicking on the below link
mailto:pcn_coordinator@molex.com?subject=PCN_Notification:512019
or contact your Local Sales Engineer.

Note: While responding, please retain " PCN Notification : **PCN Notification: 512019** " in the e-mail Subject line for faster response.

[Molex, LLC](#)
2222 Wellington Court
Lisle, IL 60532
TEL (800) 786-6539
www.molex.com