

## PlastiKote Fluorescent

Ord.-no.: look at ordering information

## Technical Information



PlastiKote spray paint is a high quality paint that can be used on a range of interior and exterior decorating applications.

### Quality & properties

- For interior and exterior use
- Ensure instant visibility with bright day glow colours
- Easy twist & lock system
- Fast drying

### Physical & chemical data

- Base: Nitrocombi resin
- Colourname:
  - ◊ Yellow
  - ◊ Orange
  - ◊ Green
  - ◊ Pink
- Degree of gloss: semi mat, 25 ±5 GU
- Efficiency: 400 ml – 1,5 m<sup>2</sup>
- Dry to touch: 10-20 min
- Dust dry: 5-10 min
- Completely dry: 60 min
- Overcoatable: Anytime min
- Surfaces: range of interior and exterior decorating applications.
- Minimum Working Temperature: 15 °C
- Maximum Working Temperature: 25 °C
- Vapour pressure: 3500/20 bar
- Content: 400 ml

### How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- The surface should be clean, dry and free of grease. Remove loose old lacquer and rust and sand the surface.
- The surface should be clean, dry and free of grease. The aerosol should have room temperature. Best processing temperature 10 to 25°C. Before use, shake the aerosol for 2 minutes and spray a sample. Distance to the surface to be treated approximately 25 to 30 centimeter.
- Apply the spray paint in several thin layers. Before applying the next layer, again shake the aerosol. When desired, after drying a primer and a lacquer can be applied.

#### Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

#### Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

#### Marking/Labeling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline +31 (0) 561 69 44 00 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of August 19, 2022 – This release replaces all eventually earlier issued versions.

